GREAT NORTHERN RAILWAY LINE.

GREAT NORTHERN RAILWAY.

CASCADE DIVISION.

TIME TABLE NO. 22.

EFFECTIVE 12.01 A. M. SUNDAY, MARCH 12th, 1899.

General Rules, Regulating the Movement of Trains, are contained in Book of Rules for the Government of the Operating Department, a copy of which must be in possession of each employe in train service while on duty.

This Time Table is not intended for the information of the public, nor as an advertisement of the time or hours of any train. The Company reserves the right to vary from it at pleasure. It is for the information of employes only.

	WEST BOUND.								· p	8				1	-	EAST BOUND.												
							Second	Class	First 6	lass	Coal, bles a	fron	STA	TIONS	fron	h Ca	aph	First 6	lass	Second	Class						20	
							No.	15	No.	3	Water, ales, Tab Wye	Distance fro St. Paul.	UIA	110110	Distance fro	Telegraph Ca	felegraph Offices.	No.	4	No.	16				*		1-1	
							Time F	reight	Passer	ager	Wa	Dist			Dis	Tele	F	Passe		Frei;							1	
										,					-		-	_			T			-			_	_
						4-1-4-1-1	7.15	A M De					East	2.9			DN		A M Ar	12.05	P M Ar					70100		
							7.30	******					0. R. &	1.7		JC	DN	8.35						155000				1 11/1/11
							8.20	Mt 4	6.30	*******			Sp	3.6		Q	DN	8.30	Mt 15	116:43								
										*******		1480.5		unction	71 17-51													
							8.55		7.00			1485.1		hland				8.00		10.10	Mt 15						********	1
							9 45	Mt 16			W.	1490.5		yons							Mt 13						and the same	
					********		10.20	4000000	7.23	****		. 1497.0		alena 2.7	10000	******		7.33		9.10								
					*********		10.30			0.000	W.	2000		panola 6:3				7.28	Mt 3	8.55	********							-
						10000	11.00			200	***	1506.0		aukon		war		f 7.10			Men							
							11.30	1116-1-1	7.48	Mt 16	w.	1511.9		iwall 9-0		WH	D	1 6,55	11:111		Mt 3							*
	*********					4200	12.10	PM	8.04			1520.9		7.7	48.3			1 6.35	2)-2444	2011		*********				***	-	
							12.50	******	s 8.15	*******	W.C.	1528.6		ington		HR	D	s 6.18	Ps 16	6.18	4 Ps							
						· in	1.20		f 8.25	*****		1535.2	M	ohler 8.3				6.05	4444	5.45	*******				11430	++(1)+(1)+(1)+(1)		
SALES AND STREET							2.00		f 8.36	24400000	W.	1543.5		mona	0.76			1 5.46	******	5.10		**********						2
	**********					-	2,50		1 8.51	*******		1558.8		dessa 8-8				1 5.27		4.30	****							
							3.35	******	1 9.04		w.	1562.6		Irby	100,000			\$ 5.10			********			D 11-CO-CC (97				
							4.10	*>*****		40.0001111		1570.1		rupp	TAXABLE PARTY			1 4.55	******	3.20	*******							
					100000000000		3:45		9.30		W. C.	1576.8	Wilso	n Creek		Z		* 14.40		12:30	*******	**********					140000000000000000000000000000000000000	120-1-03
							5.40		1 947			. 1584.6		atford				f 4.19	******	1.55		*********	900000000000000000000000000000000000000					
							6.15	******	1 9.58	0.630.000		. 1592 2		drian7.6	Lane at			- min	******									
							6.50		1 10.09		w.	1599.8	100	hrata	lane.	FR		1 3.50			.,							
				.,			7.35		1 10.23	******		1610.0	Win	chester				1 3.30		12.25	A M							
							8.15		1 10.35			1618.5	Q	nincy	145.9	00000		1 3.15	******	11.50				0,000,000		15 T. S.		
							8.55		10.53		W. 3mi. E	1626.3	Tı	nidad	150.7			2.53	*******	10.45	20000							
							9.30	Mt 16	f 11.10			. 1685.0	Colum	bia River	162.4			1 2.30		9.30	M t 15							0.000
							9.50		1 11.17		W.	1639.4	Roc	Island	166.8	++1+++		1 2.20	1111.11	9.00				14450-0179	*****			
							10.10		111.25	0.000000	*******	. 1643.9		alaga	171.3			1 2.10		8.35								
	PO (TO 1 TO 1 TO 1						10.40		s 11.40	19417	W. Y.	1651.0	We	natchee	178.4	WC	DN	s 1.55		8.00	1111111							1 5380
							11.30		1 12.05	PM	W.	1661.9	Old	Mission				f 1.31	(com-	7.10								4.0
	nerecons				to		12.10	AM	1 12.24			1670.0	Pe	hastin	197.4			f 1.15	iMt 1	6.35	20,000,000							
					Commis		12.40	Ar Mt 4	12.35	PM At	W.C. T.	1674.0	Leav	enworth	201.4	CH	DN	1.05	AM De	6.15	P.M. De			manufacture.			on one	alian
The state of the s	10 10						No. 15	Daily	No. 3 1	Daily								No. 4	Dally.	No. 16	Daily							

West Bound Trains will have Absolute Right of Track Over East Bound Trains of the Same Class. See Rule 84.

Destroy All Time Tables of Previous Date. [See Rule No. 20.)

Standard clocks are located at telegraph offices at Spokane and Leavenworth. Trains on this division will be governed by Pacific Standard

Between the hours of 7 p. m and 7 a. m., all except first-class trains will procure a clearance from the operator at all night telegraph offices.

Conductors of all trains, and Engineers running without Conductors, must register their arrival and departure at East Spokane, O. R. & N. Junction, Spokane, Wilson Creek and Leavenworth, stating whether they are or not carrying signals. No train will be considered registered unless such notation is made, and in case of omission, Conductors of trains affected will govern themselves accordingly and report the fact to the Su-

Trains will use the Oregon Railroad & Navigation Company's track between O. R. & N. Junction and Spokane, and the Seattle, Lake Shore & Eastern track between Spokane and Great Northern Junction.

Train and engine men will provide themselves with and be governed by time tables of the O. R. & N. Co. between O. R. & N. Junction and Spokane. Great Northern time table will govern the use of S., L. S. & E.

Trains will date from time due to leave terminals. East Spokane, Leavenworth and Seattle will be considered terminals for passenger trains; East Spokane and Leavenworth for freight trains.

Station mile boards indicate yard limits at East Spokane and Leavenworth.

All trains and light engines will stop at crossing of S. F. & N. Ry. at Spokane. Conductors of all trains will send a Brakeman to flag this crossing, and Engineers will get signals from Brakeman before proceeding.

All trains and light engines will stop before going on to Spokane river bridge, and trainmen will look over their trains carefully and see that all is right before going on to the bridge.

All trains will reduce speed to 8 miles per hour through city of Spo-

kane, over Spokane river bridge, Crab Creek bridge west of Edwall, and all bridges between Quincy and Columbia river. When trains have double headers the engines must be uncoupled and run separately over these

Freight trains will not exceed speed of scheduled freight trains in same direction between G. N. Junction and Highland, Quincy and Columbia River, Old Mission and Leavenworth.

Nos. 15 and 16 will carry passengers when provided with ticket and a freight train permit. See Rule 284.

In doing switching on the boat track at Wenatchee the engine must, in every case, set cars in and not drop them in. Any switching necessary to place cars in right order to go to the boat track must be done on other tracks at Wenatchee.

REFERENCE MARKS: s—Stop. f—Stop on signal or let off passengers. D—Day Office. DN—Day and Night Office. W—Water. C—Coal. O—Scales. T—Tables, Y—Wes.

DE All trains will be handled'under absolute control and without regard to making schedule time at all points where land or snowslides or falling rock are liable to be encountered. 🛋

WEST BOUND							pg		m						- 1	EAST	BOUN	ID									
			Third	Class	Second	Class	First	Class	First	Class	Coal,	fron .		fron	a d	Office	First	Class	First	Class	Second	Class	Third	Class			
			No.	7	No. 15		No	No. I		. 3	ter. Coal	stance fre St. Paul.	STATIONS.	Spo	t da	aph	No.	4	No.	2	No.	16	No	8			
			Daily I	xcept	Time F		Passenger Daily			Passenger Daily		Dist		Distance East Spot			Passe Dai		Passenger Daily		Freight Daily		Freight Daily Except Sunday				
 					1.45	A M De			12 45	P M D	e W. C. T.	1674.0	Leavenworth	201.4	сн	DN	12-55	A M Ar			5.05	P M Ar		1			
 			***********		2.45				1 1.15	and the same	w.	1684.6	10.6	212.0	CZ.	D	112.25										
			Hiteron		3.15				1.40			1691.7	Nason Creek 2	219.1			112.07	AM			3.45						
 		******			3.45				1.50		. W.	1691.7	Merritt 2	222.1	CK.		11-58				3.30						
 *******			HITTERSEE								w.	1702.3	Berne 2	229.7													
 ****					6.25				1 2.40	Mt 16		1706.6	4.6		CN	DN	*11.20				2.40	Mt 3	*****				
 								*******			. W-1 ml. W	1711.2	7.3	238.6											******	22122	
 					8.25			* *** **	3.50	******			9.4			DN	s 10.00		**********	- 20	12.01	P M					
 					10.30	Mt 16	***************		14.20	2711000		1727.9	Madison2			D	9.10	******			9.30	Mt 15	*********		********		
 	***************************************				10.30				15.00	*****	, W. C.T.O.		7.8	267.0	KY	DN	8.20 8.15				17.35	*******					**********
 					12.01	PX			1 5.20		100	1747.4	6.5	274.8			1 7.55				5.55		*********		******		
 					12.30				f 5.40 f 6.05		w.	1700.9	8.7	281.3		D	1 7.35				5.05	*****		*******	*******		*****************
 					1.03				0.03	******		1764 8	2.2	292.2			f 7.15				4.02	-4401011	*********				************
 												1765.4	0.6	92.8													*****
 					1.25				6.25	****	w.	1768.5	3.1	295.9	UN	D	* 7.00				3.15						
 												1771.1	Owen's Spur	98.5													
 			*********		1.55				6.45	Mt 4		1775.8	Monroe 3	03.2	RO	DN	6.45	Mt 3			2.10						
 				,	2.25				* 7.00			. 1783.1	Snohomish 31	10.5	8	D	* 6.27				1.10						
 					2.55				* 7-10	221222	W. Y.	1788.3	Lowell	15.7	ND	DN	* 6.15				12-30						
 			8.25	P M De	3.30		s 5.10	PM De	* 7.25			. 1793.8	Everett Junction	21.2	н	D	* 6.00		9.45	A M Ar	12.01	A M	5.25	A M Ar			
			8.55	P M AT	4.00		s 5.20		* 7.35		W.	1796.9	3-1 Everett	24.3	DC.	DN	s 5.50		9.37		11-15		4-40	A M De	-		
 			Daily	Except	4.20		5.38	Mt 4	7.47			1801.4	4-5 Mukilteo	100	1		200	Mt 1		********	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		Daily	Except			
 					2.20		0.30					1808.4	7.0	35.8	*****	** "	5.38		0.24		10.45		Sui	uny			************
				1000000	5.13	Mt4	e 6.00		1 8.10		w.	1812.4	_ 4.0	39.8	DR	D	1 5.13	Mt 15	8-57		9.45						
 												. 1815.8	3.4	43.2													
 					6.15		6.27		8.40			1824.5	Ballard s	51.9	BD	D	4-48		8-33		8-50						
 	*******	· · · · · ·	*********		6,20	P M Ar	6-30		8.45	Mt 16	W. U. T.O	. 1825.7	Interbay	50 1	RB	DN	s 4-45		8-30		8.45	Mt 3 PM De					
 	******						6-45	P M Ar	9.00	PMA		. 1829.8	Seattle z	67.2	BA	DN	4.30	PM De	8-15	A M De							
					No. 15	Daily	No. 1 1	Daily	No. 3 I	Dally							No. 4 D	aily	No. 2 D	mily	No. 16 I	Dally					

West-Bound Trains will have Absolute Right of Track over East-Bound Trains of the same class. See Rule 84.

Destroy all Time Tables of previous date. Rule 20.

Standard Clocks are located at telegraph offices at Leavenworth, Skykomish, Everett, Interbay and Seattle.

Trains on this division will be governed by Pacific Standard Time.

Conductors of all trains, and engineers running without conductors, must register their arrival and departure at Leavenworth, Cascade Tunnel, Wellington, Skykomish, Lowell, Everett Junction, Everett, Interbay and Seattle, stating whether they are or not carrying signals. No train will be considered registered unless such notation is made, and in case of omissions, conductors of trains affected will govern themselves accordingly and report the fact to

Trains will use the Everett & Monte Cristo Railway Company's track between Lowell and Everett Junction.

Train and engine men will provide themselves with and be governed by

time tables of the E. & M. C. Ry. Co.

the Superintendent

All trains must use 15 minutes between Seattle and Interbay.

Trains will date from time due to leave terminals. East Spokane, Leavenworth and Seattle will be considered terminals for passenger trains; Leavenworth, Skykomish and Interbay for freight trains.

Station mile-boards indicate yard limits at Leavenworth, Skykomish, Everett and Interbay.

Trains and light engines will stop at drawbridge one-fourth mile east of Snohomish, and west-bound trains will stop before going on to coast line switch at Everett Junction.

All trains will reduce speed to eight miles per hour through Martin Creek tunnel and over bridges at each end, and Foss Creek bridge, 5 miles east of

Freight trains will not exceed speed of scheduled freight trains in same direction between Leavenworth and Skykomish.

Between the hours of 7 p. m. and 7 a. m., all except first-class trains will procure a clearance from the operator at all night telegraph offices.

No train will leave Cascade tunnel east bound, or Wellington west bound, within 25 minutes after departure of the preceding train. This 25 minutes to be observed at all stations where the operators are on duty from Cascade tunnel to Leavenworth, and from Wellington to Skykomish.

Additional to other required tests of the air brake, no train will leave Cascade tunnel east bound, nor Wellington west bound, until the air brakes have been carefully tested at those points, after the Switch-back engine has been cut off. Engineer will set the brakes and leave them set until train men ex-

amine each car, then release them, and train men will again examine each car and see that brakes release before giving the signal to start the train. Conductors must inform engineers how many cars loaded and empty in the train,

ductors must inform engineers now many cars loaded and empty at the card and how many cars of "air" working.

All retainers must be used from Cascade tunnel to Merritt, and from Chiwaukum to Leavenworth, and from Wellington to Skykomish.

In passing over Switch-back between Cascade tunnel and Wellington all trains will be under jurisdiction of Conductor in charge of Switch-back engines. All trains must have an engine on each end. Road crews will render necessary assistance in handling their trains.

This Time Table does not convey to trains the right to run between Cascade tunnel and Wellington in either direction. All trains will be moved between these points by the Switch-back crews.

Trains 15 and 16 will not carry passengers. See Rule 284.

Seattle yard limit extends to the yard-limit board east of Ballard. All trains except regular passenger trains will run under control between this

yard-limit board and Scattle, expecting to find main track occupied.

Reference Marks: s—Stop: (—Stop on signal or let off passengers; D—Day Office; DN—Day and Night Office; W—Water; C—Coal; O—Scales; T—Tables; Y—Wyes.

[37 All trains will be handled under absolute control and without regard to making schedule time at all points where land or snow slides or falling rock are liable to be encountered.

CASCADE DIVISION-Everett Junction to Brownsville.

		SOUTH-BOUND						Wye trigs		Ti de la constitución de la cons			NORTH-BOUND										
	Second	Class	First C	lass			First	Class	Coa.	do.		100	Calls	First (lass			First C	lass	Second	Class		
	No.	7	No	. 5		- 1	No.	. 1	Tab	Telegrapi Offices.	STATIONS	e from	dqu	No.	2			No.	6	No.	8		
	Freig Daily E Sund	xcept	Mix. Tues., 7	Churs.			Passe Dai		Water, Coal, Scales, Tables, Wyes and R. R. Crossings,	20		Distanc	Telegraph	Passer	-			Mixe Mon., We Fri	d, and	Frei; Daily E Sund	xcept		
			0.10	A M De						-	Brownsville	343.0		CONTRACTOR DESIGNATION				4.15	P M AT				1
, manager and a			8.40	1.00001					w. Y.	D.	1.5 Liverpool	- Providence						s 4.09					
	***************************************	*******	8.45								2.1 Bon Accord	****	24.5					f 4.03					
			1 8.53								6.7 Port Kells	10000						. 341					
			9.13		**********						5.2 Cloverdale		1					4 3.21					
			9.33								5.1 Hazelmere							1 3.02					
			9.52		and the second						Douglass B.C							s 2.44					
			* 10.04 * 10.07						W.C.	D.	0.3 Blaine		BN					12.42					
			10.27							A/-1	7.4 Custer					Correspond		2.08					
			* 10-55		1111111111			1			2.4 Enterprise							1 1.58					
			1 11.06	*******				-		D.	3.1 Ferndale	100	FD					* 1.46					
	*****		* 11-17							17.	2.1					140710170170		1 1.38					
	40.05	P M De	111.28				0.00	D. M. D.			Brennan 6.8		,	12.25	P M Ar			1.15	P M De	12.15	P M AT		1
	12.25	Mt 2	11.55	A M Ar			2.30	P M D		D.	New Whatcom	1 500	H.A	12.20	Mt 7			Monday,	Wed.	12.05	PM		
	12.30		Tuesday	Sat.			2.33	*****	C. X.		Sehome Junction			12-15		**********		and	Fri.	11-50			
	12.55	-5					2.39	*****	Constitution of the same	D.	1.5			12.09	РМ	**********				11-35			
	2.00	4.00					2.44	****	W.C.O.Y.	***************************************	Happy Valley	10000			1000				*******	11.00			
	3.01	1 Ps					3.01	Ps 7			Chuckanut	- 277		111-48						11.00			T
	***************************************						1 3 12				Samish Lake			111.37	********								
	****		*******	*****			1 3.18	100000			Alger 4.6			11.31						9.50			
	4.25			5000000		*******	s 3.32		11.		F. & S Junction	100		11-18						8-50			1
		******		******		100.00	1 3.35			D.	Belfast	7000		* 11-16	*******					0.00			1
	4.45						1 3.42				Belleville			f 11.09	*******					9.20	43-141-1		177
	5.05	** ****		74014			\$ 3.50	(1)	. X.	D.	Burlington		110	11.02		**********				8.50			-
	5.35	******	(***********	-			s 4.02			D.	Mt. Vernon	1930		s 10-51		*********	1.11444			8.15	x 410-1911s		1
	6.05	· · · · · · · ·					4.13	*****	. W.		Fir 6.9			10.40	*****	1.0000	*******			7.45			
	6.35						4.28	1444994		D.	Stanwood			10.27	*****					7.15			1
	7.00						s 4.40	******	. w.	D	Silvana	1000	1000	≤ 10.15						6.45	63 min	**********	1
	7.50						s 5.00			D.	Marysville		MS	9.55						6.00	EM P		
	8.25	P M Ar					\$ 5.10	PMA	r	D,	Everett Junction .	36.0	H	9.45	A M De	*************				5.25	A M De		1
	No. 7 Da	ly Ex-					No. 11	Daily						No. 2 1	Dally					No. 8 Dai	ly Ex-		

SEDRO BRANCH-F. & S. Junction to Cokedale.

SOUTH-BOUND	rom			Calls	NORTH-BOUND							
	Distance from F. & S. Junction	STATIONS	Distance be Station	Telegraph								
	.0	F.& S. Junction	.0	JN								
L. Marini Miller and American Committee	2.0	Jarman Prairie	2.0									
	5.1	Woolley	6.1									
4 CTREE CONTRACTOR CON	9.1	Sedro Junction	1.0									
	15.1	Cokedale	6.0									

Trains going toward Brownsville will have absolute right of track over trains of the same class in opposite direction.

Destroy all time tables of previous date. See rule No. 20.

Standard clocks are located at telegraph office at Everett.

Trains on this division will be governed by Pacific Standard time.

Conductors of all trains, and Engineers running without conductors, must register their arrival and departure at Everett Junction, F. & S. Junction, New Whatcom, Blaine and Brownsville, stating whether they are or not carrying signals. No train will be considered registered unless such notation is made, and in case of omission, Conductors of trains affected will govern themselves accordingly and report the fact to the Superintendent.

All trains must approach F. & S. Junction under full control, and must stop at draw bridges and railroad crossings at a distance not exceeding 200 feet from same.

Conductors of trains hauling logs must stop on all summits and see that brakes are properly set before descending grades.

Between the hours of 7 p. m. and 7 a. m. all except first class trains will procure a clearance from the operator at all night telegraph offices.

Trains 7 and 8 will not carry passengers.

Trains must not exceed schedule speed descending Chuckanut Hill.

REFERENCE MARKS: s-Stop. f-Stop on signal or let off passengers. D-Day Office. DN-Day and Night Office. W-Water. C-Coal. O-Scales. T-Tables. Y-Wyes.

FAII trains will be handled under absolute control and without regard to making schedule time at all points where land or snow slides or falling rock are liable to be encountered.

Capacity of Different Classes of Engines in Tons in Addition to Weight of Engine, Tender and Caboose-Cascade Division.

	C	OINC I	EAST							CC	INC V	VEST.					
STATIONS.	Ruling	19x32 200 lb	20x26 180 lb	19x26 180 lb	19x24 18o lb	19x24 150 lb	18x24 145 lb	17×24 145 lb	STATIONS.	Ruling	19x32 200 lb	20x26 180 lb	19x26 18o lb	19x24 18o lb	19x24 150 lb	18x24 145 lb	17×24 145 lb
Lowell to Gold Bar	.6	1750	1550	1400	1280	1065	815	730	Spokane to Galena	1.0	1000	890	800	740	610	460	416
Gold Bar to Skykomish	1.0	1000	865	775	715	575	435	385	Galena to Harrington	.84	1400	1250	1120	1000	810	630	570
Skykomish to Wellington	2 2	480	410	367	340	276	200	183	Harrington to Wilson Creek	.0	1700	1545	1390	1290	1060	815	730
Cascade Tunnel to Leavenworth	Down								Wilson Creck to Adrian	.0	1700	1545	1390	1280	1060	815	730
Leavenworth to Rock Island	Down								Adrian to Ephrata	1.0	1100	960	860	800	650	500	450
Rock Island to Quincy	1.0	1000	890	800	740	600	460	.410	Ephrata to Wenatchee	Down							
Quincy to Wilson Creek	8	1200	1050	960	890	740	560	500	Wenatchee to Leavenworth	1.0	1000	890	Soo	740	612	460	416
Wilson Creek to Spokane	.8	1200	1050	960	890	840	560	500	Leavenworth to Cascade Tunnel	2.2	490	4co	360	340	275	200	185
				111	-				Wellington to Lowell	Down							

F. J. HAWN.

Assistant Superintendent.

J. W. HYNDMAN.

Chief Train Dispatcher.

R. H. BOWRON,

C. SHIELDS.

F. E. WARD.

Superintendent.

Assistant General Superintendent.

General Superintendent.

COMPANY SURGEONS

East Spokane, .	E. F. EAKIN
	D. G. RUSSELL
Spokane,	. R. L. THOMPSON, Oculist
Harrington,	M. F. SETTERS
Leavenworth, .	G. W. HOXSIE
Wellington,	A. V. MARION
Everett,	W. C. COX
Seattle,	. J. B. EAGLESON
Fairhaven,	H. A. COMPTON
Mt. Vernon,	F. B. WEST
inci i cinicii	

TIME INSPECTORS

Spokane,					G. R. DODSON
Leavenworth,					C. R. OWENS
Seattle					J. F. HUNTER