# GREAT NORTHERN RAILWAY LINE.

GREAT NORTHERN RAILWAY.

TERMINALS DIVISION.

# TIME TABLE No. 208.

TAKES EFFECT AT EIGHT (8:00) A. M. MONDAY, May 6th, 1901.

THIS TIME TABLE FOR EMPLOYES ONLY.

P. L. CLARITY,
Superintendent.

J. M. CRUBER.
Asst. Gen'l Superintendent.

F. E. WARD,

General Superintendent.

# Terminals Division.

## TRAINS

## GOING

## WEST.

#### FIRST CLASS TRAINS.

121	69	41	63	39	7	67	9	33	19	65	59	61	131		23	57	29	49	from	GM A MY ON G	nals.	55	53	27	11	51	3		43	25	21	1	45	4	17	5	17		13
E Min. PASS. No. 22	Omah. PASS. No. 1		Omah. PASS. No. 63		FF Div PASS. No. 7	Omah. PASS, No. 4	Wilm'r Div. PASS.	Lake Mtka PASS.	E Min PASS No. 19	W. C. PASS. No. 1	FF Div PASS. No. 2	Omah. PASS. No. 61	FF Div PASS. No. 131		Lake& Hutch PASS.	Omah. PASS. No. 6	7 3	49 O B & O PASS No. 49	tance 3t. Pa Pass.1	STATIONS	ce Sig	Omah. PASS. No. 3	Omah. PASS. No. 8	Lake Mtka PASS.	Wilm'r Div. PASS.	FF Div PASS No. 132	FF Div PASS. No. 3		E. M. PASS. No. 20	Lake Mtka PASS.	Omah. PASS. No. 9	F FDiv PASS. No. 1	W. C. PASS. No. 3	C,F	3&Q O ASS. P	Omah. PASS. No. 5.	PASS. No. 2	EPN	E. Min. PASS Io. 21
Daily	Control of the second		Daily				No. 9		7	a. Daily	2.0			48.0	Ex. Su.			Ex. Su	14 2	LEAVE	Om		130	12	No. 11 Ex. Su.		3	- 1				Łx. Su.				Daily			Daliy
P. M. 11.10	P. M. 10.20		P. M. 10.05		P. M. 8.30	Р. м. 7.40	P. M. 7.05	P. M. 5.55	Р. М.	P. M. 5.10	Р. М.	P. M. 4 55	P. M. 4.45		P. M. 4.30	P. M. 4.20		P. M. 12.55	5 0	Saint Paul	Λ	A. M. 11.30	A. M. 10.10	A. M. 9.35	A. M. 9.10	А. М.	а.м. 9.00		л. м. 8.55	A.M. 8.50	л. м. 8. 40	A. M. 8.30	A. M.	 A. 7	. м. .55	A. M. 7.50	7.30		A. M.
		The state of	10.14		8.38			6.03					4.52					- 100	1	Como		1	10.19				9.09		-1										
			10.18		8.41			6.08					4.55 4.58							Hamline St. Anthony P'rk	11		10.23	100			9.13	100		9.01							7.46		
1111.35		100	10.26		1050		and the same of	6.12					5.02							East Side Stat'n	11		10.31	1	9.27		9.21		9.12	9.07		100000000000000000000000000000000000000					7.55		
11.60	10.45		10.80		19.00	8.05	17.40	s 6.15	9	5.85		5.20	\$5.05 5.10		15.05	4.50		1.20	10.44	Minneapolis	8	11.50	10.35	110.00	9.40		{ 9.25 9.30 ··		19.20	19.15	9.05	8.55	8.50	 8	.25	8.15	8.00		
11.55									5.5		5.05		5.14						. 12.06	Minneapolis Jc.	SJ					9.30			9.24			9.04		 					6.05
*******									5.59	9	5.09								. 11.23	U. D. Junction						9.34								 					6.09
					9.05		7.45	6.21							5.10				11.95	Clearwater Jc	UD	100		10.06	a dia		9.35			9.18				 					
							₃8.05	s 6.38							s 5.27				02.00	Hutchinson Jct 6.50 Wayzata	11	-	8		10.07					9.35				 					
12.03													5.20 M.No. 130						. 14.46	Northtown Jc	NR								9.29			9.10		 					
1 12,11						•••••							f 5.27		•••••					1.25									9.36		•••••	f 9.17 M. No.132	•••••	 ••••	• • • • • • • • • • • • • • • • • • • •				
12.20	'P. M.		Р. М.		P. W.	Р. М.	PM	P.W.		Р. М.			M. No. 56 5.35		Р. М.	P. M.		P. M.	. 23.03	Brighton Jct Coon Creek Jct.	ck	А. М.			A M	A. M.			9.45		А. М.	9.24 A. M.	А. М.	 		A. M.	A. M.		A. M.
Daily	-		Daily							a. Daily					Ex. Su.			Ex. Su	L	ARRIVE	237				Ex. Su.							Ex.Su.				Daily			Daily

#### SECOND CLASS TRAINS.

 				<u> </u>		 			- WI		_	 	 							_		_		 		
37	15	13	3 13	5	123	119		115	fron ul Frach	STATIONS	nals.		1967.5	14.7	103	99	97	101	35	91	31	129 Prince		83	81	
FF Div Time F	Wilm'r Div.	E M Tim	n. O Bå	Q	Omah. FRT.	Omah. FRT.		115 O.B & Q FRT. Tr'nsfr	ance st. Pa Frt.		se Sig				Omah. FRT.	W.C. FRT.	E Min. Local	FF DIV	Wilm'r Div.	Omah FRT.	Hutch FRT.	ton	O.B&Q FRT. Tr'nsfr	W. C. FRT. No. 21	C.B&Q FRT.	
No. 37 Daily	Time F No. 15 Daily		y Dail		Tr'nsfr Daily	Tr'nsfr Daily	The state of the s	Daily		LEAVE	OM						No. 26 I		1 No. 35		Ex. Su	IMO We	Daily	Daily		
P. M.	Р. М.		P. M		 P. M.	P. M.		Р. М. 12.05	0	Saint Paul	A	 	 		A. M.	А. М.	А. М.	A. M.	A.M.	A.M.	A. M.	A. M.	A.M. 4.30	 А.М.	12.30	
 11.80	. 10.45	7.	6.2	5	 . 3.00	 2.00		12.20	3.03	Como	Q	 	 			1 300	6.30			5.15	5				12.45	
	. 10.55	7.			 1	 50	- 235			Hamline		 			All and the	A REPORT OF	6.40	100		5.25						
 11.55	. 11.80	7.			 . 8.23				232.50	Minnesota Tran St. Anthony P'rk	MT				9.25	7.85	7.00			5.86			3.13	 4.10	1.15	
 					 	 			(Cont.)	East Side Stat'n		 	 											 		
 					 	 			10.44	Minneapolis	8	 	 											 		
{ 12.15 A. M. 1.80	11.55	8	50 7.1	.5	 . 3.45	 2.45		1.30	9.57	Minneapolis Jc.	SJ	 	 		9.50	7.55	7.40	6.25		5.50	0	5.50	5.40	 4.45	1.45	
 			7.2	5	 . 3.55	 2.55		1.40	11.23	.U. D. Junction.		 	 		10.00	8.05				6.00	00		5.50	 4.55	1.55	
 	12.05 A. M.		7.8	35	 	 		1.50	12.74	.Clearwater Jc.	ΠD	 	 						7.10		6.15	5	6.00	 	2.05	
 					 	 			10000	Hutchinson Jct		 	 									-		 		
 	. 2.45				 	 			23.72	Wayzata	WA	 	 						8.00		. 8 6.58			 		
 1.50		9.5			 	 			11.97	Northtown Jc	NR	 	 				8.05	6.45				6.10		 		
 2.01		9.:	35		 	 			17.94	Fridley Brighton Jct		 	 				8.20	17.02				6.22		 		
 2.15		9	50			 			20.54	Coon Creek Jct.	OK	 	 				8.35	• 7.20				6.35		 		
Daily	Daily	P. 1	ly Dail		P. M. Daily	P. M. Daily		P. M. Daily		ARRIVE					A. M.	A. M.	A. M.				Ex. Su		-	Daily	-	

No. 45. (W. C. No. 3) leaves Jackson Street 8:33 A. M.

C. C. PONSONBY, Chief Train Dispatcher.

# Terminals Division.

## TRAINS

## GOING

## EAST.

#### FIRST CLASS TRAINS.

						1			T	T	<del></del>		T	<del></del>	<del></del>	ī		T	lao.:		Il si		T		T				<del></del>		<del></del>	<del></del>	1	T		T	1			
122		8	14	10	18	50	44	24	62	22		26	72	20	46	132	3		fror gk J	CMAMIONG	rnal	28	4	6	34	52	12	54	2	32	56	58	60	48	6	70	34	42	68	66
E. Min. PASS.	I	PASS.	Omah. PASS.	Wilm'r	W.C.	O, B&Q PASS.	Omah PASS.	Lake	Omah	. Lake&		Lake	FF Div PASS. No. 1	E. Min.	Omah.	FF DI	v		Distance from Goon Creek Jo via Pass. T'k.	STATIONS	SIg		FF Div	On	nah. Or	mah.	Wilm'r	FF Div	FF DIV	Lake	E.Min	Omah PASS	W.C.	C, B&Q	Omah.	Omah. PASS No. 1			Omah. PASS. No. 10	E. Min. PASS.
PASS. No. 21		No. 8	No. 5	PASS.	No. 2	No.50	No. 4	PASS.	No. 62	Hutch PASS.		PASS.	No. 1	No. 20	No. 3	No. 13	12		lsta 200 a P		Be		PASS No. 4	No	0. 64 N	No. 7	PASS.	No. 131	No. 2	PASS.	No. 19	No. 2	No. 4	No. 48	No. 6	No. 1			No. 10	No. 121
Daily		Daily	Ex. Su.	Daily	Daily	Ex. Su.	Daily	Ex. Su	E 80	Ex.Su		Su o'ly	Ex.Su.	Ex.Su.	Daily	Ex. Su	1.		202	ARRIVE	°		Daily	Da	aily E	x.Su. I	Ex. Su.	Ex.Su.	Ex. Su.	Daily	Ex. Su	. Daily	Daily	Daily	Daily	Daily			Daily	Daily
A. M.		А. М.	A. M.	A. M. 7.45	А. М.	A. M.	A. M.	A. M. 8.25	4. M.	А. М.	5	А. М.	A. M.	А. М.	A. M.	A. M.	T. A.		-	8025-825		4-11	Р. М. 2.30	P.	м. Р	Р. М.	Р. М.	P. M.	P. M.	P. M.	Р. М.	Р. М.	P. M.	Р. М.	Р. М.	Р. М.			P. M.	Р. М.
6.40					TI SANDA	Transfer Street	Section of	North Asset	Designation of	- Substitution	Andrew State of	and the later of	And the latest and the		Acres and a		1			3.03	- 1 DE-		A CONTRACTOR	The same of the sa	15 C 10 2 1	ALTO DE PORTO	the state of	100000000000000000000000000000000000000	1	and the same of the same					1 100		A STATE OF THE STATE OF	1		CONTRACTOR OF STREET
					- 6.5-10.00		1-1-1-51	350		9.16										2.19	11							1 . J											10.53	
			5	1000	Andrew Stay	The state of the	Complete All		4						9.42					1.69	11															8.12			10.50	
								and the second	1	The second second	The same of	Transfer and						-	The C	St. Anthony P'rk	11				.07	4.29	5.19						1 2 2 2							
1.000						A 100				9.08				and the second	The second second	100	S			East Side Stat'n			2.09	4	-								- NO. 10 S.							
18:18		7:00	7.10	7:15	7.25	7.30	7.50	s 8.05	8.10	9.00	)	8.05			9.30	19.40	B		. 12.59	Minneapolis	S		12.00	4	.00	4.20	$\{5.02$		3:18	1 3:20	8 8.00	6.25	7.05	7.20	7.30	8.00			10.40	
6.05													9.04	9.24		9.3	0		10.97	Minneapolis Jc	11							5.14	5.05		5.55									11.55
													9.01	9.21						U. D. Junction								5.11												11.51
		6.55		7.10				8.00	)	. 8.55	5	8.55							. 10.98	Clearwater Jc.	UD		1.55				4.56			5.15										
													<b></b>						6.50	Hutchinson Jet																				
				s 6.51				7.45	5	. 8.40		8.40								Wayzata	1					s	4.40			5.00										
5.58		-				******					137	7 - 2				9.24	1	-	8.57	Northtown Jc	NR								4.58		5.49									
15.50																M. No. 1			4.55	4.62 Fridley									14.49		5.42									
																			. 8.80	Brighton Jct													ļ			.)				
5.40																			. 0	Coon Creek Jct.	OK								4.40		5 35				Р. М.					
A.M.										A. M.		A. M.	А. М.	A. M.	A. M.	A. M.	Table 1			3.00			P. M.	P. 1	M. P	. м.	P. M.	P. M,	P. M.	P. M.	P. M.	P. M.	P. M.	P. M.	Daily	P. M.			P. M. Daily	
Daily		Dally	Ex. Su.	Dally	Daily	Ex.Su.	Daily	Ex. Su.	. Kx. S	Ex.Su		Su o'ly	Ex.Su.	Ex. Su	Daily	Ex. Su				LEAVE	- 1	R. D.	Daily	Da	ily Ex	k. Su. E	x.su.	Ex. su.	ex.su.	Dairy	Ex.su.	Daily	Daily	Dairy	Daily	Daily			Daily	Dani

#### SECOND CLASS TRAINS.

	82 40	80	3 8	88			100	100	3		38	zata s.Tra'k	STATIONS	gnals.	118	124		134					20 - 0 - 0 1	0 130 Princ	0	1	
	B&Q FRT. r'nsfr	E. M FR No.	in. Or T. F 23 Tr	nah RT. 'nsfr			C.B&Q FRT. Tr'nsfr	Omah FRT Tr'nsi	- 404,000			tance Wayza Pass.		dee Sip	O.B&Q FRT. Tr'nsfr	Omah. FRT. Tr'nsfr Daily	Wilmr Div. FRT.	E. Min Lecal FRT.	Hutch. FRT.	Omah. FRT. Tr'nsfr		FI	Div W. RT. FR . 102 No.	C. ton T. Line 22 Loca Tu T	W. C. FRT. No. 24	Wilmr Div. FRT.	C.B&Q FRT. Tr'nsfr
I	aily	Dai	ly D	aily			Daily	Daily	7			Dis	ARRIVE	00	Daily	Daily	Ex. Su.	NO. 25 No We Pri	Ex.Su.	Daily		Ex	. Su Dai	ly Sat	Daily		Daily
	4.00	A. 1		. м.			A. M. 8.10	A. M.				. 22,92	Saint Paul	A	 P. M. 3.35	 P. M.	P. M.	Р. М.	P. M.	P. M.		AND RESERVED TO SERVED BY STATE OF THE PARTY	M. P.	M. P. M	P. M.	P. M.	9.35
	3.40	1	and the		CALL CONTRACTOR			11.4					3.03 Como	Q	3.15	4 1 1 1 1 1 1 1		5.35		5.50			6.	50	. 8.10	10.15	9.20
	3.30			.15		 		11.8					Hamline	1000	 3.05					5.40			6.	40	. 8.00	10.05	9.10
	3.15	6.	48 7	.05		 	7.25	11.2	5			. 16.43	Minnesota Tran	мт	 2.55	 . 5.15		5.15		5.35			6.	30	. 7.50	9.55	9.00
						 						. 16.02	St. Anthony P'rk		 	 											
						 						. 13.36	East Side Stat'n		 	 											
						 						. 12.49	Minneapolis	S	 	 											
	2.40		20 6	3.40			6.50	10.5	5			. 13.71	Minneapolis Jc.	SJ	2.20	 . 4.40		4.50		5.10		E	.35 6.	00 5.4	7.10	9.15	8.15
	2.30		00			 	6.40	10.4	5				1.66		 2.10	 4.30				5.00		5	.25 5.	50	7.00	9.05	8.05
.	2.20						6.30					10.98	.Clearwater Jc.	UD	 2.00		4.05		4.40			5	.20			18.55	7.55
						 							Hutchinson Jc.		 	 											
						 						. 0	Wayzata	WA	 	 	3.29		4.10							8.00	
			-				+	_			-		4.02			-		4.00			-			M. No.1			
		5.	49			 						. 8.57	Northtown Jc	NR	 	 		4.30						5.0	3		
		5	37			 •••••						4.55	Fridley		 	 		4.15						0.0		*	
			05			 						3.30	Brighton Jct	OT	 	 		4.00						4.5	5		
	A. M.	b.	25 ···	. M.		 	A. M.	A. M.				. 0	Coon Creek Jct.	OK	 P. M.	 P. M.	I. M.	P. M.	P. M.	P. M.		P	M. P. I	M. P. M.	P. M.	P. M.	-
I	aily	Dai	ly D	ally			Daily	Daily	7	THE REAL PROPERTY.			LEAVE	Contract Contract	Daily	Daily	Ex.Su.	No Wa Fri	Ex. Su.	Daily		E	.Su Dai	ly Tu Th S	Daily	Daily	Dairy

No. 18. (W. C. No. 2) Arrives Jackson Street 7.41 A. M.

C. C. PONSONBY, Chief Train Dispatcher.

## SPRING PARK AND HUTCHINSON LINE.

	TRA	INS	GO	ING	WE	EST.		ssings les.	н	- 1943 - 196		of	B :	Ощеез	T	RAII	VS C	HOE	NG E	EAS	T.
Second Class			FIRST	CLASS	TRAIN	s.		al, Crossings rn Tables,	Distance from St. Paul.	STATIONS	Signal	pacity lings.	nce fro	рьощ	e de tallecte	FIRS	T CLAS	S TRAI	NS.		Second Class
No. 31	No. 41	No. 39		No. 23	NO. 29	No. 27			Distar St.		Ощсе В	Car Capacity Sidings.	Distance from Hutchinson.	Telegraph	No. 24 Passenger		No. 26 Passenger	No. 28	No. 32 Passenger	No. 34	No. 30 Local Freight.
Ex. Sun. A. M. 6.55 De			Daily P. M. 6.38	The Contract of the Contract o		Sun. only A. M. 10.24	Ex. Sun. A. M. 9.35	W	22.92 24.20	Wayzata	WA		i		Ex. 8un, A. M. s 7.45	Ex. Sun. A. M. 8 8.40 Ar		Second 2	Daily P. M. s 5.00		Ex. Sun. P. M. 4.05Ar
			s 6.42 s 6.46	s 5.31 s 5.35		s 10.28 s 10.32	s 9.39 s 9.43		90 05	Ferndale 1.85 Orono		1				s 8.36 s 8.32	s 8.36 s 8.32		s 4.56 s 4.52		
7.05			s 6.49	s 5.38		s 10.35 s 10.38	s 9.46 s 9.49		27.33 28.24	Markville			40.92		s 7.34 s 7.31	s 8.29 s 8.26	s 8.29 s 8.26		s 4.49 s 4.46		3.55
7.15	••••••		s 6.52 s 6.54	s 5.43		s 10.38	s 9.49	-	28.88	Minntka Beach	МВ		39.37		s 7.29	s 8.24	s 8.24		s 4.44		8.50
7.25 M. No. 24			7.00	fs 5.47 f 5.52		10.45	f	Т	20.49	Langdon Park. Spring Park 2.00	PK		37.97		M. No. 31 7.25	fs 8.20 f.8.15	8.20		4.40		3.45
8.06 M. No. 22				s 6.02				W	38.99	St. Bonifacius	BA	42	31.26	5.3		M. No. 31. 8 8.06					3.18
8.21 8.28				f 6.07 f 6.11					39,60	Maple		31 16	28.65 27.05			17.59					3.08
8.43 9.03				s 6.22 s 6.30					44.79 48.54	Mayer New Germany	KY NG	89 83	23.46 19.71	D		87.46 87.39					2.52
9.03				s 6.39				w	52.21	Lester Prairie	RA	34	16.04	11.		в 7.30					2.10
10.06 10.40 Ar				s 6.55 7.10 Ar				WOI	60.29	Silver Lake 7.96Hutchinson	HO	55 56	7,98	7/2		67.13 7.00 De					1.34 1.05De
A. M. Ex. Sun.			P. M. Daily	P. M. Ex. Sun.	Carlo Sings Asso	A. M. Sun. only	Ex. Sun.								Es. Sun.	A. M. Ex. Sun.	A. M. Sun. only		P. M. Daily		P. M. Ex. Sun.

West Bound Trains are Superior to East Bound Trains of Same Class.

Wayzata, Spring Park and Hutchinson registering stations. Train Order Signals are located at Wayzata, Minnetonka Beach, Spring Park, St. Bonifacius, Mayer, New Germany, Lester Prairie, Silver Lake and Hutchinson.

Bulletin Board located at Hutchinson and Spring Park. Standard clocks located in Telegraph Offices at Spring Park and Hutchinson.

## SPECIAL RULES --- NOTE IMPORTANT CHANGES.

#### See Book of Rules Governing Interlocking Systems.

On single track West Bound trains are Superior to East Bound trains of same class.

Clocks regulated to Standard Time are located in Telegraph Offices at St. Paul, Como, Minneapolis Junction, Minneapolis, Clearwater Junction, Coon Creek Junction.

- St. Paul, Como, Minneapolis Junction, Minneapolis, Northtown Junction, Coon Creek Junction, Clearwater Junction and Wayzata are Registering Stations. First Class Willmar Div. Trains and Specials to and from that Division and Hutchinson and Spring Park Line Trains will not register at Clearwater Junction. First Class Trains will register at Northtown Junction by Time Ticket between the hours of seven (7) am, and seven (7) pm., and will register at Minneapolis Junction and Como only when using freight tracks on special orders. Transfer trains will register at St. Anthony Park Interlocking Tower.
- Train Order signals are located at St. Paul, Como, Minneapolis Junction, Clearwater Junction, Northtown Junction, Coon Creek Junction, Minneapolis and Wayzata.
- Coon Creek Junction is terminal station for all Fergus Falls Division and Eastern Minnesota trains. Wayzata is terminal station for all Willmar Division, Spring Park and Hutchinson Line trains.
- The switch at Northtown Junction (end of double track) will be kept set for east-bound track. The switch at Wayzata (end of double track) will be kept set for east-bound
- Yard limit board is located one-half mile west of Northtown Junction.
- Wayzata yard limit board is located one mile west of
- Wayzata.

  All trains must approach Hutchinson Junction under control unless the way is seen to be clear. Switches at Hutchinson Junction will be kept set for main line and must be so left by trains after using them. All trains must approach Clearwater Junction with train under control and stop unless main track is seen to be clear.
- The terms "Freight" and "Passenger" are merely descriptive and do not refer to Class. Extra trains on passenger tracks will run ahead of delayed first class trains without orders. Extra trains on freight tracks will run ahead of delayed second class trains without orders. Extra trains on double track will run ahead of second class trains without orders.

- Nos. 30, 31, 35, 97, 101, 129, 36, 130, 134 and 102 will carry passengers when provided with transportation and permit
- Bulletin Boards are located at St. Paul, Como, Minneapolis, Minneapolis Junction, Coon Creek Junction, Clear-water Junction, Wayzata, St. Paul Shops and Minneapolis Junction Round House.
- All trains passing over or occupying main line tracks after dark or in foggy weather must display ared light on rear car, in the absence of a caboose or trainman on rear end.
- West end of freight tracks opposite Union Elevator under full control, prepared to stop if switches are occupied, and must not exceed five miles per hour while passing over these switches.
- The Double Passenger Tracks are the two (2) left-hand tracks when facing west between St. Paul Union Depot and Third Street, and the extension of same to Westminister Street; the two (2) north tracks from Westminister Street, St. Paul to St. Anthony Park and the two (2) south tracks from St. Anthony Park to point of diversion opposite Union Elevator, extending to First Street, Minneapolis via Union Depot.
- The Double Freight Tracks are the two (2) south tracks next to the passenger tracks from Third Street St. Paul to St. Anthony Park, and the two (2) north tracks from St. Anthony Park to point of diversion opposite Union Elevator extending to Minneapolis Junction.
- Double tracks extend from Minneapolis Junction to Northtown Junction, and from Minneapolis Junction to First Street. From First Street to Western Avenue, track two (2) is the East Bound Passenger track, and track three (3) the West Bound Passenger track. Track four (4) East, Bound Freight track. Track five (5), West Bound Freight track. These tracks are numbered, commencing with No. one (1), on north side, and are handled by switch tender night and day.
- Double tracks extend from Western Avenue to Wayzata. Freight tracks between Holden Street and Western Avenue are handled by the interlocking system.
- First class trains will use Passenger tracks exclusively, and second class trains, Freight tracks exclusively.
- Trains using double Passenger tracks will take the left hand track. Trains using the double Freight tracks will observe the same rule in regard to the use of the Freight

- tracks, and double Passenger and double Freight tracks shall be used in no other way except on orders from Superintendent.
- All West Bound Trains must reduce speed to Fifteen miles per hour at Crossover, one-half mile West of Minneapolis Union Elevator. Conductors and enginemen of all trains on Double Track must bear in mind the right of all other trains of same or superior class, whether on time or delayed, to make the stops called for by time table, without protection by flagman and must govern their speed accordingly at such points.
- All East Bound Trains must come to a full stop at stopboard 200 feet west of Omaha Cross-over Tracks at Westminster Street Bridge.
- All trains on freight tracks will bring their trains under full control prepared to stop when approaching cross-overs located east and west of Hamline Transfer and will not
- proceed until way is seen to be clear.

  All Trains must approach the C., B. & Q. Cross-over Tracks between 3d and 4th streets, St. Paul, cautiously, expecting to find cross-overs in use and at a rate of speed which will enable them to stop, if necessary, in time to avoid accident.
- In passing Minneapolis Junction "Y," trains must be kept under complete control in order that they may be stopped before passing Junc-tion switches, if connecting tracks are occupied or other trains are approaching upon them. First class trains of the Fergus Falls Division and Eastern Minnesota Railway must come to a full stop before passing switches at either end of "Y unless they receive a signal to proceed from Switch Tender and personally know the way is clear.
- Trains east and west bound on double freight tracks will approach cross-over switches near Midway Elevator east of Minneapolis Junction at a rate of speed that will enable them to come to a full stop before passing these
- enable them to come to a full stop before passing these cross-over switches unless the way is seen to be clear.

  All east bound Trains on Freight tracks will approach and pass Rice Street overhead bridge, west of St. Paul shops, at a rate of speed not exceeding four (4) miles per hour, expecting to find main track obstructed at cross-over just east of Park Avenue connecting double freight tracks and will come to a full stop before reaching Omaha tracks, and will come to a full stop before reaching Omaha cross-over at St. Paul Shops, and all west bound Trains on Freight tracks must approach cross-over at Park Ave-

- nue at slow speed, expecting to find cross-over in use and main track obstructed.
- All Trains must come to a full stop before crossing the St. Paul and Duluth track East of Minneapolis Junction Station, Soo crossing East of Northtown Junction, and know the way is clear before proceeding.
- West Bound Trains on Freight Track will approach cross over at Como under full control, prepared to stop if it is found to be in use.
- Signal men in charge of Connection Track and Main track Switches and Railway Crossings which are covered by Semaphore Signals must invariably set the Signals before throwing Switches; and Train and Yard crews using the Switches or Railway Crossings must do the
- Minneapolis Yard limits on Freight Tracks extend East to East Switch, Hamline and west to Northtown Junction on Freight Tracks via Minneapolis Junction and from Minneapolis Junction West to Cedar Lake. St. Paul Yard, extends 1,000 feet west of connection tracks about midway between Dale Street and Lexington Avenue overhead bridges. The main Passenger Tracks between St. Anthony Park and Minneapolis Passenger Station via Minneapolis Union Railway, will not be considered a part of Minneapolis Yard.
- East bound trains moving toward Union Depot or Minneapolis Junction will come to a full stop at Stop Board west of First Street Bridge. West bound trains via Minneapolis Junction will come to a full stop at Stop Board east of First Street Bridge, and at Stop Board on West Channel Bridge. West bound trains via Union Depot will approach and pass switches near First Street Bridge at a rate of speed not exceeding four (4) miles per hour.
- West bound passenger and transfer trains of the C., St. P., M. & O. R'y will come to a fall stop east of and near the cross-overs between Lafayette Avenue and Westminster Street Bridges, St. Paul, before crossing over, and see the way is clear before proceeding.
- The engine bells of all engines must be kept constantly ringing within the city limits of both St. Paul and Minne-
- All trains coming to a full stop at Stop Boards east and west of First Street, Minneapolis, will not proceed until signalled to do so by the Switch Tender.

# GREAT NORTHERN RAILWAY LINE --- TERMINALS DIVISION. LOCATION INTERLOCKING SYSTEMS AND SEMAPHORES

NOTICE---Special attention is called to Signal Colors used on Semaphore at St. P. & D. Ry. crossing at Minneapolis Junction.

ING SYSTEM.

The Signal Tower is Located 700 feet West of St. Anthony Park Depot.

Location of Signals for West Bound "Belt Line" Track.

Main Passenger Track .- 1. A Distant Signal, located 1,200 feet east of the Home Signal and 1,800 feet east of the Signal Tower on the right hand side on a bracket post, placed between the east bound passenger track and the right hand side of track. the switching track.

2. A Home Signal, located 600 feet east of the Signal Tower, on the right hand side, on a bracket post placed between the east bound passenger track and the switching track, governs movements across the "Belt Line" track and across the main freight tracks.

Main Freight Track.-1. A Distant Signal the right hand side of track.

2. A Home Signal having three arms, located 780 feet east of the Signal Tower on Signal Tower, on right hand side of track Signal Tower, between track No. 2 and the Tower. the right hand side of track.

movements across the "Belt Line" track, and bound freight track and the switching tracks, across the main passenger tracks.

The middle arm governs movements to the "Belt Line" track, as well as to "B" and "Q"

The bottom arm governs movements across the "Belt Line" track in to the St. Anthony Elevator vard.

North Switching Track.—1. A Dwarf Signal located 170 feet east of the Signal Tower on the north side of track, governs move-ments across, and on to the "Belt Line" track,

as well as to "B" and "Q' yards.
South Switching Track.—1. A Dwarf Signal located 690 feet east of the Signal Tower on the north side of track, governs movements across and on to the "Belt Line" track.

2. A Dwarf Signal located 360 feet west of the Signal Tower on the north side of track, governs movements into the St. Anthony Elevator yard.

Minnesota Transfer Switching Track.

1. A Dwarf Signal located 530 feet east of HOLDEN STREET INTERLOCKING the Signal Tower on the south side of track governs movement East.

"Belt Line" Track .- 1. A Home Signal, located 760 feet east of the Signal Tower on the north side of track, governs movements Tower is Located half way between Holden Street across the main and switching tracks and on to the main west bound freight track and the switching tracks.

#### Location of Signals for East Bound Trains.

Main Passenger Track .- 1. A Distant Signal, located 1,200 feet west of the Home Sig-nal, and 1,940 feet west of the Signal Tower, trols trains going west on track No. 5.

ST. ANTHONY PARK INTERLOCK- on the right hand side, on a bracket post placed south of the west bound passenger

> 2. A Home Signal, located 740 feet west of the Signal Tower on the right hand side, Signal Tower, between tracks 4 and 5, conon a bracket post placed south of the west trols trains west bound on track No. 5 to bound passenger track, governs movements track No. 4. across the main freight tracks and across the A Dwarf S

Main Freight Track.—1. A Distant Signal, located 1,940 feet west of the Home Sigon the right hand side of track.

2. A Home Signal having two arms, No. 4. located 540 feet west of the Signal Tower on

track movements across the main passenger tracks and across the "Belt Line" track.

The bottom arm governs the movements the "Belt Line" track.

"Belt Line Track."-1. A Distant Signal and 1,980 feet east of the Signal Tower, on and 1,780 feet west of the Signal Tower, on the south side of track.

governs movements across the main and The top arm governs the main freight track switching tracks and on to the main east west bound on Great Northern lead track. as well as to the Minnesota Transfer yard.

> Yard Lead,—1. A Dwarf Signal located 140 trains west bound on M. & St. L. lead track. feet west of the Signal Tower on the south side of track governs movements across the Signal Tower, between M. & St. L. lead main and switching tracks and on to the main track and No. 7, controls trains west bound east bound freight track and the switching on track No. 7. tracks, as well as to the Minnesota Transfer

South Switching Track.—1. A Dwarf Signal, located 520 feet west of the Signal Tower on the south side of track, governs movements across the west bound freight track and on to the east bound freight track.

2. A Dwarf Signal, located 340 feet east of governs movements across and on to the Belt Line" track.

## SYSTEM.

and Western Avenue on south side.

#### Location of Signals: For West Bound Trains.

A two arm semaphore placed 620 feet east of Signal Tower, between tracks 4 and 5, con-

If top arm is down, trains will proceed on track No. 5; if lower arm is down trains will cross over to No. 6, or M. & St. L. track.

A Dwarf Signal, placed 470 feet west of

A Dwarf Signal placed 620 feet east of Signal Tower, between tracks No. 3 and No. 4, controls trains west bound on track No. 4.

nal and 1,400 feet west of the Signal Tower Signal Tower, between tracks No. 3 and No. 4, also controls west bound trains on track

A Dwarf Signal placed 620 feet east of Signal Tower, between tracks No. 5 and No. 6 The top arm governs the main freight controls west bound trains on track No. 6.

A Dwarf Signal placed 640 feet east of Signal Tower, between tracks No. 6 and Great Northern yard track No. 1 (which is the first Location of Signals for East Bound across the main passenger tracks, and on to track south of No. 6), controls west bound trains on yard track No. 1.

A Dwarf Signal placed 750 feet east of located 1,200 feet east of the Home Signal, located 1,510 feet west of the Home Signal, Signal Tower, between yard tracks No. 1 and No. 2, controls trains west bound on yard track No. 2.

Great Northern lead track, controls trains

A Dwarf Signal placed 490 feet east of Signal Tower, between Great Northern lead The North Switching Track and B. & Q. track and M. & St. L. lead track, controls

A Dwarf Signal placed 300 feet east of

#### Location of Signals: For East Bound Trains.

A two-arm Semaphore placed 690 feet west of Signal Tower, between tracks No. 4 and No. 5, controls trains east bound on track the Signal Tower on the south side of track, No. 4. If top arm is down, trains cross over to track No. 5; if lower arm is down, trains proceed east on track No. 4,

> A one-arm Semaphore placed 360 feet east of Signal Tower, between tracks No. 4 and No. 5, also controls trains east bound on track No. 4.

> A Dwarf Signal placed 640 feet west of Signal Tower, between tracks No. 5 and No. 6, controls trains east bound on track No. 5.

> A Dwarf Signal placed 160 feet east of Signal Tower between tracks No. 5 and No. 6, also controls trains east bound on track

> A Dwarf Signal placed 290 feet west of Signal Tower, between tracks No. 6 and No. 7, controls trains east bound on track No. 6.

A Dwarf Signal placed 290 feet west of Signal Tower, south side of track No. 7, controls trains east bound on track No. 7.

#### Coon Creek Junction Interlocking System.

Interlocking apparatus at Coon Creek Junction controls the crossing of the Northern Pacific also Eastern Minnesota trains going to and from Great Northern track. Tower is located at crossing.

## Trains.

of Home Signal and 1,430 feet east of the Signal Tower. Home Signal is located 230 feet east of the Tower.

## Trains.

the Tower.

Home Signal is located 260 feet west of the

#### Rules Governing and Location of Semaphores.

ings and cross-over tracks connecting east and west bound double tracks and also wise of the main tracks of either road it switches leading from freight or side tracks denotes crossing blocked and no train of that into double track at points where trains using line will cross until signal arms are changed. double track are not required to stop unless When arms of the Semaphore are parallel stopped by Semaphore Signal, and are placed with or edgewise to the main track or tracks next to, and with arm of signal pointing of either line, it denotes crossing clear for toward the track they are designed to block trains of that line. At night, White and Red when signal is set. Arm of signal raised Signal light will also be shown at the mast-Horizontally, or Red light at mast-head head. White signifying Proceed, and Red, means Stop, and trains must approach the Stop. signal at reduced speed and under full control, and must come to a full stop before reaching cross-over or crossing that Semaphore protects, and must not proceed until arm of Signal is dropped, or green light is shown at mast-head, and all is seen to be clear. Arm of signal dropped Vertically, or Green light at mast-head, means Proceed.

#### Semaphores are Located as Follows:

No. 1 .- On East Bound Passenger Track One hundred and fifty feet West of Seventh (7th) Street Bridge, St. Paul, protecting Burington cross-over against east bound trains on passenger track.

No. 2 .- On West Bound Passenger Track. Three hundred feet East of Lafayette Avenue Bridge, St. Paul, protecting Omaha cross-over against West bound trains on passenger track.

No. 3 .- On West Bound Freight Track. One thousand feet East of Omaha cross-over protecting Omaha cross-over against West bound trains on freight track.

No. 4 .- On West Bound Passenger Track. One thousand feet East of Omaha cross-over, protecting Omaha cross-over against West bound trains on passenger track.

No. 5 .- On East Bound Passenger Track. Twelve hundred feet West of Omaha cross-A Dwarf Signal placed 520 feet west of Location of Signals for West Bound over track, opposite Round-house, St. Paul, protecting Omaha cross-over against East bound trains on passenger track.

A Distant Signal is located 1,200 feet east Two thousand feet East of Cross-over track, on Minneapolis Union Railway, about one mile east of East Side Station, protecting this crossing against West bound trains on passenger track.

No. 11 .- On East Bound Passenger Track. Two thousand feet West of cross-over track, on Minneapolis Union Railway, about onehalf mile east of East Side Station, protect-A Distant Signal is located 1,200 feet west of the Home Signal, and 1,460 feet west of the Home Signal, and 1,460 feet west of the Home Signal, and 1,460 feet west of the Home Signal is located 1,200 feet w on passenger track.

> No. 12 .- On East Bound Track West of Clearwater Junction. At Bryn Mawr Bridge, protecting cross-over West End Clearwater Junction Yard against East bound trains on east bound track.

A Semaphore Signal located at the St. P. & D. crossing of the Great Northern R'y at Semaphore Signals on double tracks are for the protection of trains using railway cross. The crossing will at all times be governed. When the arms of the Semaphore are Cross-

Semaphores are located 1,800 feet east and

#### St. Paul Union Depot.

Semaphore for incoming Great Northern double track is located just west of Third (3rd) street overhead bridge.

Semaphore for outgoing Great Northern double track is located at beginning of curve on Union Depot Grounds.

After train has made full stop for incoming stop signal, track will be given to them by lowering signal, but train must proceed under full control, expecting to find main track occupied.

P. L. CLARITY,

Superintendent.

### COMPANY SURGEONS.

DR. J. A. QUINN, CHIEF SURGEON.

Office, corner Fourth and Wabasha Streets.
Residence, 50 Albion.
Office Telephone, 112.
Residence Telephone, Dale 27......St. Paul, Minn.

DR. J. H. DUNN.

Office, Room 2, Syndicate Block.
Residence, 337 Oak Grove.
Office Telephone, Main 1555.
Residence Telephone, Main 347-L.....Minneapolis, Minn.

DR. J. W. CHAMBERLAIN, Occulist.

Office, 220 Lowry Arcade Building.
Office Telephone, Main 1347.
Residence, 575 Holly Avenue.
Residence Telephone, Dale 168-J 1.......St. Paul, Minn.

DR. L. A. NIPPERT.

Office, Washington and Plymouth Avenues.
Residence, 1521 Dupont Avenue North.
Office Telephone, Main 278.
Residence Telephone, Main 2346-J.....Minneapolis, Minn.

DR. R. J. HILL,

Office, Room 2, Syndicate Block.
Residence, 70 11th Street S.
Office Telephone, Main 1555.
Residence Telephone, Main 72 ..... Minneapolis, Minn.

DR. CHAS. SIMPSON.

Office, 428 Central Avenue.

Residence, 815 Sixth Street N. E.

Office Telephone, Main 1445.

Residence Telephone, Main 780 ......Minneapolis, Minn.

DR. S. M. KIRKWOOD,

### TIME INSPECTORS.