GREAT NORTHERN RAILWAY LINE

GREAT NORTHERN RAILWAY

TERMINALS DIVISION

TIMETABLE NO. 300.

TO TAKE EFFECT AT TWELVE-ONE (12:01) O'CLOCK A. M.

MONDAY, DECEMBER 3, 1906.

THIS TIME TABLE IS FOR THE USE OF EMPLOYES ONLY.

DESTROY ALL PREVIOUS TIME TABLES.

P. L. CLARITY, Superintendent.

E. L. BROWN, Asst. General Superintendent.

R. W. BRYAN, General Supt. Transportation.

GEORGE T. SLADE, General Superintendent.

F. E. WARD, General Manager.

1			-	Ī		<u> </u>	012	945			877	002	OFF	0.41			831		FIRST		1		11	921	201	853	ชกร	272	011	8/12	QEI	271	gnı	941	om St	TIME TA No. 30
							-	·	ļ						809	Vilm'r	831	829	807																	
							PASS. No. 49	PASS. No. 16.		Orien- tal Limited	N.Pac, PASS No. 145	N.Pac. PASS. No. 1.	Omah. PASS. No. 8.	PASS, No. 15	Lake M't'ka PASS.	Div. PASS.	Omah. PASS. No. 3.	Omah. PASS. No. 17.	Lake M't'ka PASS.	Gopher State Express	Lake M't'ka PASS.	N.Pac. PASS. No.107	PASS. No. 11.	W.C. PASS. No. 3.	N.Pac, PASS. No. 7.	PASS. No. 10.	M't'ka PASS.	PASS. No.113	C,B & Q PASS. No. 47.	PASS. No. 5.	PASS No. 2	N.Pac PASS No.108	M't'ka PASS.	Div PASS	sul vi r Tra	IN EFFECT DE
-							-	Ex. Su.		Daily			Ex. Su	!_ <u>-</u>		Ex. Su.	Daily	Ex. Su.		Daily		Ex. Su.	Ex. Su.	Daily	Daily	Daily			Daily	Daily	Daily	Daily		Daily	_ AA 8	STATION LEAVI
							12.40	Pm		10.30		10.15	10.10	10.05		9.80	Åm 9.25	Ant 9.10		Am 9.00		Ånı 8.55	Am 8.30	Ат 8.25	Am 8.20	Am 8.05		1	Am 7.35	Am 7.80	7.2	5 Aaa 6.30	o	ÅßI	00.00	SAINT PA
							12.50)		10.40		10.25	10.20	10.15		9.40	9.35	9.20		9.10		9.05	8.40	8.35	8.80	8.15			7.45	7.40	7.3	5 6.4	5		3.03	3.03 como
							12.54	}		10.44		10.29	10.24	10.19		9.44	9.89	9.24		9.14		9.09	8.44	8.39	8.34	8.19			7.49	7.44	7.3	9 6.4	9		5.22	2.19 HAMLINI
			-				12.57	7		10.47		10.32	10.27	10.22			9.42			9.17		9.12	8.47	8.42	8.37	8.22			7.52	7.47	7.4	2 6.5	2		6.91	1.69 ST, ANTHONY
							1.02	·		10.52		10.87	10.82	10.27			9.47			9.22		9.17	8.52	8 47	8.42	8.27			7.57	7.52	7.4	7 6.5	7		_	2.66 EAST SIDE ST
							1.0			10.55	-			10.80			9.50			9.25 9.30		9.20	8.55	 -		8.30				7.58		0 7.0			10.44	.87
			1. 2.102/02/02		000 81000443		1.00	12.34		21.01		10.20	10.00	10.00		10.00	0.00			9.86			9.06										GO VERNEROUS	5.4	9 12.06	1.62
								12.39																										5.5	4 11.06	1.50 U. D. JUNCT
					ing and an an					11.08			ACTOR DE LA COMPANION DE LA CO		WINDH TO SHARE	10.10					, , , , , , , , , , , , , , , , , , ,														11.95	1.51 CLEARWATEF
																							,												16.43	HOPKINS
																s10.30																			22.92	6.49 HOLDRID
							1									10.33																			23.88	0.96 WAYZA
																10.35																		-	24.56	0.68 "FN" TOW
		7,		: :			1									10.40		-]	- -	-	-		26.96	2.40 LONG LA
																	24101.001.001.001	4		9.45 Am		A	9.15 Am		1	A.			A-10		A.n	Am		Arr	14.46	2.4
 			-11				Pm	Ex. Su.		Am Daily		Am Daily	Am Ex. Su.	Am Daily	:	Am Ex. Su.	An Daily	Am Ex. Su.		Daily		An Ex. Su.		Am Daily	Daily	Am Daily			Daily	Am Daily	Am Daily			Daily	,	ARRIV
							913	945		1	877	893	855	841	809	13	831	829	807	19	805	875	11	921	891	853	803	873	911	843	851	871	801	941		
																WES'	r B0	UND.	_FIRS	ST CLA	SS TRA	AINS.													Paul Paul	TIME TA
	23	17	825	895	897	5	915	839	885	837	845	9	859	823	947	883	899	881	21	7	835	923	815	943	833	821	857	15	879	3	818	817	813	811	1.3t.	No. 30
	FF Div.	Supr. Div. PASS. No. 18.	Lake	N. Pas	N.Pac.	FF Div	C.B.&C	Q Omah.	N. Pac.	Omah.	Omaha	Dakota	Omah.	Lake	Supr.	N.Pac.	N.Pac.	N.Pac.	Willm'r	Winni-	Omah.	W. C.	Lake &	FF Div	Omah.	Lake	Omah.	FF Div.	N.Pac.	Fast Mail	Lake	Lake a M't'ka b. PASS	Lake	Lake a M't'ka B. PASS	e fron	IN EFFECT DEC
									1~	i	Omaha PASS. No. 109			PASS.				No. 111													-	PASS	PASS	PASS	Distance via Pass	STATIO
<u>. </u>	Daily	Pm 11.10					, , ,	Daily		Pm 9.10		Daily	Pm 7.45	<u> </u>	Pm		Ex. Su. 6.30	<u> </u>					Pm 4.35	Ex.Sun.	Pm 4.40		Ex. Su. Pm 4.25	Ex. Su.	Pm 8.00			i	1	<u> </u>	100	LEAV
								9.55																								_	- 		-	SAINT PA
		11.20				i		10.05		9.20			7.55				6 40						s 4.45		4.50			3.20			-	-		-		
	11.44	11.24					·	10.09		9.24		8.14	7.59			6.49	6.44		6.19	5.29	5.14	4.59	s 4.49		4.54			3.24			 -	-	-	- 	5.22	
	11.47	11.27		10.52	10.32	10.27	10.22	10.12		9.27		8.17	8.02	<u>:</u>		6.52	6.47	·	6.22	5.82	5.17	5.02	4.52		4.57	<u>'</u>	4.43	8.27	3.22	3.17	<u>'</u>		_		6.91	ST. ANTHONY
	11.52						·	10.17		9.82		8.22					6.52						4.57		5.02		1	3.82		·	-	-	-	-	9.57	EAST SIDE S
 	11.55 12.05 An	11.47		11.05	10.45	10.40	10.80	10.20		9.85		8.25 8.82	8.10	·		7.00	6.55 7.00		6.85	5.40 5.50	5.30	5.10	5.00 5.07		5.05		4.50	3.35 3.40	1	3.82			1		10.44	MINNEAPO 1.62 MINNEAPOLI
		11.53			<u>-</u>										7.55									5.04		-		3.46		- -		-	-	-	_	1,50
	12.10			1		10.45						8.87			8.00	************		i	6.40	5.55			5.12	5.09				<u> </u>		8.87	y		***************************************		11.06	1.51
	18.10					10.45	ļ	<u> </u>	-			-0.07							0.40	5.55			0.18		<u>-</u>			·		- 5.0	-		-	-		4.48 HOPKINS
							. 						· · · · · ·													-			 -	ļ- 	-	_	-	-		6.49 HOLDRIDG
		-					<u></u>												s 7.00				s 5.29				,					-	-	-	_	O.96 WAYZATA
												9.00		-				· 	s 7.03				8 5.32			ļ	_ <u>-</u> -			s 4.00	 -			-		
					Patrices Patrices							9.02				<u> </u>			7.05				5.84	<u> </u>			<u> </u>		<u> </u>	4.02	-l		-	-		"FN" TOW
-		10.00	1	 	2000A	•	<u> </u>		<u> </u> 			9.08	ere in the constant		<u> </u> 		<u> </u>	:-]	7.10						<u> </u>		-		<u> </u>	410 4.08	3	1		1	26.96	2.40
	Am	12.02 Am		Pm	Pm	Pro	Pm	Pm]		Pro	Psn		Pm_	Pm	Pm	:	₽m	Pm	Pm	Pta	Pm	Pm	Pm	ļ	Pan	3.55 Pm		Pm			_		14.46	
	Daily	Daily		Daily	Daily	Daily	Daily			Daily		Daily			Daily									Ex.Sun.				Ex. Su.				_	_[_	_	ARRIT
	23	17	825	ONE	007		AIF	020	005	027	OAL	9	OE0	000	0/7	883	000	100	21	7	025	വാ	Q L C	0.42	022	I QQ I	957		סלפו	1 2	QIO	917	813	QII	1 1	

TIME TABLE	orth-		-			70.0031WE 2	***************************************				Action and and and	100000	Access to the second	E	AST	BOU	ND.—	-FIRST	CLASS	TRAIN	VS.	Andrew Control	Parish and a factor	and the statement		1 yr 10 10 10 10 10 10 10 10 10 10 10 10 10	Service of the service of			lara yana a						
No. 300.	rom North- via Passen		892	1			894	1	844	912	922	10	830	802	872	804	374	818	946	854	942	900	806	808	22	810	812	24	16	876	6 4	89	6 87	8 814	<u> </u>	
IN EFFECT DEC. 3, 1906	Joe fr.	Supr. Div. PASS. No. 17	N.Pac PASS No. 8	FF Div	Omah PASS No. 5	. Omah PASS No. 11	a N Pac PASS	. Winni-	Omah.	C,B & C PASS.	W. C. PASS.	Dakot: Expres	Omah PASS	Lake Mtka,	N.Pac PASS	Lake	N.Pac. PASS.	Lake Hutch	FF Div PASS.	Omah. PASS.	Supr. Div.	N. Pac PASS	Lake M't'ka	Lake M't'ka	Willma Div.	r Lake	Lake M't'ka PASS.	FF Div	FF Div	N Pac	c. Fast 3. Mail	N.Pg	ic. N.Ps	c. Lake S. Mtka, PASS	- -	-
STATIONS. ARRIVE				Daily	Ex. St	1.	Daily	Daily	Ex. Su	Daily	Daily	Daily	Daily	LASS	Ex. Su	PASS	No. 110	Ex S	Ex Su	No. 3	No. 20.	No. 10	PASS.	PASS			PASS.					_1			·	
SAINT PAUL	_!			5 78	o 7.8	5	Am 7.4		Am 7.50				O 81		Am 8.40			Ant 9.2		Ani 9.88		10.30		<u>-!</u>	Daily		<u> </u>	Daily Pm 12.05	Ex. Su		Daily Pm 2.1		ly Dail; Pm 20 2.2			_
COMO		6.20	0 7.1	5 7.2	0 7.2	5	7.8	0 7.3	5 7.40	7.4	7.5	5 8.0	0 8.0	5	8.30	0		s 9.1	-	9.25		10.20	-	-	10.4			-		-	_	_			-	_
2.19 HAMLINE	. 9.24	6.1	6 7.1	7.1	6 7.2	1		6 7.3						-	8 20		- 	s 9.0	-	9.21	-	10.16	-	-	10.4	- -	-	-	1.00	-	-		10 2.1	- 		
1.69 st, anthony park	7.55	6.1	3 7.0	8 7.1	3 7.1	8	7.2			7.38			8 7.58	-	8.23	-		9.0	-	9.18		10.18		-	_	-	-		12.50	-	_	-	06 2.1		- 	
EAST SIDE STATION	4.89	6.08	8 7.0	3 7.08	8 7.1	8	7.1	8 7.2	7.28	7.38		-		-	8.18	1	-	8.5		9.18	 	10.08	-	- -	10.38	-			12.5		_ 	_	03 2.0	_	-	
.87 MINNEAPOLIS	s 4.02	6.0 5.5	7.0 6.5				7.1		7.25		-		7.50		8.1		<u> </u>	8.5 8.5	_	9.10		10.08		-	10.30 10.20		 		12.4 12.4 12.4				58 2.0 55 2.0		-	-
MINNEAPOLIS JCTS			9															0.0	9.00	-	9.86	1	<u> </u>		10.26	51		11.35	12.4	**************************************	1.4	0 .1.5	50 2.0	0		
U. D. JUNCTION	. 12.47												·						9.01		9.31		- - -		-	-	-		18.0				-	-	-	-
1.51 CLEARWATER JCTUL	-1	·	ļ	6.55	j 	_	_	7.10		<u> </u>		7.30						8.4	5						10.20	o		11.30	<u></u>	***************************************	1.3	5				
4.48 HOPKINS JCT,	-:					<u> </u>	-	-				<u> </u>		ļ	· .																					
HOLDRIDGERH	-1		ļ			<u> </u>	-	ļ										s 8.80							s10.00)										
0.96 WAYZATAWA	-il			-		-		<u> </u>				s 7.10			<u></u>			s 8.27	,						s 9.57	7					s 1.1	5		1		
0.68 "FN" TOWERFN		1	ļ	-	ļ	-	_	-				7.08						8.25							9.55	5					1.15				- -	
2.40 LONG LAKE ON 2.40 NORTHTOWN JCT NR	0.0	1	<u> </u>	1	-	1.		·				6.58													9.45						1.06	-		-		
	0.0		-	Ain	Am		Am	Am	Am	Am	Am	Ám	Am		Anı			Asn	Am	Am	Am	Am			Am			Acro	12.25 Pm		Pm	Das	Pro			
LEAVE		Daily	Daily 892	-	Ex. Su	-	Daily		Ex. Su.	ļ	·				Ex. Su.						Daily.	Ex. Su.			Daily			Daily	Ex. Su.		Daily	Daily	r Daily	-		-
	1 1	10	092	6	852	846	894	8	844	912	922	10	830									900	806	808	22	018	812	24	16	876	4	896	878	814		
TIME TABLE No. 300.	Passe	944	832	818	842	856	820	880	12	834	202	14	836	004	000	014	D.—F	OFO	000	00 [000 (0	004	010			(001)									
IN EFFECT DEC. 3, 1906	from	FF Dlv.	Omah.	Lake	Omaha	Omah.	Lake	N.Pac.	FF Div.	Omah.	N.Pac.	Wilm'r	Omah.	W. C.	N.Pac.	014 C.B&O	Lake	Omsh.	Omah.	Gopher	0mah	2	824 Lake	916	826	840	N.Pac. PASS. No. 106.	828	948						ļ	
STATIONS.	rack Track	No. 15.	No. 64.	PASS.	No. 16	No. 7.	PASS.	No.108	PASS. No. 12.	PASS. No. 18.	PASS. No. 6	Div. PASS. No. 14.	PASS. No. 2.	PASS. No. 4.	PASS. No. 126	PASS. No. 48	M't'ka PASS.	PASS, No. 1.	PASS. No. 6	State Express	PASS. No. 9	riental imited	Mtka PASS.	PASS. No. 50	Mtka PASS.	PASS. No. 10.	PASS. No. 106.	M't'ka PASS.	Div. PASS.	÷						
		Ex. Su.				Ex. Su.		Ex. Su.								Daily				۔اب	Daily			Daily		Daily			No. 18. Daily				-	-		
	26.96	Pm	Рт 4.25		Pm 4.50	Pm 4.55		Pm 5.80	Pin 5.40	Pm 5.50	Pin 6.20	Рт 6.80	Pm 6.55	Pm 7.30	1	Pm 8.20		Pm 8.20	Pm 8.25	Pm 8.30	Pm 8.55	Pm 10.00		Pm 10.15		Pm 10.45	Pm 10.55	<u>-</u> <u>!</u>	Pra	. -	<u> </u>		1	<u> </u>		<u> </u>
Q COMOQ	 -		4.15		4.40	4.45		5.20	5.80	5.40	6.10	6.20	6.45	7.20		8.05			8.15		8.45			10.05			10.45							-		-
2.19 HAMLINE	1		4.11		4.36	4.41		5.16	5.26	5.86	6.06	6.16	6.41	7.16		8.01					8.41			10.01			10.41		 -				-		-	
st. anthony park			4,08		4.33	4.38	,	5.13	5.28	5.83	6.03	6.13	6.88	7.18		7.58					8.88			9.58			10.38				[']		-			
2.66 . EAST SIDE STATION			4.08		4.28	4.83		5.08	5.18					7.08		7.53					8.33			9.53			10.33							:		
MINNEAPOLISS	16.52		4.00	-	4.25	4.30		5.05	5.15 5.10			6.05 5.55				7.50			8.00			9.85 9.80		9.50			10.80						-	 		
1.62 MINNEAPOLIS JCTSJ		8.46							5.04											7.55			···			10.00	10.80		11.58							
		3.41				,		ļ , ,																					11.48							-
CLEARWATER JCTUD												5.50										9.25	منا						·							
HOPKINS JCT 6.49 HOLDRIDGE RH											· 																									
0.96 WAYZATA WA			— <u> </u>				·		-			5.30																								
												5.27					·																			
"FN" TOWERFN												5.25							·										-							 -
4.4U	0.0					.						5.20			.]	.															*:				
2.40 LONG LAKEON			- 1	- 1	Pm	Pm		Pm	4.55 Pm	Pm	Pm	Pm	Pm	Pm		Pm .	Ì	Pm	Pm			Pm		Pro		Pm	Pm		Pen							
northtown jctnr		Pm	Pan	_																													, ,			
LEAVE	E	x. Su.	Daily	- 1	Daily	Ex. Su.	- 1	Ex. Su. I	- 1			- 1	- 1			Daily	- 1	1		Daily	Daily I	Daily	i	Daily		Daily	Daily]]	Daily	İ	j					. 1
NORTETOWN JCTNR LEAVE	E	944	Daily 832	818	Daily	Ex. Su.	820	Ex. Su. I	12			- 1	- 1				822	1		20 8							884 8	1				-				

	The same of the sa	WEST	r RO	TND	.—SECON	ND CL	ASS TR	AINS	٥.					;	_ T	TIME TABLE	000	LOEE	1	087	967	1 503	571	507	849	985	OND CL. 5 953	3 501) 96	65 98	83 9	31 9	<i>3</i> 51_4	.03
	1	N BOY		11120.	409	09 40	105 401	.01 4	407 9				-,	1201		No. 300		955		_	w.c.	Prince-	Wilm'r	Sup Div	Hutch	Omb	ns. C.B & Q F FRT. ifer Tr'nsfer	QFFT	Div. W	C. Or	maha Or	maha C,	, B&Q Dr	kota Div.
-					Wilm	m'r FF	Div. Co	oast	Supr. Div.	B&Q	W.C.	W. C.	Omab.	is Fr	IN E	EFFECT DEC. 3, 1906.	Omah.	C.B & Q FRT. er Tr'nsfer		Omah. FRT. Tr'ns ^f er	FRT No. 23	ton Line	Div. Local FRT.	FRT. No. 508	Mixed Train	FR'I Tr'nsf	FK1. Tr'nsfe	er FR7	r. No.	. 2i. 1m.	o. 73 No	. Frt. Tr'	r'nsfer y	ART.
					TIM'	AE FP	F Div. Coas TME FRT	T. Tu	me F No. 408	K1.	No. 29.	No. 41	Tr'nsfer	atanc Rul vi	BOK.	STATIONS.		Daily		Daily	Daily	y MoWe Fri	ri Ex. Su.	u.Ex. Su.	u. Ex. Su.	u. Daily	y Daily	v IEx. S	Su. Dai	any Da	Dam's I ma	04111 1 2	27.020	Jeilv Am
_	-				Daily	aily Dail	Daily Dail	aily D	Daity D	Daily E	Ex. Tu. E	Ex. Su	Daily	y Darri	<u>il</u>	2	i Pro			Am	Am	Am	Am	Am	Am	Åm	n Am 4.30	ao Ani	hi			1	12.30	
,	1	y			Pin	Pm Pm	Pm Pm	<u> </u>	Pm	6,10	1			0	0	S.03		-		-	00 7.10	•		6.00	۰.0	5.	15 4.50	٥٥	_\$	8,50 8	8.30	2.00 1	12.45	12.01
	-				11	(.00 10	0.30 7.4	7.45	6.80	6.25	4.20	3.25	2.50	0 3.07	13	3.03 Q	2.00	00 12.20	7	9,00	7 7.20	3	-	-	1	1	-							
	-													5.22	.22	2.19 HAMLINECP	СР			_	_	-	_	-			-	_		. 10	3.50	9 80	1.15	12.35
_										9.35	440	3.3	3.1			1.28 MINNESOTA TRANS. MT		28 12.50	0د	9.2	25 7.40	10	_	6.20	1	5.8	.35 5.18	5		-10	3.50	3.20	1.10	-
	_					.25 11	4.00 8.	.25	6.50	6.00	4.10	0	-	1 6		st. anteony park		-		1					_	_								
													-	0.5.		2.66 EAST SIDE STATION	1	-		-					1									
				_								-						-	-	-		-	1		6.30	40						1		
	-									<u> </u>	1	1	 		1		.sl	1,	201	<u>Ι</u>	50 7.7	55 7.80	رما ا	7.00	- i		.50 5.40	40 6	3 00 _ ¢	4.45	4.15	2.45	1.45	12.55
	+ +	- 			17	1.45 12	1.20 12.50	8.45	7.10	7.05	5.20	4.01	J 3.3	9.5	56	1.62 MINNEAPOLIS JCTS)		45 1.30				-	1	-	-	6	5.00 5.50	50			4.25	2.55	1,55	
	-					i	Am			7.15	1		- 1	45 11.0	1.06	U, D, JUNCTION	2.5			10.00	Ol		6.58	45	6.45		6.00						2.05	2.85
	+ +				11	1.55	1 8 1 r	8.55 10.00	1	7.25	1					CLEARWATER JCT UD		1.50	0	_	-	_	-	1	-	-	-							
_	-			. —	Ånt			-		1						4.48 HOPKINS JCT		_	_	_	_	_	-	_	-	-	_	-						
	-									1		1		22	4.92	HOLDRIDGERE	VH		_				s 7.3	5	s 715	<u> </u>							-	8.25
		,		,							1		-			0.96 WAYZATAWA			_				s 7.40	±0	s 7.25	.5								
				1	1	1.55	10	10.50	1		-	-	-			0.68 "FN" TOWERFI		-	-			1	7.4	± 3	s 7.28	48	_							3.28
						1.58		10.58	_i	1	¹	-	_	24.5	4.56			-	-	-			8.0	05								1	1	404 3.45
			,			2.15	14	11.10		1 1	1 - 1	1	-	26.9	.96 ¹	2.40 LONG LAKEOI 2.40 NORTHTOWN JCTN	N	1		1	ή,	m Am		7.30	.30 n Am	n. Am	Am Am	. 6	6.15 Am	Am	Asm	Am	Am	Am
	1		Ţ,	1	i	Am	1.05 Am P	Pin	8.28 Pm	8 Pm	Pm ·	. Pm	ı Pm	л _ 12.7	2.31	·				Am							1	—			Daily I	Daily	Daily	Daily
							Daily Da							йy	-	ARRIVE.	Daily					Mo, W	Ex	41. Ex	# Ex. ~	1 0	85 953	-3 F	eni /	065	083	981	951	403
	_	1		<u> </u> -	1 1		405 4										98′	39 9 55	_ 5ر	987	37 967	<i>,</i> 7 503	3 5/1	1 5U/	/ 845 • • • • • • • • • • • • • • • • • • •	<u> </u>	SECOND	<u>ঠ ড</u> • লে≱	OI C	ATNS.	300	,,,		
	1		D/	TTNIT	.—secon					30.	,	مخضم	1 -	ب لی ر	1	TIME TABLE		 ,	- 25		~ \ 00	36 508	EAC	3∏ D.∨ <u>0 4:[</u> 7	<u>ال¥ارن</u> حدفت∂آ	<u>√</u>	20 97	<u>ग्रा.</u> ्र	04 /	972	990	992	958	402
	052				966 98		misc .		<u>-</u>		968	/95 د	4 984	اع 4	요현되	NO 300			950	3 514	# 90v) DUG	Ouc	1 47:200			- w	Pr	ince-	w.c.			C.B & Q	COAST
	954	400	404	400 .	w.c. C	Omah.			1	-	W.C.	C.B.	Q Om	ah. g	ogi IN	NO. 300 N EFFECT DEC. 3, 1906 STATIONS.	J6.	1	C.B.	⊈Q Wilm	a'r Oma	Sup. Dinah. Lècal RT. FRT. Isfer No. 50	Hutch Mixe	d Willm	ar Loce FR'	v. Oma al FB' Tr'	T. FR	T to	ine F	ŘŤ Ño. 24.	Imaha Im Frt. T	m.Frt. No. 80	FRT. Trn'sfer	FRT.
	C.B & & FRT. Tr'nsfr	Time FRT	Div. Local	TIME	WC. Om Local FF No. 42. Tr'	RT.		Ì								STATIONS.	-		Tr'ps'	fer Loca	1 Tr'nsf	isfer No. 50 ally Ex. St	J7	Tm.r	t. Ex.	Su D	any Dan	any promi	1 1 HH 34 2	Little 1	25000	Daily	Daily	Daily
			72.7	D-9 IE	E- Su Da	Daily	i 1		1		Ex. Su.	u. Daily	ily Dail	aily A	53 <u>6</u>]	ARRIVE			Daily	ily Ex. Su m. Pm 3.35	Su. Daily	ally Ex. St Pm Pm	Per	m Pm	n Pm	m Pm	m Po	Pm. P	Pm	Pm	Pm	Pm	Pm 9.35	Am
	Dany Am	Ex. Mo.	Ant	Am	Am Am	Anı	.	-	,		Am	Am 8.1	10 4	Am 26.	26.96	SAINT PAUL				35					_	-	5.50 6.4	40		7.35	7.40	7.55	5 9.20	1.25
					1 1		!!				7.4	_{±0} 7.	50 11	40 22	3.93	3.03 como	Q		3.	3.15	5.7	5.25 5.4	±0	0,0			-50					,		
	3.40	5.45	6.00	6.40	6.50 7	7.80			-	-	-			2	21 .74	2.19 HAMLINE	CP								_	_							1 200	1.05
	'		_	-	-					-	-	-	-	~~		1.28 MINNESOTA TRANS	MT		2	2 5 5	5	5.15 5.2	.25	6.7	5.10	5	5.35 6.5	<u>,.20</u>		7.15	7.25	7.40	9.00	1.05
	3.20	5.25	5.40	6.25	6.80 7	7 10	(1	_[_	7.20	0 7.2	35 11.	25 20.	.46			-	_												1	 	_ '	-
			1									_	_	20			. 1	-	_	_			-		_				_]		1	(ļ,	1
					1			- T) 						_		EAST SIDE STATION,		_					-		_	-							,	
		-	[·	-											<u> </u>	MINNEAPOLIS	s				-+-	4.40 4.4		5.8	25 €	4.00	5.10 6.	6.00	5.20	6:45	6.55	7.10	0 8.1 F	12.35 د
	94	1 4 3 5	1 50	5.40	0 6.00	6.40	4			<u> </u>	6.8	30 6	.50 10	J.55 17	.7.40	MINNEAPOLIS JCT	sJ			2.20			10			5.50 5.			-				0 8.05	5
			5.00		-	6.30		(-			6	.40 10	0.451	15.90 .	u. D. JUNCTION	ــانند			2.10	Tel: 1 177 1 1 1	4.80	+-	25 5	5.5 5.15 5.4		.00		~~i	T	1		7.5	5 12.15
1 1	2.30		4.45	1 .,	1	6.30	1		1				.80	15	15.06	CLEARWATER JCT	שם		2	1.8 00.2	.50			8.0	15					,		1	-	Am :
	2 20	4	4.40	-	1			1	-	-				,	10.53	HOPKINS JCT]_						_ _				_			·——		<u> </u>	-	
		_ '	_[,	_	-			·——	-			-	-			6.49 HOLDRIDGE				s. 3.	3.10		s 4	4.10		_	_	-		اــــــ	-	-	-	-
				_			-	1	_	_	_		-			0.96 WAYZĄTA		_		8	3.05		s 4	4.05 4.5	±.27					ıl	1'	-		11.80
			4.00	.0		,]						_									2.55	-	_	4.02 4.										11.27
			3.57					 1						-		0.68 "FN" TOWER									4.08					,,	'			11.10
1		- '	403 3.45	<u> </u> -	1	,		1	-						0.00	LONG LAKE	on				2.40			April 1	,	+			5.00 Pm	4		D _m	Pm	
	1		3.45	ااف	1 3		1		1	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ 	1				,	2.40 northtown jct	.NR		,	Pan P	m. F	Pm Pr	.25 m P	m P	An Pr	<u>m</u> _ F	Pm Pr Daily Da	Pm .	Pm	Pm)	- Pm	- rm	- Tui	- naily
	1	110	1	1 < Q5,	1 1	٠ .	' t	•	•					r .			•						1	- ·				10	all, lun		Desire	Liborer	بينط ال	, Dans
	Am				Am y Ex. Su. I	-		l	-	_	Am		An A	Am Daily	\- -	LEAVE			D,	ily Ex.	Su. D.	986 50	Su. Ex.	Su. Da	ily Ex.	Su.	Daily 1	Daily	Sat.	Daily	Dany	1981		400

			WES	T BO	UND.							SP	RING	PARK AND HUTCHINSON LINE. EAST BOUND.																	
SECOND CLASS TRAINS.	the state of the s	*			FI	RST CL	ASS TRA	AINS.						saing.	TIME TABLE			FIRST CLASS TRAINS. SEC													
849	825	823	815	821	819	817	813	118	809	807	805	803	801	7, Crossin Tables. from	No. 300	802	804	816	806	808	810	812	814	818	820	822	824	826	828	850	
Mixed Train	Passen- ger	Påssen- ger	Passen- ger	Passen- ger	Passen- ger.	Passen- ger	Passen-	Passen-	Passen-	Passen- ger	Passen-	Passen- ger.	Passen-		IN EFFECT DEC. 3, 1906.	Passen	Passen- ger	Passen- ger	Passen- ger	Passen- ger	Passen-	Passen- ger	Passen- ger	Passen- ger	Passen-	Passen- ger	Passen- ger	Passen- ger	Passen- ger,	Mixed Train,	
Ex. Sun			Ex. Sus.					<u> </u>						Vater and Diet	STATIONS.			Ex. Sun.												Ex.Sun.	
Anı			?m		<u> </u>		l	i	1 '	1	<u>. </u>	<u></u>	l		1 .	1	1	i Am		<u> </u> :	<u>! </u>		· · · · · · · · · · · · · · · · · · ·		: <u></u>	[E Pm	
7.28	- -		5.84			-	- -			-		ļ	ļ	-[DH"FN" TOWER, WA	-		s 8.25								[ļi			s 4.02	
	<u> </u>	<u> </u>	f 5.88	 	-	_		ļ	ļ		ļ	ļ		- ;	05ORONO	<u>.</u>		f 8.19	-				ļ		ļ 				ļ	<u> </u>	
s 7.40	<u> </u>		s 5.43		ļ		ļ					<u></u>		27.	3CRYSTAL BAY .VI 45		ļ 	s 8.16		: ! 	<u>. </u>		:						-	s 3 54	
	<u> </u>		i 5.45	 							ĺ			28.	0.91 ARCOLA	-		f 8.11													
s 7.50		i	s 5.50											28.	0.64 8 D MINNTKA BEACH ME 21			s 8.09												s 3.49	
			f	_					1					29.0	0.80 SNAVARRE			f							1						
816 8 8.04			s 5.54												0.80 B D. SPRING PARK, PK 82			849 s 8.04					!		1					s 3.44	
s 8.12			s 6.00					-	-				-	· — —	2.00 8 DNOND 60		-	s 7.59			-									s 3.35	
s 8.87			s 6.09					T	†		ļ————			-	4.51 9 D.ST. BONIFACIUS BA 44		_	5 7.49		' ! ! .		.			ļ					s 3.11	
1 8.59			f 6.18						·						4.21 20MAPLE 17		_	f 7.38							ļ	- ,		*****	ļ	f 2.48	
s 9.14			s 6.29			<u></u>			-		ļ			-	3.59 9 DMAYERKY 42			-							ļ -					s 2.33	
s 9.39			, 6.37			ļ			·				Ì		3.75 4 D. NEW GERMANY.NG 35		-	s 7.31			ļ	.i			ļ					s 2.17	
		<u></u>				ļ		ļ -	·				ļ	-				5 7.21		-	ļ	-			1	l 				-	
s 10,09		<u></u>	s 6.46					ļ					_ 	·!	D LESTER PRAIRIE.RA 36		_	s 7.14			ļ									s 2.03	
s 10.42	:		s 7.01						ļ 					·	29 D. SILVER LAKESI 56	~{ <u>~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ </u>		s 6.59			<u> </u>				<u></u>					s 1.30	
11.20 Ant			7.15 Pm						İ	-	<u> </u>			WCT 68.	25 DHUTCHINSON.HO 60			6.45 Am				-						-		1.00 Pm	
Ex Sun.			Ex, Sun.															Ex. Sun.		· · · · · · · · · · · · · · · · · · ·]								Ex. Sur	
849	825	823	815	821	819	817	813	811	809	807	805	803	801			802	804	816	806	808	810	812	814	818	820	822	824	826	828	850	

"FN" Tower is Terminal Station for all Spring Park and Hutchinson Line Trains.

FN" Tower and Hutchinson registering stations. Train Order Signals are located at "FN" Tower, Mound, St. Bonifacius, Mayer, New Germany, Lester Prairie, Silver Lake and Hutchinson. Bulletin Board located at Hutchinson. Standard Clock located in Telegraph Office at Hutchinson. No Siding at Arcola, Navarre and Orono.

First class trains will register at "FN" Tower by time ticket.

SPECIAL RULES---NOTE IMPORTANT CHANGES

FIRST AND SECOND CLASS TRAINS USE DOUBLE TRACK BETWEEN MINNEAPOLIS JUNCTION AND NORTHTOWN JUNCTION, BETWEEN MINNEAPOLIS JUNCTION AND FIRST STREET AND BETWEEN WESTERN AVENUE AND LONG LAKE. SEE GENERAL AND SPECIAL RULES GOVERNING SUPERIORITY OF TRAINS.

SEE BOOK OF RULES GOVERNING INTERLOCKING SYSTEMS

NOTE "FN" TOWER INTERLOCKING SYSTEM

- 1. The Double Passenger Tracks are the two (2) left hand tracks when facing west between St. Paul Union Depot and Third Street, and the extension of same to Westminster Street; the two (2) north tracks from Westminster Street, St. Paul, to St. Anthony Park, and the two (2) south tracks from St. Anthony Park to point of diversion opposite Union Elevator, extending to First Street, Minneapolis, via Union Depot.
- 2. The Double Freight Tracks are the two (2) south tracks next to the passenger tracks from Third Street, St. Paul, to St. Anthony Park, and the two (2) north tracks from St. Anthony Park to point of diversion opposite Union Elevator extending to Minneapolis Junction.
- 3. Double Track extends from Minneapolis Junction to Northtown Junction, and from Minneapolis Junction to First Street. From First Street to Western Avenue, track two (2) is the West Bound Passenger Track, and track three (3) the East Bound Passenger Track. Track four (4), West Bound Freight track. Track five (5), East Bound Freight track. These tracks are numbered, commencing with No. one (1), on the north side, and are handled by switch tender night and day.
- 4. Double Track extends from Western Avenue to Long Lake. Freight tracks between Holden Street and Western Avenue are handled by switch tenders.
- 5. Bulletin Boards are located at St. Paul, Como, Minneapolis, Minneapolis Junction, Clearwater Junction, Long Lake, St. Paul Shops and Minneapolis Junction Round House.
- 6. Clocks regulated to Standard Time are located in Telegraph Offices at St. Paul, Como, Minneapolis Junction, Minneapolis, Clearwater Junction and Long Lake
- 7. Registering Stations: St. Paul, Como, Minneapolis Junction, Minneapolis, Northtown Junction, Clearwater Junction and Long Lake. First Class Willmar Div. Trains and Passenger extras to and from that Division and Hutchinson and Spring Park Line Trains will not register at Clearwater Junction. First Class trains will register at Minneapolis Junction and Como only when using freight tracks on special orders. Trains going to and from Minnesota Transfer will register at St. Anthony Park Interlocking Tower.
- 8. Train Order Signals are located at St. Paul, Como, Minneapolis Junction, Clearwater Junction, Northtown Junction, Minneapolis, and Long Lake.
- 9. Long Lake is terminal station for all Willmar and Terminals Division trains.

- 10. Northtown Junction is Terminal § Station for all Fergus Falls, Terminals and Superior Division trains.
- 11. The switch at Northtown Junction (end of double track) will be kept set for east bound track.
- 12. The switch at Long Lake (end of double track) will be kept set for west-bound track.
- 13. Minneapolis Yard limits on Freight Tracks extend east to East Switch, Hamline Transfer, and west to Northtown Junction on Freight Tracks via Minneapolis Junction and from Minneapolis Junction West to 1000 ft. west of Overhead Bridge, Cedar Lake. St. Paul Yard extends to East Switch, Hamline Transfer. The main Passenger Tracks between St. Anthony Park and Minneapolis Passenger Station via Minneapolis Union Railway will not be considered a part of Minneapolis Yard.
- 14. On Single Track West Bound Trains are Superior to East Bound Trains of Same Class.
- 15. All Extra Trains will use double track, double passenger and double freight tracks in direction of current without running orders.
- 16. First Class and Extra Passenger Trains will use Passenger tracks exclusively, and second class and extra freight trains, Freight tracks exclusively.
- 17. Extra Trains on passenger tracks will run ahead of delayed first class trains without orders. Extra trains on freight tracks will run ahead of delayed second class trains without orders. Extra trains on double track will run ahead of second class trains without orders.
- 18. First Class Trains must not exceed schedule running time between Minneapolis Union Depot and Northtown Junction, and Minneapolis Union Depot and Clearwater Junction.
- 19. Conductors and Enginemen of all trains on any Double Track must bear in mind the right of all other trains of same or superior class, whether on time or delayed, to make the stops called for by time table, without protection by flagman, and must govern their speed accordingly at such points.
- 20. Trains must not exceed ten (10) miles per hour through Superior Avenue Bridge.
- 21. A Stop Board has been placed 200 ft. west. of Osseo Line Junction Cross-over. East Bound Trains must come to a full stop at this point.
- 22. All East Bound Trains must come to a full stop at stopboard 200 feet west of Omaha Cross-over Tracks at Westminster Street Bridge.

- 23. All trains on Double Freight Tracks will bring their trains under full control prepared to stop when approaching cross-overs located east and west of Hamline Transfer and will not proceed until way is seen to be clear.
- 24. All Trains must approach the C. B. & Q. Crossover Tracks between 3d and 4th streets, St. Paul, cautiously, expecting to find cross-overs in use and at a rate of speed which will enable them to stop, if necessary, in time to avoid accident.
- 25. In passing Minneapolis Junction "Y", trains must be kept under complete control in order that they may be stopped before passing Junction switches, if connecting tracks are occupied or other trains are approaching upon them. First class trains of the Fergus Falls Division and Superior Division must come to a full stop before passing switches at either end of "Y" unless they receive a signal to proceed from Switch Tender and personally know the way is clear.
- 26. Trains on Double Freight Tracks will approach cross-over switches near Midway Elevator and at west end of Union Yard east of Minneapolis Junction at a rate of speed that will enable them to come to a full stop before passing these cross-over switches unless the way is seen to be clear.
- 27. All trains on Double Freight Tracks will bring their trains under full control, prepared to stop when approaching cross-over connecting Double Freight Tracks just east of Rice Street overhead bridge, also cross-over connecting Double Freight Tracks opposite old store building just west of Jackson Street overhead bridge. All trains on west bound freight track must approach Omaha and W. C. cross-overs at Mississippi Street under full control prepared to stop, unless way is seen to be clear.
- 28. All trains must come to a full stop before crossing the Northern Pacific track East of Minneapolis Junction Station, crossing of Northern Pacific west of Monroe Street N. E., and Soo crossing at 25th Avenue N. E., East of Northtown Junction, and know the way is clear before proceeding.
- 29. West Bound Trains on Double Freight Tracks will approach cross-over at Como under full control, prepared to stop if it is found to be in use.
- 30. All trains must approach double-slip switches at West end of freight tracks opposite Union Elevator under full control, prepared to stop if switches are occupied, and must not exceed five miles per hour while passing over these switches.
- 31. All trains using Double Freight tracks will come to a full stop at M. & St. L. crossing near Holden Street and will not proceed until they receive a signal from switch tender.

- 32. All trains must approach Hopkins Junction under control unless way is seen to be clear. Switches at Hopkins Junction will be kept set for main line and must be so left by trains after using them. Lights will not be displayed on semaphore east and west of Hopkins Junction. This cross-over will not be used between 6:00 p. m. and 8:00 a. m. unless protected by flagman. All trains must approach Clearwater Junction with train under full control and stop unless main track is seen to be clear.
- 33. East bound trains moving toward Union Depot or Minneapolis Junction will come to a full stop at Stop Board west of First Street Bridge. West bound trains via Minneapolis Junction will come to a full stop at Stop Board east of First Street Bridge, and at Stop Board on West Channel Bridge. West bound trains via Union Depot will approach and pass switches near First Street Bridge at a rate of speed not exceeding four (4) miles per hour. All trains coming to a full stop at Stop Boards east and west of First Street, Minneapolis, will not proceed until signaled to do so by the Switch Tender.
- 34. The Speed of all Freight and Transfer Trains, also switch engines, must not exceed Ten (10) miles an hour over cross-overs at First (1st) St. North, Minneapolis. Brakemen and Switchmen must be on top of trains and properly distributed keeping sharp lookout.
- 35. All trains will reduce speed approaching highway crossing at Sixth Ave. S. E. near east end of Stone Arch Bridge, running over same at rate of speed that will insure safety to both persons and teams using crossing, and will consume at least one and one-quarter (1½) minutes in crossing Stone Arch Bridge. Trains will not exceed 6 miles per hour over switches in Minneapolis Union Depot Yards.
- 36. All trains passing over or occupying main line tracks after dark or in foggy weather must display a red light on rear car, in the absence of a caboose or trainman on rear end.
- 37. Signal men in charge of Connection Track and Main Track Switches and Railway Crossings which are covered by Semaphore Signals must invariably set the Signals before throwing Switches; and Train and Yard crews using the Switches or Railway Crossings must do the same.
- 38. Switch Tenders at Holden Street will use green lanterns in giving signals.
- 39. Operator at Northtown Junction will close double track switch after all west bound trains.
- 40. The engine bells of all engines must be kept constantly ringing while engines are moving within the city limits of both St. Paul and Minneapolis.

41. TRAINS USING DOUBLE PASSENGER TRACKS, DOUBLE FREIGHT TO ACKS OR DOUBLE TRACK WILL TAKE THE RIGHT HAND TRACK. THESE TRACKS SHALL BE USED IN NO OFFICE WAY EXCEPT ON ORDERS FROM SUPERINTENDENT.

LOCATION INTERLOCKING SYSTEMS AND SEMAPHORES

NOTICE-SPECIAL ATTENTION IS CALLED TO SIGNAL COLORS USED ON SEMAPHORE AT NORTHERN PACIFIC RY. CROSSING AT MINNEAPOLIS JUNCTION.

ST. ANTHONY PARK INTERLOCKING SYSTEM.

The Signal Tower is Located Just East of Northern Pacific Overhead Bridge on North Side of Track.

Location of Signals for West Bound Trains.

Main Passenger Track .- 1. A Distant Signal, located 1,200 feet east of the Home Signal and 1,800 feet east of the Signal Tower on the right hand side on a bracket post, placed between the east bound passenger track and the switching track.

2. A Home Signal, located 600 feet east of the

Signal Tower, on the right hand side, on a bracket post placed between the east bound passenger track and the switching track, governs movements across the "Belt Line" track and across the main freight tracks.

Main Freight Track.—1. A Distant Signal located 1,200 feet east of the Home Signal, and 1,980 feet east of the Signal Tower, on the right hand side of the track.

2. A Home Signal having two arms, located 780 feet east of the Signal Tower on the right hand side of the track.

The top arm governs the main freight track move-ments across the "Belt Line" track, and across the main passenger tracks.

The lower arm governs movements to the "Belt Line" track, as well as to "B" and "Q" yards.

North Switching Track.—1. A Dwarf Signal located 170 feet east of the Signal Tower on the north side of track, governs movements across, and on to the "Belt Line" track, as well as to "B" and "Q" yards.

M. & M. Track 1. A Dwarf Signal located 690 feet east of Signal Tower on north side of the track governs movements over crossing and to St. Anthony Elevator yard.

M. & M. Track 2. A Dwarf Signal located 720 feet east of the Signal Tower on north side of track governs movements over crossing and to St. Anthony Elevator

M. & M. Track 3. A Dwarf Signal located 720 feet east of the Signal Tower on the north side of track governs movements over crossing and into St. Anthony Elevator yard.

"Belt Line" Track .-- A Two-Arm Home Signal located 760 feet east of the Signal Tower on North side of track. Top Arm governs movements across main and switching tracks and onto the west bound freight track and to St. Anthony Elevator yard, B. &. Q. yards and New Brighton, Lower Arm governs move-

ments onto south switching track.
C. St. P. M. & O. Railway Lead—Dwarf Signal located 240 feet west of Signal Tower on south side of track governs movements onto north switching track over crossover to east bound freight track and into Minnesota Transfer.

Location of Signals for East Bound Trains.

Main Passenger Track.—1. A Distant Signal located 1,200 feet west of the Home Signal, and 1,940 feet west of the Signal Tower, on the right hand side, on a bracket post placed south of the west bound passenger track.

A Home Signal, located 740 feet west of the Signal Tower on the right hand side, on a bracket post placed south of the west bound passenger track, governs movements across the main freight tracks and across the "Belt Line" Track.

Main Freight Track .-- 1. A Distant Signal, located 1,940 feet west of the Home Signal and 1,400 feet west of the Signal Tower on the right hand side of track.

2. A Home Signal having two arms, located 540 feet west of the Signal Tower on the right hand side

of track.

The top arm governs the main freight track movements across the main passenger tracks and across the "Belt Line" track.

The bottom arm governs the movements across the main passenger tracks into Minnesota Transfer or

"Belt Line Track,"—1. A Distant Signal located 1,510 feet west of the Home Signal, and 1,780 feet west of the Signal Tower, on the south side of track.

2. A Home Signal located 270 feet west of Signal Tower, on right hand side of track governs move-ments across the main and switching tracks and on to the main east bound freight track and the switching tracks, as well as to the Minnesota Transfer vard.

The North Switching Track and B. & O. Yard Lead .-- 1. A Dwarf Signal located 140 feet west of the Signal Tower on the south side of track governs movements across the main and switching tracks and on to the main east bound freight track and the switching tracks, as well as to the Minnesota Transfer yard.

2. A Dwarf Signal, located 340 feet east of the Signal Tower on the south side of track, governs movements east to Minnesota Transfer lead and tracks M. & M. 1, 2 and 3.

MINNEAPOLIS: EAST CHANNEL INTERLOCKING SYSTEM.

The Signal Tower is located on south side of tracks, just west of Main Street Bridge, directly opposite W C. connection to their Boom Island Yard.

Location of Signals for West bound trains, Main West Bound track. A distant signal is located 963 feet east of Home Signal, and 1713 feet east of the Signal Tower, on a straight pole right hand side of

Home Signal, located 750 feet east of the Signal Tower on a post north of east bound main track, having two arms. The top arm governs the movements over the west bound main track. The bottom arm governs the movements from main track to Boom Island Yard.

A Dwarf Signal, located 463 feet east of the Signal Tower, on the north side of south side track, governs movements to west and east bound main tracks and to Boom Island Yard.

A Dwarf Signal, located 953 feet east of the Signal Tower, north of the east bound main track, governs movements from east to west bound main tracks; also west bound on east bound main track.

A Dwarf Signal, located 953 feet east of the Signa Tower north of the north side track, governs move-ments from the north side track to Spur on north side; from north side track to west bound main track, and north side track across east bound main track to

Location of Signals for East Bound Trains: Main East Bound Track.

A Distant Signal, on a bracket, is located 698 feet west of Home Signal and 1,170 feet west of Signal

Home Signal on a bracket post is located 478 feet west of Signal Tower, south side of west bound main track, having two arms. The top arm governs the movements over the east bound main track; the bottom arm governs the movements from east bound main track to west bound main track also movements from east bound main track to north and south side tracks.

A Dwarf Signal, located 290 feet east of Signal Tower on north side of east bound main track, governs back up movement on east bound main track or to

A Dwarf Signal, located 110 feet east of Signal Tower on south side of west bound main track, governs back up movement on west bound main track; also

A Dwarf Signal, located 483 feet east of Signal Tower on south side of west bound main track, governs back up movement on west bound main track, also from west bound main track to east bound main track, and from west bound main track to north

Location of Signals on Wisconsin Central Boom Island.

A Distant Signal, located 1,000 feet west of Home Signal and 1,150 feet west of the Signal Tower on a straight pole south side of track.

Home Signal, located 150 feet west of the Signal Tower on a post, south side of track, having two arms. The top arm governs the movement on to east bound main track. The bottom arm governs the movement on to west bound main track and to north and south

UNIVERSITY INTERLOCKING SYSTEM. Location of Semaphores and Dwarf Signals and Movements they Govern are as Follows:

Main Westbound Passenger Track.-1. A Distant Signal located 1,200 feet east of Home Signal and 1,500 feet east of Tower, on right hand side of track.

2. A Home Signal located 300 feet east of Tower on right hand side of track.

Main Eastbound Passenger Track.—1. A Distant Signal located 1,200 feet west of Home Signal and 1,500 feet west of Tower on right hand side of track.

2. A Home Signal located 300 feet west of Tower on post west side Fifteenth Avenue Southeast Bridge. Minneapolis Western Ry.-1. A Home Block Signal located on right side of track 1,800 feet west of

2. A Dwarf signal located just east of Fifteenth Avenue Southeast Bridge on Minneapolis Western Ry. right side of track, governing movement over cross-overs and from the Minneapolis Western track to the C. M. & St. P. and C. G. W. yards and west end of St. Anthony Elevator Yard

3. A Dwarf Signal located 200 feet east of Tower on right hand side of south switching track governs movement onto Minneapolis Western Ry. track.

4. A Dwarf Signal located 200 feet east of Tower on right hand side of St. Anthony elevator track governs movement onto Minneapolis Western Ry.

5 A Dwarf Signal located 325 feet east of Tower on right hand side of track D-1 lead, governs move-ment over crossovers and to track D-1 and A Mill.

· 6. A Dwarf Signal located 275 feet east of Tower on right hand side of track D-2 governs movement over crossover and to track D-1 and A Mill,

7. A Dwarf Signal located opposite Tower at right hand side of track D-1 governs movement from A Mill to D Yard.

8. A Dwarf Signal located 210 feet east of Tower on right hand side of track D-2 governs movement into D Yard.

"FN" TOWER. Interlocking System.

A new signal tower has been located on south side of track just east of Hutchinson Line Junction, West

MAIN TRACK SIGNALS.

Distant signals on high masts are located 1500 ft. east and west of tower on east and west bound main lines respectively. Home signal of high pattern on west bound track is located 55 ft. east of cross-over switch. Home signal on east bound track is located 450 ft. west of Junction Switch. Home signal on west bound track is of the two arm pattern; top arm governs main line movements and lower arm branch line

HUTCHINSON LINE TRACK SIGNALS.

Distant signal located on high mast 1500 ft. west of tower and home signal on high mast located 450 ft.

Dwarf signals are located at home signal masts on east bound and west bound and Hutchinson line tracks to govern reverse movements through cross-overs, and also dwarf signal directly in front of signal tower at west switch of cross-over governs reverse movements

RULES GOVERNING AND LOCATION OF SEMAPHORES.

Semaphore Signals on double tracks are for the protection of trains using railway crossings and cross-over tracks connecting east and west bound double tracks and also switches leading from freight or side tracks into double track at points where trains using double track are not required to stop unless stopped by Semanohore Signal and are about statements. phore Signal, and are placed next to, and with arm of signal pointing toward the track they are designed to block when signal is set. Arm of signal raised Hori-zontally, or Red Light at Mast-head means Stop, and trains must approach the signal at reduced speed and under full control, and must come to a full stop before reaching cross-over or crossing that Semaphore protects, and must not proceed until arm of Signal is dropped, or green light is shown at mast-head, and all is seen to be clear. Arm of signal dropped Vertically, or Green light at Mast-head, means Proceed.

SEMAPHORES ARE LOCATED AS FOLLOWS:

No. 1.—On East Bound Passenger Track. One hundred and fifty feet West of Seventh (7th) Street Bridge, St. Paul, protecting Burlington cross-over against east bound trains on passenger track.

No. 2.—On West Bound Passenger Track. Three

hundred feet East of Lafayette Avenue Bridge, St Paul, protecting Omaha cross-over. Westminster St. against West bound trains on passenger track. This semaphore is located between West bound passenger and Omaha track, also protects Omaha cross-over against West bound trains on freight track.

No. 3.—On West Bound Passenger Track. Twelve hundred feet East of Mississippi St, St. Paul, protecting Omaha and Wisconsin Central cross-overs against West bound trains on passenger track.

No. 4.—On East Bound Passenger Track. Twelve hundred feet West of Mississippi St. Cu. P. J. West of Mississippi St. Cu. P. J. J. West Ch. Mississippi St. Cu. P. J. West Ch. Mississippi St. Cu. P. J. West Co. Mississippi St. Cu. P. J. West Ch. P. J. West Ch. P. J. West Ch. Mississippi St. Cu. P. J. West Ch. P. J.

hundred feet West of Mississippi St., St. Paul, protecting Omaha and Wisconsin Central cross-overs against East bound trains on passenger track.
No. 5.—On East Bound Freight Track. Twelve

hundred feet West of Mississippi St., St. Paul, protecting Omaha and Wisconsin Central cross-overs against East bound trains on freight track.

No.-6. On East Bound Passenger Track. Two hundred feet west of Dale St. Bridge, protecting cross over against East bound passenger trains on passenger track.

A Semaphore Signal located at the Northern Pacific crossing of the Great Northern R'y at Minneapolis Junction, by which the use of the crossing will at all times be governed. When the arms of the Semaphore are Cross-wise of the main tracks of either road it denotes crossing blocked and no train of that line will cross until signal arms are changed. When arms of the Semaphore are parallel with or edgewise to the main track or tracks of either line, it denotes crossing clear for trains of that line. At night, White and Red Signal light will also be shown at the mast-head.

White signifying Proceed, and Red, Stop.
Semaphores are located 1,800 feet east and same distance west from Hopkins Junction.

ST. PAUL UNION DEPOT.

Seapmhore for incoming Great Northern double track is located just west of Third (3rd) street overhead bridge.

Semaphore for outgoing Great Northern double track is located at beginning of curve on Union Depot

After train has made full stop for incoming stop signal, track will be given to them by lowering signal, but train must proceed under full control, expecting to find main track occupied.

COMPANY SURGEONS.

J. A. QUINN, M. D., Chief Surgeon.
Office, Suite 301-302-303 Ernst Bldg., cor. 5th and Wabasha Sts. Residence, Merchant's Hotel.

Office Telephone, 1112.

Residence Telephone, M 2218.....St. Paul, Minn.

J. W. CHAMBERLIN, Opthalmic Surgeon.

Office, 220 Lowry Arcade Building. Office Telephone, Main 1347. Residence, 575 Holly Avenue.

Residence Telephone, Dale 168-J 1......St. Paul, Minn.

R. J. HILL, M. D.

C. M. CANNON, M. D.

Office, 946 Raymond Avenue.
Residence, 2277 Carter Avenue.
Office Telephone......Selby 41-3.
Residence Telephone, Selby 101-3....St. Anthony Park, Minn.

W. H. AURAND, M. D.

Office and Residence, 300 Walnut St. S. E. N. W. 'Phone, E 458.

L. A. NIPPERT, M. D.

Office, No. 2 Syndicate Block
Residence, 1521 Dupont Avenue North.
Office Telephone, Main 1555.
Residence Telephone, Main 2346-J 2.
Residence Telephone, Twin City 13114.....Minneapolis, Minn.

GUSTAVE SCHWYZER, M. D.

Office, Pillsbury Building. Residence, Harvard Chambers, 22 South Tenth St.

Office Telephone Main 691.

Residence Telephone......Main 2690....Minneapolis, Minn.

TIME INSPECTORS.

B. B. GREER,
Assistant Superintendent.

CHAS. C. PONSONBY, Chief Train Dispatcher.

