GREAT NORTHERN RAILWAY

SPOKANE DIVISION.

TIME TABLE No. 28.

TO TAKE EFFECT AT TWELVE-ONE (12:01) O'CLOCK A. M. PACIFIC TIME.

SUNDAY, JUNE 12, 1910

Superseding Time Table No. 27 and all Supplements thereto.

THIS TIME TABLE IS FOR THE USE OF EMPLOYES ONLY.

L. W. BOWEN, Superintendent.

E. L. BROWN, General Superintendent.

W. C. WATROUS, General Supt. of Transportation.

G. H. EMERSON, Asst. General Manager.

East end 40

J. M. GRUBER, General Manager.

2	WEST	BOUND.					FI	RST DIS	TRICT-	-TROY T	ro spoi	KANE.							
	THIRD	CLASS.			SECON	D CLASS.		у	1			FIRST CLAS	55.	,		1			
701 MARCUS DIV.	689	691	695	435	451	411	401	487	255 MARGUS DIV.	257 V. MARGUS DIV.	3	27	263	43	1	Capacity Side Trac	of of seks	rom Troy	Time Table No. 28.
Local Freight				Time Freight		t Time Freight	t Time Freight	Time Freight	Passenger	Passenger	Passenger	Fast Mail	Pass /	Passenger	Pamenger	83	-4	904	4
Daily	Leave Daily Ex. Morday	Leave Daily Ex. Sunday	Leave Daily Ex. Monday	Leave Daily	Leave Duly	Leave Daily	Leave Duily	Leave Daily	Leave Daily	Leave Daily Ex. Suminy	Laive	Leave Daily	Ler Jully F suday	Leave Daily	Leave Duly	Paris 1	Trac	Dien	STATIONS.
	/			10.00Pm	1.00Pm	6.00Am	5.10Am				2.35Pm	1.50fm		4 4 15Am	1.50Am	100 3	352	0.0	TROY
	-			10.20	1.20	6.25	5.35				9.48	1.59		(4.27	2.00	61	0	6.7	yakt
	-			10.45	1.40	6.50	8.00				8.04	211		1 4.40	2.17	61	16	13.7	LEONIA
				11.10	2.23	7.15	0.25				3 20	223		1 4.63	202		0	20.8	, kātka
				11.30	2.45	7.40	6.50				3.38	9.83		1 5.05	2.45		13	27.2	CROSSPORT
	-	1	8.00Am	11.50	3.00	8.00	7.10				. 3.45	2.40	6.15km s	s 5.13 s	300		77	31 4	HONNER'S FERRY
		4/									4						-	31.9	K. V. RY. JCT.
			a 6.25	12.10Am	3 20	8 20	7.30				3.54	8.47	f 6.25	5.98	8.10	57	22	34.3	MORAVIA
		1	s 6.50	12.50	44-3 4.05	9.00	8.10				4 05	2.58	s 6.40	5 0 5	0.25	-	22	12.7	6 3 NAPLES
	*	1	s 7.15	1.25	4.40	9.35	8.45				4.16	8.10	(8.55	5.51	3.40		U	53.8	ELMIRA
		4	a 7.40	1.88	5,00	9.55	9.10		3		4.28	3-21	1 7.10	6.05	3.52	57	N	57.3	COLIURN
		4			11	,							1 7.15		,	0	17	59.5	nieox
	6.45km		8.10Am	2.40	5 28 5 28	10 32	9.40			X	. 4.41	3.34	s 7.80 s	s 6.18	4.05		47	65.4	SAND POINT
	7.10			3.15	6.00	11 10	10-14				4.56	3.47	1 7.47	6.35	4.20	-	311	74.0	WRENCO!
	7.85			3.30	6.15	11.25	10.40				5 05	3.55	s 8.00	6.45	4.29	-	16	78.8	LACLEDE
	8-17			4.00	6.45	11.59	11.20				5.17	4.08	s 8:17	7.00	4.49		200	ST.1	PRIEST RIVER
	9.10			4.30	264 7 26	12.30Pm	11.50				. 5.97	4.18	s 8.30 s	s 7.18 s	. 455		30	94.1	NEWPORT
	929			4.45	7.87	12.45	12.05Pm				5.32	4.24	1 8.37	7.20	5.01		28	97.5	PEÑRITH
	9.50			5.10	7.50	1.25	12.25			1	5.40	432	s 8.48	7.28	435 510	-		101.9	scona
	10.25			5.45	8.20	1.55	1-10				5.51	4.45	9.04	7.42	5.23			108.9	CAMDEN
	10.45			5.55	8.80	2.10	1.25				5.55	4.50	9.12	7.47	5.27			111.5	2.6 ILK
	11.15			6.15	8.45	9.95	1.45				6.03	4.57	9.20	7.55	5.34	-		115.9	MILAN
	11.45			6.45	9.15	3.10	2.15				6.14	5.07	1 9.32	8.07	5.44			122.5	CHATTAROY
1.00Pm	12.26Pm			7.10	9.40	3.45	2.30		258 8-06m	9.50km	204	258 5.13	256 9.40	s 8.15 s	. 5.51	-		120.3	COLBERT
1.80	12.50		i	7.85	10.15	4.10	9.50		5.10	1 10.00	6.28	5.19	9.50	822	600	-		130.7	MORSE
2.00m	1.15Pm	6.80Am		256-8-05-257 2-10-15-43	4-10 40Pm 12 20Am	258 4-40hu	3-10-258 4-50-28	2.00ры	s 5.20	1 10 10	1 8 40 6 45	5.27	s 10.00 s	835 840 435	* 6.10 6.15	-	-	135.5	HILLYARD 1
				- Zha		* 31.0							1000	040	0.10			130.0	O. R. & N. JCT
		6.50Am		10.30Am	12.50Am		5.20fm	2.30Pm	2 4 5 35Pm	■ 10.95km	s 7.00₽m	234 5-40hm	* 10.15Au *	* 8.55An *	s 6.30km	Yand Y		140.2	SPOKANE
Arrive Dully	Arrive Daily Ex. Monday	Arrive Daily Ex. Sunday	Arrive Daily Ex. Monday	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily Ex. Sunday	Atrive Dally	Arrive	Arrive Daily Ex. Sunday	Arrive Daily	Arrive Daily	1300	Arts	Am 2	SPORANE
701	689	691	695	435	451	411	401	487	255	257	3	27	263	43	1				-
1.00 9.20	6.30 10.79	0.20 14.10	2.10 15.69	10.20 13.58	10.10	10.40 12.70	10.30	0.30 9.40	0.35 23.83	0.35	4.25 31.74	3.50	4.00 27.20	4.40 30.00	4.40	+		-	Time Over District

6.

FIRST DISTRICT-SPOKANE TO TROY.

FIRST CLASS

1	Č.				1						FIRST	CLASS.			
	Time Table No. 28.	sup.	sign			2		44		28	264	4	256	258 MARGUS DIV.	
H	IE.	and and	dee Rule 7	, Page 17		Passenger	-	'assenger	,	Express	Passenger	Passenger	Passenger	Passenger	
ğ	STATIONS.	Detance			-	Arrive Duily	Т	Arrive Daily		Arrive Daily	Arrive Daily Ex. Sunday	Arrive Daily	Arrive Daily	Arrive Daily Ex. Sunday	
	TROY.	140.2	E DN V	VCT	j.	12.45Pm		5.50Pm	-	7.80ha		4.15An			
ľ	YANT	133.5				1234	1	5 35		7.17		4.00			
8	LEONIA	126.5	DN			18.17	r	5.16		7.03		8.45			
F	KĀTKA	119.1		N		12.01Ftr	1	4.58		6.48		3.29			
ı	CROSSPORT	113 0				11.46	ı	4.42		6.85		8.12			
Ī	BONNER'S FERRY	108.8	Re DN V	w v	K s	11.35	,	4.82		6.26	9.80Pm	. 300			
ł	K. V. RY. JCT	108.3					15								
Ī	Mugalia	103 9			-	11.23		4.90		6.16	9.90	2.45			
t	NAPLES.	97.5	DN V	w.		11.14		451-3 4 05		8.08	9.07	8.88			
Ì	ELÄIKA	89.9				11.00	1	3.39		5.58	8.58	8.10			
ı	COLBURN	82.9				10.47	•	321		5.40	8.89	435 1-86	1		
ı	BRONX.	30.7					1	3.00			8.8.8				
1	SAND POINT	74 N	R DN	wc v	K.	1032	,	253		5.28	8.82	. 1.35			
1	WRINCOL.	66.2				10 14		a.30		5.18	8.08	1,15			
-	LACLEDE	61.4	b	w		10.06		2.18		5.05	. 7.55	1.05			
1	PRIEST RIVER	53.2	Ð			9.61		1.58		4.52	a 7.88	1 12.48			
1	NEWPORT.	46.1	DN	w	к.	9.86		1.42		4.48	· 7.25	s 19.85			
1	PENRITH	42.7				9 29	i	1.35		4.39	7.15	19.97	-		
1	scotia	38.3	DN			9.19		1.25		4.32	s 7.05	1 2.1 4 Am			
,	CAMDEN	31.3	N	w		904	1	1-10		4.16	s 6.50	11.55			
	2.6 ELK	28.7	D			8.59		1.02		4.11	s 6.45	11.49			
	MILAN	24.3	DN			8.51		12.51		4.04	. 6.87	11.39			
	CHATTAROY.	17.7				8.39	•	12.34		8.59	1 6.27	11 27			
	COLBERT	13.9	R DN	w		8.80		12.26		3.45	. 6.20	11.19	• 930A	s 5 00Pm	
	MORSE	9.5				822		12,16		3.37	f 6.10	11.00	9.20	1 4.50	
	HILLYARD	4.7	R# DN	werr	0	8 15 4	85 s	12.05Pm 11.59		3 30 401 3 26	s 6.00	, 10.00	51 s 9 10	101-111 1 4 40	
	0. R. & N. JCT	1.2	1				T								
0	SPOKANE	0.0	Re DN	wo	к	7.5 ōAm		11.45Am	T	3.10Pm	255-27 5.45 Pm	10.40%			_
-						Leave		Leave		Leave Daily	Leave Daily Ex. Sunday	Leave Duily	Leave Duily	Leave Dail Ex. Sunda	y
						2		44		28	264	4	256		
1000	Time Over District Average Speed Per Hour			-		4 50 20 01		6.05 23.05	1	4 20 32,33	3.45	5.35 25.11	0.35 23.83	0.35 28.88	

Special Rules.

West bound trains are superior to east bound trains of the same class.

No. 27 is superior to all other trains. Opposing first class trains will clear No. 27 five (5) minutes.

Other opposing trains will clear No. 27 ten (10) minutes.

All wast bound trains must be clear at the time No. 27 is due

No. 263 take slding when meeting No. 2.

Normal position of dunction switch, K. V. Ry. Jol., and connection with Marcus Division at Colbert is for Main Line, Spokane Division. Freight trains 689 and 695 and loosle extre east will curry passengers.

when provided with proper transportation.

Train 43 will stop at any station to let off passengers from east or south of Shelby, and will make 263's stops between Bonners Ferry and Spokane on Sundays.

Train 1 will stop at any station between Troy and Spokane to let off passengers from east of Devila Lake.

Passengers for local points west of Spokane leave train 1 and take

train 43 at Spokane.

Trains 263 and 264 will stop on flag for passengers at Iola and Albany

Between Camden and Spokane. . . . 50 miles per hour.

Extras and delayed schedule trains (except first class trains) must move under control in Bonners Ferry Yard Limits, looking for main line to be occupied.

main line to be occupied.

Between Spokane and Hillyard all trains will be operated under a block system which will consist of a clearance from the operator at Spokane and Hillyard. No train will be run between these points unless Conductor and Engineer hold clearance card, form 80, properly numbered, OKV and completed. Form 219 not required in addition. Trains 1 and 27 will register at Spad Point by eard.

Trains 2 and 27 will register at Colbert by earl.

Passing track Sand Point located one mile west of depot.

Marcus Division train and enginemen will be governed by Time
Table and Special Instructions of Spokane Division between Colbert and Spokane.

Steam whistle signals for tracks with switches controlled from inter-

O. R. & N. Ry. crossing, Spokans-

Main line, one long.

Main line, one long.

O. R. & N. Transfer No. 1, one long and one short.

O. R. & N. Transfer No. 2, two long and one short.

Yard limit boards placed each way from:

Troy, Bonners Ferry, Colbert, Hillyard, Spokane.

INITIAL STATIONS,

for trains 1, 3, 27, 43, 401, 411, 435, 451.

" 263, 695.
" 689. Troy Bonners Ferry

Sandpoint 255, 257, 701. Colbert

255, 257, 701. 487, 691. 2, 4, 28, 44, 256, 258, 264. TERMINAL STATIONS. Hillyard Spokane

for trains 2, 4, 28, 44. Troy for Bonners Ferry Sandpoint 095 256, 258. Colbert

411, 689, 701. 1,3,27,43,255,257,263,401,435,451,487, 691. Hillyani Spokane

Business Tracks not Shown as Stations on the Time Table.

Name	Miles fromTroy	Switch	Car
Bonners Ferry Lumber Co	30.	East end	100
McArthurs Spur		West end	8
Ewings Spur.		East end	10
Pack River Spur	52.8	** **	11
Iola Spur			8
Caribou Spur		West emi	13
Noble Mill Spur		East end	4
Humbird Lumber Co. Spur			3
McKinnev's Spur			12
Albany Falls Spur			16
Goodhue Spur		West end	6
Farnsworth Spur.	101.6		8
Graham Lumber Co. Spur			3 7
Arctic Ice Co. Spur			7
Phoenix Spur			21
Washington Lumber Co. Spur.		East end	111
Spokane Lumber Co. Spur		West end	14
Davies Spur		East end	

4	WEST I	BOUND					SI	ECOND I	DISTRIC	T—S	PO	(ANI	AND WILSON CREEK	ζ.					EAST	BOUND.	
THIRD I	HEST I									·		1			I		I		FIRST CLAS	5	
CLASS		SECOND		451	25	27	267	43	1	Capacit Side Tr	y of seks		Time Table No. 28.	Calls	g.,	SIGNS.	2	44	268	28	26
691	401	487	435	451	25					. 1		ap from	in Effect June 12, 1910.	aph C	Distance from Wilson Creek	See Rule 7, Page 15	Passenger	Passenger	Passenger	Express	Passenger
ocal Freight	Time Freight	Time Freight	Time Freight	Time Freight	Passenger	Fast Mail	Passenger	Passenger	Passenger	Passin	Other	Distanc	STATIONS.	Calego	Dietas		Arrive Daily	Arrive	Arrive Daily	Arrive Daily	Arrive Daily
eave Daily Ex. Sunday	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Daily	Leave Daily	Leave Daily					DE C	1-7-	Re DN W K	001 7.40Am	s 11.30km	. 1.15fm	4×7 2.577m	10.95P
7.40An	6.00Fm	3-00fm	11.00Am	1.00km	7.45fm	5.50fm	4.80m	9.10Am	7.00Am	Yard	Yani		FORT WRIGHT	DS-Q	98.7	DN W	7.33	11.23	t 1.08	9.47	10.18
7.50	6 10	8.10	11 23	1.10	7.50	5.55	1 4.85	9.17	7.06	50	30	3.0	6.0	-	95.7	DN	1		f 19.50	9.83	10.07
8.95	6.55	4.00	19.15Pm	1.55	8.08	6.07	1 4.49	9.89	7 20	61	6	9.0	HIGHLAND	-	89.7	-	7.20	11.19	435		10.01
8 45	7.25	480	268 12.42	9.95	8.10	6.18	1 4.56	9.40	7.80	50	16	12.4	Lyons	YA	86.3	DN W	7.08	11.06	12.42	2.25	
9.15	7.55	4.55	1.10	9.55	8.18	6.91	80.8	9.50	7.40	64	57	17.7			81.0	-	6.58	10.57	1 19.31	2.15	9.51
9.80	8 25	207 5.15	1.80	3.15	8-25	6.99	6-15	9.58	7.48	52	47	21.8			76.9	DN W	6.50	10.49	1 19.99	2.05 435 1.55	9.44
9.50	8.59	5.40	28 1.58	8.40	8.35	6.40	1 5.95	10.10	8.00	64	59	28.4	waukon	-	70.3		6.88	10.89	f 19.08fm		9.81
43-44 10-20	9.20	6.00	9.90	4.05	8.45	6.48	1 5.37	10-20	8.19	60	35	34.0	EDWALL	WH	04.7	DN W	6.98	10.20	11.55	1.45	9.20
11.00	9.40	6.15	9.85	4.90	8.59	6.55	1 5.45	10.98	8.19	60	15	37.8	CANBY	-	60.9		6.92	10.10	t 11.45	1.36	9.10
265	10.05	6.40	8.00	4.45	26 9.00	7.04	1 5.55	10.40	8 30	63	58	43.2	BLUESTEM		55.5		6.18	10.00	11.35	1.25	9.00
11.35	10.40	7.15	8.80	5.15	9.15	487 7-15	. 6.10	10.55	. 8.48	48	93	80.0		. HR	48.1	DN W	. 5.58	. 9.47	11.17	1.10	. 8.40
19.85Pm		7.16	8.50	843	9.99	7.98	1 6.20	268 11.04	8.57	60	25	55.3	morocco		43.4		5-43	9.35	1 11:04	12-57	8.80
12.67	11.00	7.40	8.60	- 543			1 6.28			0	17	56.8	moHiLER		41.9						407
1.08		29			9.80	7.30	1 6.82	11.14	9.07	56	50	61.0	DOWNS	DN	87.7	DN	5.88	1 9.24	1 10.50	19.45	8-20
1.90	11.95	820	4.10	6.08			6.45	11.90	9-15	60	39	65.6	LAMONA		83.1	w	5.24	9-15	f 10.40	12.35	8.18
1.45	11.50	8.40	4.30	6.25	9.87	7.40	-	11.97	9.94	60	16	71 2	5.6 NEMO		27 8		5.17	9.09	1 10.27	19.95	8.06
9.00	19.05Am	8.55	4.50	6.45	9.45	7.48 26 7.55	1 6.55	-	1 9.36	45	117	75.8			22.9	DN	5.06	8.59	. 10.15	19.15	· 7.55
2 40	12.25	9.15	8.10	7.05	9.56		* 7.10	11.38		-		80 4	4.6		17.3		4.58	8.42	f 10.08	12.05Pm	7.40
9.56	19 40	9.80	5.95	7.20	10.08	8.09	20	11.45 28 11.55	9.48	60	15		4.3	-	_		4.51	1 8.35	. 9.51	11.55	7-30
8.15	12.55	9.50	5.45	7.45	10.10	8.09	7.30		9.51	59	26	84.7	ĸĸŢŰPP		6.0	_	4.88	· 820	. 9.39	11.49	. 7.17
3.45	1.90	1023	6.10	820	10-23	8.91	1 7.48	19.08Pm	10.05	00	35		0.6		0.0		4.26km	8.05Am	451 9.20km	11.30Am	7.05
4.10Pm	1.50Am	11.00Au	6-30m	1-268 8-50Am	■ 10.36Pm	s 8.85fm	s 7.65fm	s 19.90m	s 10-15Am	78	150	98.7	WILSON CREEK	z	0.0	- N. W.C. 1	Leave	Leave	Leave Daily	Leave	Leave
Arrive Daily Ex. Sunday	Arrive Daily	Arrive Daily	Arrive	Arrive Daily	Arrive Daily	Arriva Daily	Arrive Daily	Arrive Daily	Daily	-	_				-		2	44	268	28	26
691	401	487	435	451	25	27	267	43	1				Thus Owns District		-			3.25	3 55	3 27 28 50	8 20 20 61
H.30 11.61	7.50 12.60	R.00	7.30	7.50 13.88	3.06 31.86	2.45 35.90	3.25 28.89	8.10	3. 15		1		Time Over District Average Speed Per Hour		1		3.14	1 28 89	25.10	28 60	29.61

Special Rules.

West bound trains are superior to east bound trains of the same class. No. 27 is superior to all other trains. Opposing first class trains will clear No. 27 five (5) minutes.

Other opposing trains will clear No. 27 ten (10) minutes.

All west bound trains must be clear at the time No. 27 is due to leave the next station in the rear where time is shown.

Normal position of junction switch S., P. & S. Ry. at Fort Wright will be for G. N. Ry. Normal position for east passing track switch at Fort Wright will be for S., P. & S. Ry.

Train 691 and Local extra cast will carry passengers when provided with proper trans-

All cast bound trains will use left hand or passing track from Monroe St., Spokane, unless otherwise instructed.

Between Spokane and Hillyard all trains will be operated under a block system, which will consist of a clearance from operator at Hillyard and Spokane.

Telephone Booth located at all blind sidings. All trains will call up Dispatcher imme-

No train or engine will be run between above points unless Conductor and Engineer have clearance card, Form 80, properly numbered, OK'd and completed. Form No. 219 not re-

No. 43 will stop at any station to let off passengers from east of Colbert.

Passengers on No. 2 for points between Spokane and Libby leave No. 2 and take No. 44 at Spokane.

No. 25 will stop at all points west of Spokane to let off passengers arriving on train No. 3 from points east of Colbert.

Nc. 44 will stop at any station to pick up passengers for points south of Shelby. Passenger trains will not exceed a speed of 50 miles per hour on this District.

No. 1 will stop at Odessa on flag to let off passengers from Spokane or points east or to pick up passengers for regular stops west of Odessa.

Yard Limit Boards placed each way from

Spokane, Wilson Creek. Between Spokane and Fort Wright all trains will be operated under a block system, which will consist of a clearance from the operator at Spokane or Fort Wright. No train will be run between these points unless the conductor and engineer hold clearance and (Form 80) properly numbered, OKd and completed. West bound trains will require clearance Form 219 also, leaving Spokane.

Fort Wright will not be a register station, as the register at Spokane passenge, station will cover the arrival and departure of trains at Fort Wright

INITIAL STATIONS.

Spokane......for trains 1, 25, 27, 43, 267, 401, 435, 451, 487, 691. Wilson Creek " 2, 26, 28, 44, 268.

TERMINAL STATIONS.

Spokane....for trains 2, 26, 28, 44, 268. Wilson Creek 1, 25, 27, 43, 267, 401, 435, 451, 487, 691.

BUSINESS TRACKS NOT SHOWN AS STATIONS ON TIME TABLE.

Name	Miles from Spokane	. Switch at	Car Capacity
Fort Wright Spur	3.5	West end	46

est Bound.	K	001	EN	AI	VALLEY AND BEDLING	TON	& N	ELSON RY'S	. East Bo	und.	Wes	t Bound				East Bou	nd			
ECOND CLASS	1	h marite	nd lo						SECOND CL	ASS.	SECOND	CLASS.							SECOND	CLASS
379	8	apacity ide Tra	cks	from	Time Table No. 28.	OF STREET	from	SIGNS. See Rule 7, Page 15	380			381	Side 7	racks	mou	Time Table No. 28.	River	SIGNS.	382	
Mixed	- N	a l	18	Der 2		E .	900	oos Ruis 7, Page 15	Mixed			Mixed	5-E	No.	Distance		mpie mpie	See Rule 7, Page 15	Mixed	
Lenvo Tu & Sat.	. 2	Thek	Track	Die	STATIONS.	ş	Kun		Arrive Tues.			Leave Daily Ex. Sunday	SH SH	ar.	Nan	STATIONS	Colin		Arrive Daily Ex. Sunday	
7.00	.	50	77	0.0	BONNER'S FERRY	BY	50.0	Re DN W YK	■ 19.30m			1.45Pm	52	58	0	MANSFIELD.	60.40	R WCY	19.40Pm	
		0	0	0.5	K. V. RY. JCT		49 5					9.05	35		5 40		55.00		. 19.90	
		0	0	1.0	DRAW BRIDGE		49.0					s 2.80	52		11.38	WITHROW	49.02	w	• 12.01Pm	
		σ	0	3.8	WATER TANK		46.2	w				9.55	35		10.82	SUPPLEE	43.58		11.40	
. 7.80		0	17	7.7			42.3		12.00			s 8.80	40		23.92	DOUGLAS	30.48		. 11.10	
	_	0	0	16.2	WATER TANK		33.8	w				8.55	35		29.21		31.19	w	10.30	
. 8.00	_	0	20	16.8			33.2		11.80			4.40	33		39.15	9.94 McCUE	21.25		9.40	
. 8.30		0	10	26.1	PORT HILL		23.9		s 11.00			. 5.00	40		44.72		15.78	w	9.08	
8.35	_	0	0		RYKERTS		23.8		10.55			s 5.20	35		49.85	APPLEDALE	10.65		8.40	
s 9.00A		0	20				16.9	R W	10.80Am			. 540	28		55.04		5.46		8.20	
		0	0	38.4	wilkes		11.6					s 6.00Pm	72	50	0.40	COLUMBIA RIVER	0	R DN	8.00Am	
	_	0	0	47.1	SIRDAR JCT		2.9					Arrive Daily Ex. Sunday							Leave Daily Ex. Sunday	.~
	_	20	70	50.0	KUSKONOOK		0.0	w T				381				T			382	
Arrive Tu & Sat.	*.		-						Leave Tues. & Sat.			4.15 14.20				Time Over District Average Speed Per Hour			4 . 40 12 .00	
379									380							Special Pules				

Special Rules.

West bound trains are superior to east bound trains of the same class.

Before entering main line at K. V. Ry. Jct., a flagman must be sent out to protect against main line trains.

Time Over District Average Speed Per Hour

All trains must come to a full stop not less than 200 or more than 800 feet from draw bridge, one mile west of Bonner's Ferry and will not proceed until draw bridge is known to be closed.

Between Wilkes (Wynnelel Jet. C. P. R.) and Sirdar Jet., trains use C. P. R. tracks, and crews will be governed by C. P. R. rules and time table, and will observe all special rules and bulletins in effect.

On C. P. R. Mountain Standard Time (one hour faster than Pacific Standard Time) is used.

When necessary to use C. P. R. tracks between Wilkes (Wynndel Jet, C. P. R.) and Sirdar Jet., arrangements must be made with C. P. R. at Creston, and orders received at that point.

INITIAL STATIONS.

Bonner's Ferry for train 379. Creston " 380.

TERMINAL STATIONS.

Bonner's Ferry for train 380. Creston " 370.

BUSINESS TRACKS NOT SHOWN AS STATIONS ON TIME TABLE.

Name	Miles from Bonner's Ferry	Switch at	Car Capacity
Rock Creek Spur Calahan & Bogle Spur Dehlbom Spur	13 17	West end East end	10 4
Grays Spur	20 22	: :	10

Special Rules.

Westbound trains are superior to Eastbound trains of the same class. Train No. 381 will not leave Mansfield until train No. 382 has arrived.

INITIAL STATIONS.

Mansfield for train 381.

Columbia River for train 382.

TERMINAL STATIONS.

Manafield for train 382.

Columbia River for train 381.

WEST BOUND.

THIRD DISTRICT-WILSON CREEK AND LEAVENWORTH.

THIRD	CLASS.		SECOND	CLASS.			FI	RST CLASS	5.			Caper	its of		Time Table No. 28.	1
	693	381	435	451	401	487	25	27	267	43	1	Niele	Priotic	from K.	in Effect June 12. 1910	
	Local Freight	Mixed	Time Freight	Time Freight	Time Freight	Time Preight	Passenger	Fast Mail	Passenger	Passenger	Passenger	saint seint	per s	tance Ison Cr	STATIONS.	
	Leave Daily Ex. Monday	Leave Duily Ex. Sumlay	Leave	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Duit	Leave	The	8,5	32	STATIONS.	1
	8 00Am		7.05m	1-268 10.30Am	9.20km	11 30Pm	10.41Pm	8.35Pm	8.15Pm	18.25Pm	10.20M	78	150	0.0	WILSON CREEK	-
	s 8.25		7.45	11.10	2.55	12.05Am	10.56	8.49	1 8.32	19.40	10.35	48	10	7.0	STRATFORD	-
	8.45		8.10	11.35	3.17	19.30	11.06	8.59	s 8 45	12.50	10.43	78	173	12.1	ADRÍAN	-1.
	9.90		8.30	11.55	348	19.55	11.15	9.08	f 8.52	12.53	10.51			17.8	SOAP LAKE	
	s 10.00		8 52 267 9 27 2	19.90m	4.15	1.15	11.96	9-17	9:04	s 1.10	1101	52	46	23.1	EPHRATA	. 1
	28 10.30		9.50	12.45	4.35	1.40	11.35	9.26	f 9.16	1.90	11.09	112	8	28 3	NAVLOR	
	s 10.50		10.10	1.05	4.55	900	11.45	9.35	1 9.25	1.80	11.18	62	17	33 3	winchester	
	1		10.30	1.95	5.15	9.30	11.55	267 9 46	s 9146	1.42	11.28				ou ncv	
	• 11.28			43		2	12.04An	9.55	1 10 08	451 1-55	11.37	48	а	44 4	CRATER.	
	s 11.55		10.45	1-65	5:35 608	3-05	19.15	10.07	10.21	1 2.07	11.48			-	TRINIDAD	
	s 19.80Pm		11.05	9.95		8.30			1 10.81	2.17	11.57				vul.Can	
	s 12.50		11.00	2.45	6.25	8.50	19.93	10.16			12 00fm			50 6	4.1	-
	s 1.10	6,10h	11.35	8.00	8:87	4.05	12.30	10.24	10.49	1 2.26					4.5	-
	s 1.30	s 625	11.55	3.20	6-61 384	4 80	12.88	10.39	1 10 55	2.84	1214				MALAGA	
	s 1.50	6.88	19.90Am	3.40	720	4.40	13.46	10.40	f 11.05	2.43	12.23			6× ii	7.3	-
	s 9.30	7.00Pm	1.05	4.15	8.00	515	1 105	10.53	s 11.30	. 3.02	s 12.40	- (56)	371		WENATCHEE	
	s 3.00		1.50	4.55	8.38	5.40	1.20	11.05	1 11.45	3.17	12.56	60	17	N2.N	MONITOR 3.7	-
	3.29 43 3.50 26		9.15	8.90	9.05	5 5 8	1.28	11.12	s 11.55	. 329	1 04	59	2558	241.5	CASIMERE	-
	4.15		9.85	5.45	9.40	6.95	1 38	11.18	f 12.07Am	3.40	1.12	62	.17	90.1	DRŸDEN	-
	a 4.40		3.00	6.15	10.15	7.00	1 46	11.85	19.18	8.51	1.91	48	8	94.6	PESHASTIN	
	s 5.10Pm		8.30Am	6.45Pm	10.45Am	7.30Am	s 1.55An	11.35Pm	12.80Am	a 4.00Pm	* 130Am	00	492	98,7	LEAVENWORTH	
	Arrive Daily Ex. Monday	Arrive Daily Ex. Sunday	Arrive Daily	Arrive Daily	Arrive Daily	Arrivo Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive	Onily Daily					
	693	381	435	451	401	487	25	27	267	43	1					
	9.10 10.77	0.50 19.36	8.25 11.73	8.25 11.73	8.25	8.00 12.34	3, 14	3.00	4.15 23.15	3.35 27.54	3, 10				Time Over District Average Speed Per Hour	

Special Rules.

West bound trains are superior to east bound trains of the same class.

No. 27 is superior to all other trains. Opposing first class trains will clear No. 27 five (5) minutes. Other opposing trains will clear No. 27 ten (10) minutes.

All west bound trains must be clear at the time No. 27 is due to leave the next station in the rear where time

with the same of t

No. 693 and Local Extra east will earry passengers when provided with proper transportation, No. 25 and 43 will stop at any station to let off passengers from east of Colbert, No. 44 will stop at any station to pick up passengers for points south of Shelby. Water tank shown at Traindad is located 3 miles cast of station. Passenger trains will not exceed a speed of 50 miles per hour on this District.

Yard Limit Boards placed each way from Wilson Creek, Wenatchee, Leavenworth.

INITIAL STATIONS.

AL STATIONS.

Wilson Creek for trains 1, 25, 27, 43, 267, 401, 435, 451, 487, 695.

Leavenworth " " 2, 26, 28, 44, 268,

Columbia River for train 381. Wenatchee for train 382.

TERMINAL STATIONS.

IRAL STATIONS.

Wilson Creek for trains 2, 28, 28, 44, 298,

Leavenworth " " 1, 25, 27, 43, 207, 401, 435, 451, 487, 693,

Columbia River for train 382. Wenatchee for train 381.

BUSINESS TRACKS NOT SHOWN AS STATIONS ON TIME TABLE.

Name	Miles from Wilson Creek	Switch at	Car Capacity
Sand Spur Gravel Spur Sherman Spur	53.1	West end	16 25 10

handa.

	1		1					N CREEK AND LEAVENWORTH.	EAST BOUND.
me Table No. 28.					FI	RST CLAS	5.	SECOND CLASS.	
Effect June 12, 1910.	from	SIGNS. See Rule 7, Page 15	2	44	268	28	26	382	
STATIONS.	avens		Passenger	Passenger	Passenger	Express	Panninger	Missi	
	27	1	Arrive Daily	Arrive D-ily	Agrive Daily	Arrive Daily	Arrive Daily	Arrive Daily Ex. Sunday	
WILSON CREEK	98.7	R# DN WC Y	4.21Am	s 8-004m	9.15 km	11.25Am	s 7.00Pm		
STRATIORD	90 ×		4.00	7.41	1 8.57	11-10	f 6.40		
ADRIAN.	83.6	DN Y K	3.56	1 7.30	s 8-45	11.00	s 6.30		
SOAP LAKE	80.0		3.48	7.20	1 8.82	10.51	1 6.20		
EPHRATA.	75 8	DN W	8.41	s 7.10	s 8.22	10.40	. 6.07		
NAVLOR.	70.4		8.02	6.56	1 8.08	10.30	5.55		
WINCHESTER	65.4		3.28	1 6.46	7.57	10.20	1 5.45		
QUINCY	59.3	DN	0.15	• 6.3a	7.45	10.08	5 5.55		
CRATER.	51.3		3.05	6.22	7.34	9.58	5.25		
TRINIDAD	18.1	DN W	2.51	6.08	a 7.20	9.44	5.11		
vul.can	0.2		2.40	5.56	7.09	9.35	5.00		
COLUMBIA RIVER	39.1	R DN	2.33	5.48	1 7.00	9.26	(449	7.45Am	
ROCK ISLAND	31.6	w	2.26	5.40	1 6.51		1 4.40	7.32	
MALAGA	301.1		2.18	5.80	1 6.40	9.10	7 4.81	7 7 20	
WENATCHEE	22.8	R DNW T	. 2.05	487	8.25	8.55	451 4.15	7.004m	
MONITOR.	15.9		435 1 50		6.00	8.38	1 3.58	7.00	
CASHMERE	12.2	DN W		4.52	4N7 5-58	8.30	3.50		
DRYDEN	8.0		1 38		5.46	8.20	3.40		
PESHASTIN	4.1		1.81	4.04	6.88	8.13	1 3.30		
LEAVENWORTH.	0.0	Re DN WCTY K	1.20Am	4.25Au	5.30Am	8.05An	3.30Au		
			Leave Daily	Leave Daily	Lerve Daily	Leave Daily	Lenve Daily	lenyr Daily Ex. Sunday	
			2	44	268	28	26		
Time Over District Verings Speed Per Hour			2.56	3.35 27.55	3.45	3.20 29.61	3.40	382	

N Telegraph Calls

AD

FR

QN

DI

СМ

wc

OM

CH

9

West bound trains are superior to east bound trains of the same class.

- All light engines or engines with caboose only will take siding at meeting points, except when running as sections of a passenger train.
- 2. Car capacity of sidings is based on forty-two (42) feet per car.
- Trains displaying signals for following sections will stop at ALL registering stations, and the Conductors will register in person.
- 4. All trains must be handled under absolute control and without regard to making schedule time at all points where danger of snow slides or falling rocks are liable to be encountered.
- 5. All trains must reduce speed to 8 miles per hour through City of Spokane.
- 6. Derail Switches—Derail switches are located at the following sidings: Crossport, 150 feet west of east end of industry track switch; Moravia, west end industry track; Naplea, west end industry track; Solburn, west end industry track; Sand Point, 150 feet east of west switch on passing track, 150 feet cast of west switch on industry track and 250 feet west of east switch on empty coal track; Wrencoe, 230 feet east of head block on Frost-Cope Co.'s Spur; Chattaroy, industry track, 265 feet west of east head block; Morse, industry track, 120 feet west of east head block; Hillyard, 250 feet west of east head block; Spoks.

ane, west end of both Monroe street crossings; Fort Wright Spur, 200 feet west of head block; Highland, 225 feet west of east head block; Galena, industry track, 295 feet cast of west hend block; Carby, west end Industry track; Seward, west end passing track; Soap Lake, west end passing track; Bluestem, east end industry track; Downs, West end, industry track; Dryden, 200 feet west of east head block; Crater, west end industry track; Trinidad, Sand Spur, 145 feet from head block; Trinidad Gravel Spur, 440 feet from head block; Vulcan, 216 feet east of west head block; Malaga, industry track, 208 feet west of east head block; Cashmere, cast end industry track; Peshastin, 190 feet west of east head block; Derail switches must always be set for the ground except when in actual use, whether there are cars on these tracks or not.

- 7. In addition to Signs provided for in Rule 7, the following Signs in column headed "Signs" indicate:
 - P Dispatcher's telephone, accessible at all times.

town or village, or when crossing the tracks at a public highway.

- I Interlocked.
- K Connection with foreign road.
- · Standard clock.

PERSONAL INJURIES.

- 1. Whenever passengers or employes are injured, everything must be done to care for them properly. If they are able to be moved, take them for treatment to the nearest place at which the Company has a surgeon. If they cannot be moved, call the nearest Company surgeon. If the case is urgent and the Company surgeon cannot be immediately procured, the conductor, agent or officer in charge is authorized to call the nearest surgeon available to administer first aid and care for the patient until the Company surgeon can take charge of the case.
 - No surgical operation must be performed until the arrival of the Company surgeon unless it may be required for the immediate safety of the patient.
- 2. In cases of serious accidents to trains, conductors, after making everything safe, must give their undivided attention to the care and comfort of their passengers, especially to those who are injured. Bedding and linen may be taken from sleepers for this purpose, the conductor keeping careful account of all material so taken, and its return or safe keeping attended to; and, when necessary, injured persons may be put in the sleepers.
 - When a number of persons are injured, the service of competent surgeons in the vicinity should at once be secured, and every possible effort made to care for the injured, the Division Surgeon being notified by wire to come immediately to the place of the accident.
- 3. When tramps, boys and other persons elimbing on or jumping from moving trains, or persons walking or lying on the track, are injured or killed, they should be sent to their homes or placed in charge of the local county, city or village authorities, and no expense incurred on the part of the Company in the matter.
- 4. When people are killed away from a station the body should be picked up and taken to the nearest station and the authorities notified. Never take the body out of the county where the accident happened if it can be avoided, but if there is no station in that county, take it to the nearest station in the next county, notifying the county authorities in all cases.
- A report of all accidents must be made, and immediately sent by wire to Superintendent, giving all information.
 In reporting accidents to trains carrying passengers, conductors should give the correct names of the injured

- and uninjured, the addresses and destinations of all persons on the train, and of the injured, and the extent of their injuries. This report must be sent from first telegraph office to the General Claim Agent and to the Assistant Claim Agent, in whose jurisdiction the accident occurs.

 As soon as possible thereafter Form 245 should be made out by each employe and forwarded to the Superin-
- tendent of the division; a separate report being made for each person injured.
 Every effort must be made to procure the names and addresses of all persons, outsiders as well as employes who witnessed the accident, especially when persons are injured within the corporate limits of any city,
- 7. In every case of personal injury in any department, a full and complete report must be made at once by every employe immediately present, no matter whether he considers his statement of importance or not, answering every question as fully as possible.
- 8. When persons are injured by an accident which may have been caused by defective appliances, tools or machinery, the car or appliance, tool or machinery must be immediately examined by the person in charge to ascertain its condition, and report made of the inspection, giving the numbers and initials of cars examined, with names, occupation and address of the persons making the inspection. This inspection must be made before the car or engine leaves the place where the accident occurred, and afterwards, at the first district terminal by the inspector, foreman or master mechanic at such point, the Superintendent to notify such person of the necessity of making such examination. When an accident is caused by the breaking of machinery, tools, appliances or rails, the broken parts must be so marked as to be readily identified, and immediately turned over to the Superintendent.
- 9. This Company will not recognize any responsibility for board, medicine, nursing or surgical attention furnished by other than Company surgeons, except for the emergency service required under Rules 1 and 2, unless authorized by the Superintendent, General Claim Agent, or a general officer of the Company, and when so authorized the General Claim Agent should at once be notified.

COMPANY SURGEONS.

Dr. J. A. Quinn, Chief Surgeon, Suite 301-2-3 Erast Bldg., Cor. 5th and Wabasha, St. Paul.

Dr. J. W. Chamberlin, Opthalmic Surgeon, Lowry Arcade, St. Paul.

(Employes consulting Dr. Chamberlin should be provided with an order from the Superintendent.)

Ronner's Ferry.

Sand Point.

O. F. Page.

Wilson Creek.

J. H. Crampton.

Newport.

J. T. Phillips.

Wenatchee.

Brink E. Culp.

Wenatchee.

Graph C. W. Hoxsie.

TIME INSPECTORS.

Spokane Hillyard Ceo. H. Doerr. Wenateliee... Howard Thomas. Leavenworth. F. E. Carlquist.

J. G. LUHRSEN, Dispatcher 1st District J. B. SMITH, "1st " I. H. BROWN, "1st "

J. A CALDWELL, Dispatcher 2nd and 3rd District T.F. MILLIGAN, "2nd and 3rd"

C. H. NICHOLS, Night Chief Dispatcher. A. KASE, Chief Dispatcher. C. H. GEPHARDT, Trainmaster. W. CLARKE, Assistant Superintendent.