

COMPANY SURGEONS.

Dr. Roscoe C. Webb, Chief Surgeon, Office phone Main 7508,
House Colfax 4101. 1849 Medical Arts Bldg., 9th St.
& Nicollet Ave., Minneapolis, Minn.
Dr. H. M. N. Wynne, Asst. Chief Surgeon, Minneapolis, Minn.
Dr. J. G. Cunningham, Asst. Chief Surgeon, Spokane, Wash.
Dr. R. B. Richardson, Division Surgeon, Great Falls, Mont.
Dr. E. M. Porter, Alternate Surgeon, Great Falls, Mont.
Dr. Earl Strain, Ophthalmic Surgeon, Great Falls, Mont.
Dr. D. S. MacKenzie, Asst. Division Surgeon, Havre, Mont.
Dr. F. W. Briggs, Ophthalmic Surgeon, Havre, Mont.
Dr. P. E. Kane, Asst. Division Surgeon, Butte, Mont.
Dr. A. W. Morse, Ophthalmic Surgeon, Butte, Mont.
Dr. M. D. Hoyt, Asst. Division Surgeon, Glasgow, Mont.
Dr. A. N. Smith, Asst. Division Surgeon, Glasgow, Mont.

LOCAL SURGEONS.

Dr. P. H. O'Malley	Chinook
Dr. C. J. Munch	Culbertson
Dr. K. Hamilton	Dodson
Dr. Carroll M. Lund	Fairview
Dr. Chas. Houtz	Havre
Dr. W. N. Deatherage	Harlem
Dr. George W. Setzer	Malta
Dr. M. B. Sherrard	Opheim
Dr. J. C. Storkan	Plentywood
Dr. C. A. Swanson	Poplar
Dr. R. P. Minnick	Saco
Dr. T. W. Collinson	Scobey
Dr. R. A. Morrill	Sidney
Dr. W. A. McCannel	Turner
Dr. P. O. C. Johnson	Watford City
Dr. C. S. Jones	Williston
Dr. H. B. Cloud	Wolf Point
Dr. A. W. Deal	Lewistown
Dr. Fred F. Attix	Lewistown
Dr. H. W. Bateman	Choteau
Dr. H. W. Power	Conrad
Dr. W. F. Paterson	Conrad
Dr. M. D. Riddle	Shelby
Dr. C. F. Bassow	Fort Benton
Dr. Enon L. Anderson	Fort Benton
Dr. C. J. Bresee	Great Falls
Dr. A. M. McCauley	Great Falls
Dr. Thomas L. Hawkins	Helena
Dr. R. Wayne Morris	Helena
Dr. E. G. Balsam	Billings
Dr. E. C. Hall	Laurel
Dr. E. M. Gans	Judith Gap

331

H. SMALL, Chief Dispatcher
P. W. DOLES, Chief Dispatcher
H. M. SHAPLEIGH, Trainmaster
N. F. SEIL, Trainmaster
J. E. OBRIEN, Trainmaster
W. R. MINTON, Asst. Superintendent



BUTTE DIVISION

TIME TABLE 41

EFFECTIVE 12:01 A. M.

MOUNTAIN TIME

Sunday, May 2, 1937.

T. F. DIXON, Superintendent.

R. A. McCANDLESS, General Manager.

J. B. SMITH, General Superintendent Transportation.

2 WESTWARD

FIRST SUBDIVISION

Station Numbers	Car Capacity		THIRD CLASS				FIRST CLASS				Distance from Williston	Time Table No. 41		Telegraph Call
	Sidings	Other Tracks			461	663		27	3	223		1	Effective May 2, 1937	
					Daily	Mon., Wed. and Fri.		Daily	Daily	Daily Ex. Sun.		Daily		
647	Yard	1754			L 4.00Pm	L 4.30Am		L 9.45Pm	L 5.35Pm	L 6.40Am	L 12.55Am		WILLISTON.....	WN
659	W129	16			4.30	5.00		10.01	5.53	s 7.05	1.11	11.99	TRENTON.....	ON
668		35			4.50	5.20		10.12	6.05	s 7.20	1.22	20.56	FT. BUFORD.....	
676	132	91			5.20	5.58		10.19	s 6.17	s 7.35	1.29	25.92	SNOWDEN.....	SN
681	128	8			5.35	6.15		10.26	6.26	f 7.45	1.36	31.68	LAKESIDE.....	
685	E175	164			5.55	7.00		10.34	s 6.40	s 8.10	1.44	38.10	BAINVILLE.....	B
692	108	12			6.10	7.20		10.42	6.50	f 8.20	1.53	44.91	LANARK.....	
699	106	58			6.30	7.50		10.52	s 7.05	s 8.35	2.03	52.37	CULBERTSON.....	CU
705	109	4			6.54	8.25		10.58	7.14	f 8.45	2.09	57.87	BLAIR.....	
708										f 8.52		62.00	FORT KIPP.....	
714	72	5			7.15	8.45		11.09	7.28	f 9.00	2.20	66.81	CALAIS.....	
722	E130	75			7.35	9.10		11.15	7.35	s 9.10	2.26	71.58	BROCKTON.....	BR
729	70	10			8.05	9.40		11.24	7.45	f 9.20	2.35	79.14	SPROLE.....	
733	E72	55			8.20	10.15		11.31	s 7.56	s 9.35	2.42	85.57	POPLAR.....	PO
741	W72	17			8.35	10.30		11.39	8.06	f 9.45	2.50	92.51	CHELSEA.....	
748	129	24			8.55	10.49		11.48	8.17	f 9.55	3.00	100.34	MACON.....	
753	E136	293			9.25	11.40		11.55	s 8.33	s 10.15	3.08	106.76	WOLF POINT.....	WO
759	70	3			9.40	11.55		12.02Am	8.41	f 10.29	3.16	112.74	LOHMILLER.....	
765	103	36			9.50	12.15Pm		12.09	8.49	s 10.42	3.23	118.04	OSWEGO.....	GO
772	E90	21			10.10	12.40		12.17	9.00	s 10.58	3.35	125.83	FRAZER.....	FR
777	130	11			10.20	1.00		12.23	9.08	f 11.07	3.43	130.86	KINTYRE.....	
783	89	71			10.40	1.30		12.30	9.16	s 11.20	3.51	136.48	WIOTA.....	F
789	128	50			10.55	2.15		12.36	s 9.26	s 11.32	3.59	141.91	NASHUA.....	NA
797	129	13			11.15	2.40		12.45	9.38	f 11.43	4.10	149.70	WHATELY.....	
803	E249	357			A 11.30Pm	A 3.00Pm		A 12.55Am	A 9.50Pm	A 11.55Am	A 4.20Am	156.41	GLASGOW.....	GW
					7.30 20.8	10.30 14.8		3.10 49.3	4.15 36.8	5.15 29.7	3.25 45.7		Time Over Subdivision Average Speed Per Hour	

Special Rules.

Westward trains are superior to eastward trains of the same class.

Extra trains may use double track in the direction of current of traffic without running orders provided they secure proper clearance card Form A from Superintendent.

Ninth Subdivision main track parallels First Subdivision main track on north side for 6100 feet west of Bainville Station. Crossover at each end. First Subdivision trains may use Ninth Subdivision parallel main track as a Westward Siding, protecting against Ninth Subdivision trains.

Supplementing Rule 509 (b), when stopped by a STOP AND PROCEED signal, enginemen and trainmen should understand that such signal indication may be due to an opposing train proceeding into the same block at the opposite end under an APPROACH SIGNAL indication, Rule 501 (b), and before proceeding into block every precaution consistent with running orders and nature of the track ahead should be taken to insure safe movement through the block.

FIRST SUBDIVISION

EASTWARD 3

Time Table No. 41

Effective May 2, 1937

STATIONS	Distance from Glasgow	FIRST CLASS					SECOND CLASS				THIRD CLASS		SIGNS
		2	4	28	224		470	446	462		664		
		Daily	Daily	Daily	Daily Ex. Sun.		Daily	Daily	Daily		Tues., Thur. and Sat.		
WILLISTON 11.09	156.41	A 6.35Am	A 10.00Am	A 1.05PM	A 9.00Pm		A 8.45Am	A 6.25Pm	A 2.00Am		A 5.30Pm		RKDN WCX
TRENTON 8.57	144.42	6.17	9.40	12.47	s 8.40		8.15	5.55	1.30		5.00		DP
FT. BUFORD 5.36	135.85	6.06	9.27	12.36	s 8.25		7.55	5.35	1.12		4.40		P KDNP WYX
SNOWDEN 5.76	130.49	5.58	9.19	12.29	s 8.15		7.35	5.20	1.00		4.25		P
LAKE SIDE 6.42	124.73	5.49	9.10	12.21	f 7.54		7.15	5.00	12.45		3.50		KDNP WCYX
BAINVILLE 6.81	118.31	5.40	s 9.01	s 12.12	s 7.45		7.00	4.45	12.30		3.30		P
LANARK 7.46	111.50	5.29	8.48	12.02Pm	f 7.20		6.45	4.30	12.15Am		2.35		DNP
CULBERTSON 5.50	104.04	5.18	s 8.35	s 11.52	s 7.05		6.30	4.15	11.59		2.15		PW
BLAIR 4.13	98.54	5.10	8.25	11.43	f 6.54		6.20	4.00	11.45		1.45		
FORT KIPP 4.81	94.41				f 6.47								
CALAIS 4.77	89.60	4.59	8.12	11.32	f 6.40		6.05	3.45	11.27		1.15		P DNP WCX
BROCKTON 7.56	84.83	4.53	8.06	11.26	s 6.32		5.55	3.35	11.15		1.00		P
SPROLE 6.43	77.27	4.43	7.55	11.17	f 6.17		5.25	3.00	10.30		12.15PM		DNP
POPLAR 6.94	70.84	4.33	s 7.45	11.09	s 6.07		5.10	2.45	10.15		11.55		P
CHELSEA 7.83	63.90	4.23	7.34	10.59	f 5.50		4.55	2.30	10.00		11.10		
MACON 6.42	56.07	4.13	7.24	10.49	f 5.40		4.35	2.10	9.40		10.49		P DN PWX
WOLF POINT 5.98	49.63	4.04	s 7.15	s 10.40	s 5.30		4.20	1.55	9.25		10.15		P
LOHMEYER 5.30	43.67	3.54	7.02	10.29	f 5.14		4.07	1.40	9.05		9.15		DP
OSWEGO 7.79	38.37	3.46	6.55	10.22	s 5.07		3.55	1.30	8.49		9.00		DPW
FRAZER 5.03	30.58	3.35	6.45	10.12	s 4.55		3.35	1.10	8.37		8.40		
KINTYRE 5.62	25.55	3.28	6.38	10.05	f 4.43		3.10	1.00	8.25		8.20		P DNPYX
WIOTA 5.43	19.93	3.21	6.30	9.58	s 4.35		2.57	12.42	8.12		8.05		DNP
NASHUA 7.79	14.50	3.14	s 6.22	9.50	s 4.23		2.47	12.32	8.02		7.40		P RKDN WCYX
WHATELY 6.71	6.71	3.04	6.10	9.40	f 4.10		2.30	12.15Pm	7.45		7.20		
GLASGOW		L 2.55Am	L 6.00Am	L 9.30Am	L 4.00Pm		L 2.15Am	L 11.55Am	L 7.30PM		L 7.00Am		
Time Over Subdivision		8.40	4.00	3.35	5.00		6.30	6.30	6.30		10.30		
Average Speed Per Hour		42.6	39.1	43.6	31.2		24.0	24.0	24.0		14.8		

Special Rules—Continued.

Westward trains are superior to eastward trains of the same class.

Conditional Stops.

No. 1 stop at any station between Williston and Havre to pick up passengers for points south of Great Falls and west of Havre.

No. 2 stop at any station between Havre and Williston to discharge passengers from south of Great Falls and west of Havre.

No. 3 stop at any station between Williston and Havre to discharge passengers from east of Williston and pick up passengers for points west and south of Havre.

No. 4 stop at any station between Havre and Williston to discharge passengers from points south of and west of Havre and pick up passengers for points east of Williston.

Maximum Speed

	Passenger	Freight
Williston and Glasgow.....	60 miles per hour	40 miles per hour
Engines backing up.....	20 miles per hour	20 miles per hour

4 WESTWARD

SECOND SUBDIVISION

Station Numbers	Car Capacity		THIRD CLASS				FIRST CLASS					Distance from Glasgow	Time Table No. 41		Telegraph Call
	Sidings	Other Tracks			665	461		3	223	1	27		Effective May 2, 1937		
					Tue., Thur. and Sat.	Daily		Daily	Daily Ex. Sunday	Daily	Daily			STATIONS	
803	E 249 W 140	357			L 4.30Am	L 12.01Am		L 9.55Pm	L 12.20Pm	L 4.25Am	L 1.00Am		GLASGOW 4.73	GW	
808	70	9			4.40	12.10		10.03	f 12.28	4.32	1.08	4.73	PAISLEY 7.03		
815	125	15			5.00	12.25		10.14	s 12.40	4.41	1.18	11.76	TAMPCO 5.28	MA	
820	71 E 137	26			5.32	12.35		10.21	s 12.48	4.48	1.26	17.04	VANDALIA 8.79		
828	W 115	30			5.55	12.55		s 10.33	s 1.05	4.59	1.37	25.83	HINSDALE 8.21	HD	
837	71	15			6.15	1.20		10.45	s 1.20	5.09	1.47	34.04	BEAVERTON 4.54		
842	W 93	113			6.40	1.55		s 10.56	s 1.38	5.15	1.55	38.58	SACO 6.88	SF	
852	71 E 166	3			6.55	2.20		11.06	f 1.48	5.25	2.05	45.46	ASHFIELD 7.53		
860	W 89	115			7.10	2.45		11.17	s 2.01	5.35	2.14	52.99	BOWDOIN 6.75	BO	
863	70	10			7.25	3.00		11.26	f 2.11	5.43	2.22	59.74	STRATER 5.86		
869	88	120			7.57	3.15		s 11.40	s 2.32	5.51	2.29	65.80	MALTA 4.79	MF	
874	70 E 142	14			8.15	3.25		11.47	f 2.40	5.57	2.35	70.89	EXETER 4.79		
880	W 130	55			8.40	4.00		11.53	s 2.48	6.03	2.41	75.18	WAGNER 7.86	WA	
886	90	54			9.15	4.20		s 12.05Am	s 3.02	6.14	2.50	83.04	DODSON 5.69	DN	
892	129	4			9.30	4.30		12.14	f 3.10	6.22	2.57	88.73	HARO 4.42		
896	69 E 89	28			9.45	4.40		12.21	f 3.19	6.28	3.03	93.15	COBURG 5.21		
901	W 69	26			10.05	4.55		12.35	s 3.29	6.35	3.09	98.36	SAVOY 6.25	S	
907	69 E 125	3			10.20	5.10		12.45	f 3.38	6.43	3.16	104.61	MATADOR 5.58		
913	W 69	62			11.40	5.20		s 12.55	s 3.50	6.51	3.22	110.19	HARLEM 6.32	HM	
919	69	16			12.02 PM	5.35		1.04	f 4.00	6.59	3.29	116.51	FORT BELKNAP 5.53		
925	87	33			12.20	5.45		1.12	s 4.10	7.07	3.36	122.04	ZURICH 3.67	Z	
929	69 E 115	20			12.30	6.05		1.17	f 4.16	7.12	3.41	125.71	NORTH FORK 5.58		
935	W 73	237			1.30	6.17		s 1.28	s 4.32	7.20	3.48	131.29	CHINOOK 4.44	CK	
939	68				1.42	6.32		1.34	f 4.39	7.26	3.54	135.73	ADAMS 3.53		
943		19			1.55	6.40		1.39	s 4.45	7.31	3.59	139.31	LOHMAN 6.71		
949					2.10	7.00		1.49	f 4.56	7.40	4.07	146.02	TOLEDO 6.95		
956	Yard	2011			A 2.30Pm	A 7.20Am		A 2.00Am	A 5.10Pm	A 7.50Am	A 4.20Am	152.97	HAVRE 6.71	HV	
					10.00 15.2	7.19 20.9		4.05 37.4	4.50 31.6	3.25 44.7	3.20 45.9		Time Over Subdivision Average Speed Per Hour		

Special Rules.

Westward trains are superior to eastward trains of the same class.

Extra trains may use double track in the direction of current of traffic without running orders provided they secure proper clearance card Form A from Superintendent.

Class O-7, S-1, S-2, Q-1, and Q-2 engines will not exceed 20 miles per hour and Class R engines 5 miles per hour over Bridge 469 just west of Malta.

Tenth Subdivision main track parallels Second Subdivision main track on north side for 9320 feet west of Saco Station. Crossover at each end. Second Subdivision trains may use Tenth Subdivision parallel main track as an Eastward Siding, protecting against Tenth Subdivision trains.

Supplementing Rule 509 (b), when stopped by a STOP AND PROCEED signal, enginemen and trainmen should understand that such signal indication may be due to an opposing train proceeding into the same block at the opposite end under an APPROACH SIGNAL indication, Rule 501 (b), and before proceeding into block every precaution consistent with running orders and nature of the track ahead should be taken to insure safe movement through the block.

SECOND SUBDIVISION

EASTWARD 5

Time Table No. 41

Effective May 2, 1937

STATIONS	Distance from Havre	FIRST CLASS					SECOND CLASS				THIRD CLASS		SIGNS
		4	28	224	2		446	462	470		666		
		Daily	Daily	Daily Ex. Sunday	Daily		Daily	Daily	Daily		Mon., Wed. and Fri.		
GLASGOW. 4.73	152.97	A 5.55Am	A 9.25Am	A 3.40Pm	A 2.50Am		A 11.30Am	A 7.00Pm	A 2.00Am		A 4.30Pm		RKDNP YWCX
PAISLEY. 7.03	148.24	5.48	9.18	f 3.30	2.40		11.15	6.40	1.50		4.20		P
TAMPICO. 5.28	141.21	5.39	9.09	s 3.17	2.31		10.55	6.25	1.36		4.00		DNP
VANDALIA. 8.79	135.93	5.32	9.03	s 3.08	2.24		10.45	6.15	1.26		3.50		P
HINSDALE.	127.14	s 5.20	8.52	s 2.53	2.13		10.25	5.55	1.25		3.30		DNPW
BEAVERTON. 4.54	118.93	5.09	8.41	s 2.38	2.03		10.05	5.35	12.30		3.05		P
SACO. 6.88	114.89	s 4.57	s 8.35	s 2.30	1.55		9.55	5.25	12.20		2.55		KDNP CYX
ASHFIELD. 7.53	107.51	4.45	8.24	f 2.13	1.46		9.40	5.10	12.02Am		2.20		P
BOWDOIN. 6.75	99.98	4.35	8.14	s 2.01	1.37		9.25	4.55	11.45		2.01		DPWY
STRATER.	93.23	4.26	8.05	f 1.50	1.29		9.12	4.40	11.26		1.30		P
MALTA. 4.79	87.37	s 4.18	s 7.57	s 1.42	1.20		9.00	4.25	11.07		1.15Pm		DNPW
EXETER. 4.79	82.58	4.07	7.46	f 1.23	1.13		8.50	4.12	10.56		11.45		P
WAGNER. 7.86	77.79	4.00	7.40	s 1.16	1.07		8.40	4.00	10.45		11.30		DPWCX
DODSON. 5.69	69.93	s 3.49	7.31	s 1.05	12.57		8.05	3.22	10.15		10.50		DNP
HARO.	64.24	3.41	7.24	f 12.56	12.49		7.50	3.10	10.05		10.25		P
COBURG. 5.21	59.82	3.35	7.18	f 12.50	12.42		7.40	3.02	9.57		10.15		P
SAVOY. 6.25	54.61	3.28	7.11	s 12.40	12.35		7.25	2.52	9.48		9.55		DPW
MATADOR. 5.58	48.86	3.16	7.03	f 12.30	12.28		7.10	2.40	9.37		9.35		P
HARLEM. 6.32	42.78	s 3.02	f 6.51	s 12.20	12.22		6.51	2.30	9.28		9.20		DNP
FORT BELKNAP.	36.46	2.50	6.37	f 12.02Pm	12.15		6.25	2.18	9.16		8.55		P
ZURICH. 3.67	30.93	2.43	6.30	s 11.54	12.09		6.15	2.08	9.06		8.45		DPW
NORTH FORK. 5.58	27.26	2.38	6.25	f 11.47	12.04Am		6.05	2.00	9.00		8.30		P
CHINOOK. 4.44	21.68	s 2.31	s 6.17	s 11.40	11.57		5.55	1.50	8.50		8.15		DNPY
ADAMS. 3.58	17.24	2.19	6.08	f 11.25	11.52		5.47	1.42	8.42		7.26		P
LOHMAN.	13.66	2.15	6.04	s 11.20	11.48		5.40	1.35	8.35		7.05		IP
TOLEDO. 6.71	6.95	2.05	5.55	f 11.10	11.39		5.20	1.20	8.20		6.50		RKDN WCOX
HAVRE.		L 1.55Am	L 5.45Am	L 11.00Am	L 11.30Pm		L 5.00Am	L 1.00Pm	L 8.00Pm		L 6.30Am		
Time Over Subdivision		4.00	3.40	4.40	3.20		6.30	6.00	6.00		10.0		
Average Speed Per Hour		38.2	41.7	32.7	45.9		23.5	25.5	25.5		15.2		

Special Rules—Continued.

Westward trains are superior to eastward trains of the same class.

Conditional Stops.

No. 1 stop at any station between Williston and Havre to pick up passengers for points south of Great Falls and west of Havre.

No. 2 stop at any station between Havre and Williston to discharge passengers from south of Great Falls and west of Havre.

No. 3 stop at any station between Williston and Havre to discharge passengers from east of Williston and pick up passengers for points west and south of Havre.

No. 4 stop at any station between Havre and Williston to discharge passengers from points south of and west of Havre and pick up passengers for points east of Williston.

Maximum Speed

	Passenger	Freight
Glasgow and Havre.....	60 miles per hour	40 miles per hour
Engines backing up.....	20 miles per hour	20 miles per hour

6 WESTWARD

THIRD SUBDIVISION

Station Numbers	Car Capacity		THIRD CLASS			FIRST CLASS					Distance from Havre	Time Table No. 41		Telegraph Calls		
	Sidings	Other Tracks			657			235	1	27		3	Effective May 2, 1937			
					Mon., Wed. Fri.			Daily	Daily	Daily		Daily			STATIONS	
956	Yard	2011			L 8.10Am			L 8.05Am	L 8.00Am	L 4.30Am	L 2.10Am		Double Track Auto Block Signals	HV		
961					A 8.25Am			8.12	A 8.07Am	A 4.38Am	2.17	4.03		{ 4.03 3.50 7.38 9.82 }		
Z4	48							8.18			f 2.23	7.53				
Z11	51	10						f 8.29			f 2.35	14.91				DO
Z20	50	23						f 8.45			f 2.51	24.73				BX
Z31	49	110						s 9.03			s 3.07	35.55		BS		
Z37	50	14						9.12			f 3.16	40.84				
Z45	50	25						f 9.26			f 3.31	49.44				
Z51	Spur	12						9.36			f 3.42	55.27				
Z56	50	13						9.45			f 3.52	60.29				
Z62	49	17						f 9.56			f 4.03	66.25		CQ		
Z67	50	3						10.04			f 4.12	70.82				
Z70	Spur	9						10.11			f 4.19	74.17				
Z75	47	66						s 10.23			s 4.31	78.73		BN		
Z80		38						10.32			f 4.41	83.77				
Z85	40	8						10.40			f 4.50	88.53				
Z91	51	27						f 10.50			f 5.01	94.43		CA		
Z96	32	21						f 10.59			f 5.11	99.43				
Z103	50	16						f 11.13			f 5.26	107.00		RE		
Z108	102	18						11.23			f 5.38	112.59				
Z113	42	30						11.33			f 5.48	117.37				
Z119	Yard	Yard						A 11.45Am			A 6.00Am	123.24		PD		
					.15 16.1			3.40 33.6	.07 34.5	.08 30.1	3.50 32.1		Time Over Subdivision Average Speed Per Hour			

Special Rules.

Westward trains are superior to eastward trains of the same class.

Westward extra trains may use double track in direction of current of traffic without running orders provided they secure proper clearance card Form A from Superintendent.

Eastward trains, including trains from Kalispell Division, may enter double track at Pacific Junction and proceed with current of traffic without train orders or clearance card, providing signals indicate clear route.

Crossover and junction switches at Pacific Junction for westward trains to Third Subdivision electrically controlled from Telegraph Office Havre.

Junction switches at Pacific Junction for trains to and from Kalispell Division and for eastward trains from Third Subdivision automatically electrically controlled.

Normal position of switch at east end of Missouri River Bridge No. 755 at Great Falls is for Fifth Subdivision.

All trains run carefully through tunnels and points where slides and falling rocks are liable to be encountered.

EASTWARD 7

Special Rules—Continued.

Westward trains are superior to eastward trains of the same class.

Maximum Speed

Passenger

Freight

Havre and Pacific Junction.....	60 miles	per hour	35 miles	per hour
Engines backing up.....	20 miles	per hour	20 miles	per hour
Pacific Jct. and Great Falls.....	45 miles	per hour	25 miles	per hour
Engines backing up.....	15 miles	per hour	15 miles	per hour

8 WESTWARD

FOURTH SUBDIVISION

EASTWARD

Station Numbers	Car Capacity		SECOND CLASS		FIRST CLASS		Distance from Great Falls	Time Table No. 41		Telegraph Call	Distance from Butte	SIGNS	FIRST CLASS		SECOND CLASS	
	Sidings	Other Tracks	373	365	235	41		Effective May 2, 1937	STATIONS				236	42	366	374
			Ex. Sunday	Ex. Sunday	Ex. Sunday	Ex. Sunday							Ex. Sunday	Ex. Sunday	Ex. Sunday	Ex. Sunday
Z 119	Yard	Yard	L 1.10pm	L 6.45Am	L 11.59Am	L 7.15Am		GREAT FALLS	PD	169.74	DNKOP	A 6.55pm	A 11.35pm	A 12.30pm	A 8.35pm	
			A 1.13pm	A 6.48Am	12.02pm	A 7.18Am	0.68	WEST SIDE JUNCTION	GF	169.06	DNCKOP	6.51	L 11.32pm	L 12.27pm	L 8.32pm	
Z 120	40				12.10		4.97	FLOOD		164.77	P	6.43				
Z 130	42	32			f 12.24		14.11	ULM	M	155.63	DPW	6.29				
Z 137	41				12.35		20.91	RIVERDALE		148.83	P	6.17				
Z 145	42	59			s 12.49		28.59	CASCADE	Q	141.15	DP	s 6.04				
Z 153	35	6			f 1.03		36.81	HARDY		132.93	PW	f 5.49				
Z 160	42				f 1.17		44.64	MID CANON		125.10	P	f 5.35				
Z 167	43	39			s 1.29		51.54	CRAIG	RA	118.20	DPW	f 5.22				
Z 175	48	30			s 1.42		59.42	WOLF CREEK	WC	110.32	DCPWX	s 5.08				
Z 184	43	8			f 2.00		68.62	SIEBEN		101.12	PW	f 4.50				
Z 197	42	7			f 2.20		81.14	SILVER CITY	MN	88.60	DPY	f 4.28				
Z 201	46	4			2.28		85.18	GEARING		84.56	P	4.20				
Z 206	35	5			2.36		90.16	IRON		79.58	P	4.10				
							95.22	N. P. RY. CROSSING		74.52	I					
Z 214		Yard			s 2.50		97.72	HELENA	HN	72.02	DNCOPR	s 3.55				
Z 219	Spur	15			3.12		102.51	FOUR RANGE		67.23	P	3.30				
Z 223		15			3.23		106.63	MONTANA CITY		63.11	P	3.23				
Z 229	45	43			s 3.33		112.37	CLANCY	W	57.37	DPWX	s 3.13				
Z 230					s 3.37		113.15	ALHAMBRA		56.59	P	s 3.10				
Z 235					3.49		117.93	JEFFERSON		51.81		2.59				
Z 236	50	12			f 3.53		119.52	CORBIN		50.22	PW	s 2.55				
Z 240		10			4.02		123.29	WICKES		46.45	P	2.46				
Z 242					4.06		124.55	PORTAL		45.19	P	2.42				
Z 244	57	7			4.11		125.93	AMAZON		43.81	PW	2.37				
Z 250	50	27			s 4.25		132.23	BOULDER	RO	37.51	DP	s 2.24				
Z 254	Spur	16			4.35		136.43	FULLER		33.31		2.15				
Z 257	43	81			s 4.44		139.95	BASIN	SI	29.79	DCPW	s 2.06				
Z 261	36	15			4.54		143.91	BERNICE		25.83	P	1.57				
Z 269	42	7			f 5.13		151.95	ELK PARK		17.79	PWY	f 1.40				
Z 277	Spur	7			5.22		156.86	TRASK		12.88	P	1.32				
Z 279	45	20			5.29		160.31	WOODVILLE		9.43	PYX	1.26				
Z 284	Spur	30			5.43		165.73	MOUNTAIN JUNCTION		4.01	X	1.10				
							169.10	N. P. RY. CROSSING		0.64	I					
Z 288	Yard	Yard			A 5.55pm		169.74	BUTTE	DU		DNCKOP	L 1.00pm				
			.03	.03	5.55	.03		Time Over Subdivision				5.55	.03	.03	.03	
			19.5	19.5	28.3	19.5		Average Speed Per Hour				28.6	19.5	19.5	19.5	

Westward trains are superior to eastward trains of the same class.

Special Rules, Page 17.

10 WESTWARD

SIXTH SUBDIVISION

Station Numbers	Car Capacity		THIRD CLASS		SECOND CLASS		FIRST CLASS			Distance from Great Falls	Time Table No. 41 Effective May 2, 1937		Telegraph Calls
	Sidings	Other Tracks		681		373	365		41		41		
				Daily Ex. Sun.		Daily Ex. Sun.	Daily Ex. Sun.		Daily Ex. Sun.		Daily		
.....	Yard	Yard				L 1.10Pm	L 6.45Am			L 7.15Am	GREAT FALLS		PD
TRAINS BETWEEN WEST SIDE JUNCTION AND GREAT FALLS BE GOVERNED BY FOURTH SUBDIVISION SCHEDULES.													
Z119						L 1.13Pm	L 6.48Am			L 7.18Am	.68	WEST SIDE JUNCTION	GF
ZB8	32	4				f 1.30	7.04			f 7.31	7.82	MANCHESTER	
ZB12	54	19				s 1.41	A 7.15Am			s 7.39	12.10	VAUGHN	BY
ZB19	51	6				f 1.57				f 7.51	18.79	GORDON	
ZB23	60					f 2.06				f 7.57	22.36	REX	
ZB27	51	47				A 2.15Pm				s 8.04	26.11	POWER	PO
ZB37	51	33								s 8.23	36.67	DUTTON	DU
ZB40	60	7								f 8.29	39.85	ACME	
ZB45	60	29								s 8.38	44.65	COLLINS	ON
ZB50	61	6								f 8.48	50.10	PERSHING	
ZB55	51	23								s 8.57	54.61	BRADY	BA
ZB61	50	5								f 9.09	61.01	WITHEY	
ZB69	W90 E72	223								s 9.25	68.00	CONRAD	RD
										9.31	71.23	MONTANA WESTERN JCT.	
ZB74	61	8								f 9.36	73.61	BURKE	
ZB79	60	20								s 9.45	78.87	LEDGER	FA
ZB84	50	14								s 9.53	83.50	FOWLER	
ZB91	51	6								f 10.05	90.02	NAISMITH	
ZB95	60	5								f 10.13	94.65	ANDELE	
1061	50	Yard			L 8.30Am				L 10.50Am	A 10.25Am	99.24	SHELBY	SJ
TRAINS BETWEEN SHELBY AND SWEET GRASS LINE JCT. BE GOVERNED BY KALISPELL DIVISION TIME TABLE.													
					L 8.40Am				L 10.53Am		100.73	SWEET GRASS LINE JCT.	
ZB114	31				9.20				f 11.19		113.07	ALOE	
ZB120	50	113			10.00				s 11.35		119.31	KEVIN	K
ZB130	25	49			10.45				s 11.59		129.73	SUNBURST	SU
ZB139	21	101			A 11.15Am				A 12.20Pm		138.09	SWEET GRASS	G
					2.35 14.4		1.02 25.2	.27 25.3		1.27 25.7	3.10 31.3	Time Over Subdivision Average Speed Per Hour	

Special Rules.

Westward trains are superior to eastward trains of the same class.

Register at Vaughn, Power and Conrad for trains originating or terminating at these stations.

All trains run carefully at points where slides or falling rock likely to be encountered.

SIXTH SUBDIVISION

EASTWARD 11

Time Table No. 41

Effective May 2, 1937

STATIONS	Distance from Sweet Grass	FIRST CLASS				SECOND CLASS				THIRD CLASS				SIGNS
		42	42			366	374			682				
		Daily	Daily Ex. Sun.			Daily Ex. Sun.	Daily Ex. Sun.			Daily Ex. Sun.				
GREAT FALLS	138.09	A 11.35pm				A 12.30pm	A 8.35pm							DNK OPRX
TRAINS BETWEEN WEST SIDE JUNCTION AND GREAT FALLS BE GOVERNED BY FOURTH SUBDIVISION SCHEDULES.														
WEST SIDE JUNCTION	137.41	A 11.32pm				A 12.27pm	A 8.32pm							DNCKOP RWXY
MANCHESTER	130.27	f 11.21				12.13	f 8.18							P
VAUGHN	125.99	f 11.14				L 12.03pm	s 8.09							DPWXY
GORDON	119.30	f 11.03					f 7.54							P
REX	115.73	f 10.57					f 7.47							P
POWER	111.98	f 10.51					L 7.40pm							DPWXY
DUTTON	101.42	s 10.35												DP
ACME	98.24	f 10.29												P
COLLINS	93.44	s 10.22												DPWX
PERSHING	87.99	f 10.13												P
BRADY	83.48	s 10.06												DP
WITHEY	77.08	f 9.55												P
CONRAD	70.09	s 9.44												DNCWXY
MONTANA WESTERN JCT.	66.86	9.36												P
BURKE	64.48	f 9.32												P
LEDGER	59.22	s 9.24												DP
FWLER	54.58	f 9.17												P
NAISMITH	48.07	f 9.06												P
ANDALE	43.44	f 8.58												P
SHELBY	38.85	L 8.50pm	A 8.20pm							A 12.10pm				DNCK PRWXY
TRAINS BETWEEN SHELBY AND SWEET GRASS LINE JCT. BE GOVERNED BY KALISPELL DIVISION TIME TABLE.														
SWEET GRASS LINE JCT.	37.36	A 8.15pm								A 12.01 PM				P
ALOE	25.02	f 7.47								11.19				P
KEVIN	18.78	s 7.32								10.00				DP
SUNBURST	8.36	s 7.09								9.15				DPX
SWEET GRASS		L 6.50pm								L 8.00am				DNCK PRWXY
Time Over Subdivision		2.45	1.25			.24	.52			4.10				
Average Speed Per Hour		36.0	26.3			28.5	29.4			9.3				

Special Rules—Continued.

Westward trains are superior to eastward trains of the same class.

Maximum Speed

Passenger

Freight

West Side Junction and Shelby	45 miles per hour	25 miles per hour
Sweet Grass Line Junction and Sweet Grass	35 miles per hour	20 miles per hour
Engines backing up	15 miles per hour	15 miles per hour

12 WESTWARD						SEVENTH SUBDIVISION										EASTWARD			
Station Numbers	Car Capacity		THIRD CLASS		FIRST CLASS		Distance from Snowden	Time Table No. 41		Telegraph Calls	Distance from Richey	SIGNS	FIRST CLASS		THIRD CLASS				
	Sidings	Other Tracks	611	613	291	285		Effective May 2, 1937					292	286	610	614			
			Mon., Wed and Fri.	Daily Ex. Sun.	Daily Ex. Sun.	Daily Ex. Sun.		STATIONS					Daily Ex. Sun.	Daily Ex. Sun.	Tue., Thur. and Sat.	Daily Ex. Sun.			
676	132	91		L 7.50Am		L 7.40Am			SNOWDEN	SN	74.16	RKDNP WYX		A 6.00Pm		A 2.30Pm			
.....		14		8.00		s 7.45	2.56		NOHLE		71.60	P		s 5.45		2.15			
VF 9		36		8.20		s 7.57	9.15		DORE	D	65.01	DP		s 5.31		1.50			
VF 14		72	L 10.45Am	8.45	L 11.50Am	s 8.08	14.30		FAIRVIEW	FA	59.88	RDPWYX	A 9.00Am	s 5.20	A 10.45Am	1.30			
VF 18		12	11.00	9.55	f 11.59	f 8.16	18.41		RIDGELAWN		55.75		f 8.52	f 5.05	10.30	12.30			
VF 25		166	11.20	12.15Pm	A 10.15Am	A 12.15Pm	s 8.30	24.80		SY	49.36	RDWYX	L 8.40Am	s 4.50Pm	10.15Am	L 12.15Pm			
.....			12.15Pm			12.20Pm			SIDNEY										

TRAINS BETWEEN SIDNEY AND NEWLON JCT. BE GOVERNED BY NORTHERN PACIFIC RY. TIME TABLE AND RULES.

VF 29			12.35Pm			f 12.30Pm	29.08		NEWLON JCT			45.08	RP		f 4.30Pm	8.30Am	
VF 30		5	12.40			f 12.33	30.28		JENKS			43.88			f 4.25	8.25	
VF 36		5	1.00			f 12.45	35.73		EPWORTH			38.43			f 4.15	8.10	
VF 43		26	1.25			f 1.03	43.16		GETTYSBURG			31.00	W		f 3.58	7.50	
VF 51	36	34	1.50			s 1.23	50.76		LAMBERT		RT	23.40	D		s 3.40	7.30	
VF 58		41	2.15			s 1.39	58.23		ENID			15.93			s 3.20	7.00	
VF 63		23	2.35			s 1.49	62.62		LANE			11.54			s 3.10	6.40	
VF 67		9	3.00			f 2.01	67.37		MANROCK			6.79			f 3.00	6.25	
VF 74	69	34	A 3.30Pm			A 2.25Pm	74.16		RICHEY		RC		RDCYX		L 2.45Pm	L 6.00Am	
			4.45	2.25		2.55		Time Over Subdivision							20	3.15	4.45
			12.6	10.2	26.2	25.4		Average Speed Per Hour						31.5	22.7	12.6	11.0

Special Rules

Westward trains are superior to eastward trains of the same class.
Maximum Speed Passenger Freight
Snowden and Richey 30 miles per hour 25 miles per hour
Engines backing up 15 miles per hour 15 miles per hour
All trains reduce speed to 8 miles per hour over approaches and draw span of combination toll and drawbridge No. 12.1, two miles west of Snowden.

WESTWARD					EIGHTH SUBDIVISION										EASTWARD				
Station Numbers	Car Capacity		THIRD CLASS		FIRST CLASS		Distance from Watford City	Time Table No. 41			Telegraph Calls	Distance from Fairview	SIGNS	FIRST CLASS		THIRD CLASS			
	Sidings	Other Tracks		611		287		Effective May 2, 1937						288		610			
				Mon., Wed and Fri.		Daily Ex. Sun.		STATIONS						Daily Ex. Sun.		Tur., Thur and Sat.			
VG37	47	45	L	7.00Am	L	10.25Am			WATFORD CITY	WF	36.29	RDCYX	A	10.20Am	A	2.15Pm			
VG29		38		7.30	s	10.45	7.40		ARNEGARD	NE	28.89	D	s	10.00		1.40			
VG24		30		7.50	s	10.55	12.66		RAWSON	RA	23.63	DW	s	9.48		1.15			
VG19		38		8.10	s	11.05	17.54		ALEXANDER	A	18.75	D	s	9.38		12.55			
VG13		33		8.35	s	11.18	23.45		CHARBONNEAU	AU	12.84	D	s	9.26		12.30			
VG 6		29		9.10	s	11.35	31.31		CARTWRIGHT	CE	4.98	D	s	9.10		12.05Pm			
VF14		72	A	9.30Am	A	11.45Am	36.29		FAIRVIEW	FA		RDPWY X	L	9.00Am	L	11.45Am			
				2.30		1.20		Time Over Subdivision						1.20		2.30			
				14.5		27.2		Average Speed Per Hour						27.2		14.5			

Special Rules

Eastward trains are superior to westward trains of the same class.
Maximum Speed Passenger Freight
Fairview and Watford City 30 miles per hour 25 miles per hour
Engines backing up 15 miles per hour 15 miles per hour
All trains reduce speed to 8 miles per hour over approaches and draw span of combination toll and drawbridge No. 3.2, two miles east of Fairview.

WESTWARD

NINTH SUBDIVISION

EASTWARD 13

Station Numbers	Car Capacity		SECOND CLASS	Distance from Bainville	Time Table No. 41		Telegraph Calls	Distance from Opheim	SIGNS	SECOND CLASS
	Sidings	Other Tracks	225		Effective May 2, 1937					226
			Daily Ex. Sunday		STATIONS					Daily Ex. Sunday
685	E175	164	L 9.10Am			BAINVILLE	B	146.60	RKDNP WCYX	A 5.45Pm
VC11	40	22	s 9.40	10.64	10.64	10.64 McCABE	MC	135.96	DP	s 4.55
VC14		7	f 9.46	14.35	3.71	MOEN		132.25		f 4.37
VC19		34	s 10.00	19.30	4.95	FROID	FD	127.30	DP	s 4.30
VC26		40	s 10.20	25.66	6.36	HOMESTEAD	HO	120.94	DP	s 4.05
VC32		34	s 10.40	31.62	5.96	MEDICINE LAKE	MK	114.98	DPW	s 3.40
VC39		24	s 11.05	39.12	7.50	RESERVE	RS	107.48	DP	s 3.15
VC45		24	s 11.25	45.40	6.28	ANTELOPE	AN	101.20	DP	s 2.55
VC53	40	59	s 12.20PM	53.40	8.00	PLENTYWOOD	NY	93.20	DPW CYX	s 2.30
VC61		18	f 12.40	59.89	6.49	MIDBY		86.71		f 1.25
VC66		24	s 1.05	66.66	8.77	ARCHER		79.94	P	s 1.05
VC71		34	s 1.25	73.42	6.76	REDSTONE	RD	73.18	DP	s 12.45
VC78		18	s 1.45	79.93	6.51	NAVAJO		66.67	P	s 12.25
VC85		34	s 2.15	85.38	5.45	FLAXVILLE	FX	61.22	DP	s 12.05PM
VC91		24	s 2.35	90.56	5.18	MADOC	MD	56.04	P	s 11.40
VC98	35	112	s 3.35	97.97	7.41	SCOBEE	SC	48.63	RDP WCYX	s 11.20
VC106		24	s 4.00	106.51	8.54	FOUR BUTTES		40.10	P	s 10.20
VC112		24	f 4.18	112.41	5.90	GLUTEN		34.19		f 10.00
VC118		34	s 4.45	118.01	5.60	PEERLESS	PR	28.59	DP	s 9.40
VC129		30	s 5.20	129.51	11.50	RICHLAND	CA	17.09	DPW	s 8.55
VC139		34	s 5.55	139.38	9.87	GLENTANA	G	7.22	DP RDP WCYX	s 8.25
VC147	41	35	A 6.25Pm	146.60	7.22	OPHEIM	OM			L 8.00Am
			9.15 15.8		Time Over Subdivision Average Speed Per Hour					9.45 15.0

Special Rules.

Westward trains are superior to eastward trains of the same class.

Maximum Speed.

Passenger Freight

Bainville and Scobey.. 30 miles per hour 20 miles per hour
Scobey and Opheim.. 20 miles per hour 15 miles per hour
Engines backing up.. 15 miles per hour 15 miles per hour

WESTWARD

TENTH SUBDIVISION

EASTWARD

Station Numbers	Car Capacity		SECOND CLASS		Distance from Saco	Time Table No. 41		Telegraph Calls	Distance from Hogeland	SIGNS	SECOND CLASS	
	Sidings	Other Tracks	333	Effective May 2, 1937		334						
				STATIONS			Tues., Thu. and Sat.					
		Mon., Wed. and Fri.										
842		113	L 8.50Am			SACO	SF	78.72	RKDNP CYX	A 12.45Pm		
SH 9	65	18	s 9.55	8.68		COLE	CO	70.04	DPWX	s 11.30		
SH15		23	f 10.25	15.31		TATTNALL		63.41	P	f 10.30		
SH26		34	s 11.25	25.87		WHITEWATER	W	52.85	DP	s 10.00		
SH31		19	f 11.45	31.22		ORDEAN		47.50	P	f 9.30		
SH39		34	s 12.35Pm	38.82		LORING	N	39.96	DP	s 9.00		
SH46		18	f 1.05	45.68		JOSEPH		33.04	P	f 8.35		
SH54		27	f 1.45	54.12		CHAPMAN		24.60	P	f 8.00		
SH67		44	s 2.40	67.14		TURNER	R	11.58	DP RDWP CYX	s 7.25		
SH79	39	70	A 3.20Pm	78.72		HOGELAND	X			L 6.45Am		
				6.30 12.1	Time Over Subdivision Average Speed Per Hour						6.00 13.1	

Special Rules.

Westward trains are superior to eastward trains of the same class.

Maximum Speed.

Passenger Freight

Saco and Hogeland.. 30 miles per hour 25 miles per hour
Except between Loring and Chapman.. 12 miles per hour 12 miles per hour
Engines backing up.. 10 miles per hour 10 miles per hour

Q-1 and Q-2 engines will not exceed 15 miles per hour between Saco and Cole.
These engines not permitted between west yard limit board Cole and Hogeland.

14 WESTWARD				ELEVENTH SUBDIVISION										EASTWARD			
Station Numbers	Car Capacity		SECOND CLASS		FIRST CLASS		Distance from Lewistown	Time Table No. 41			Telegraph Calls	Distance from Moccasin	SIGNS	FIRST CLASS		SECOND CLASS	
	Sidings	Other Tracks		367		239		Effective May 2, 1937						240		368	
				Daily		Daily		STATIONS						Daily		Daily	
ZF30	44	117	L	11.30Pm	L	2.50PM			LEWISTOWN	WN	29.95	RDPW CKYX	A	10.10AM	A	5.40Am	
		16	f	11.45	f	2.59	4.95		4.35 SCOTT		25.00		f	9.58	f	5.25	
ZF22		22	s	12.01AM	f	3.04	7.48		2.53 HANOVER		22.47	DPI	s	9.52	s	5.15	
ZF20		24	f	12.11	f	3.08	9.63		2.15 KINGSTON		20.32	P	f	9.48	f	5.05	
ZF14		34	s	12.36	s	3.20	15.70		6.07 ROSSFORK		14.25	PW	s	9.35	f	4.45	
ZF 8		34	s	1.01	s	3.34	22.43		6.73 KOLIN		7.52	DP	s	9.22	f	4.25	
ZD87	50	92	A	1.45AM	A	3.50PM	29.95		7.52 MOCCASIN	MC		RDNPYX	L	9.08Am	L	4.00Am	
				2.15 13.3		1.00 29.9		Time Over Subdivision Average Speed Per Hour						1.02 28.9		1.40 18.0	

Special Rules.

Westward trains are superior to eastward trains of the same class.
Normal position of junction switch at Moccasin is for Fifth Subdivision.
Speed restriction through Gauntlet over Spring Creek Bridge No. 53 just west of Hanover: Passenger trains 25 miles, freight trains 15 miles per hour.

Maximum Speed

	Passenger	Freight
Lewistown and Moccasin	35 miles per hour	20 miles per hour
Engines backing up	15 miles per hour	15 miles per hour

WESTWARD							TWELFTH SUBDIVISION							EASTWARD						
Station Numbers	Car Capacity		SECOND CLASS				Distance from Neihart	Time Table No. 41		Telegraph Calls	Distance from Armington	SIGNS	SECOND CLASS							
	Sidings	Other Tracks				215		Effective May 2, 1937					216							
						Mon., Wed. Sat.		STATIONS						Mon., Wed. Sat.						
ZA66		43				L 11.45Am			NEIHART	NI	38.33	DWR	A 11.00Am							
							13.09		ST. JOSEPH LEAD CO. SPUR JCT.		25.24									
ZA53		48				s 12.24Pm	13.22		MONARCH	MO	25.11	DY	s 10.20							
ZA46	Spur	6				f 12.49	20.47		LOGGING CREEK		17.86		f 9.45							
ZA44		30				f 12.59	22.29		ALBRIGHT		16.04	W	f 9.35							
ZA39		13				f 1.14	27.14		RICEVILLE		11.19		f 9.20							
ZA28	70	37				A 1.49Pm	38.33		ARMINGTON	RM		DRWX	L 8.45Am							
						2.04 18.57			Time Over Subdivision Average Speed Per Hour				2.15 17.03							

Special Rules.

Eastward trains are superior to westward trains of the same class.
Normal position of junction switch east of Armington is for Fifth Subdivision.

Maximum Speed

	Passenger	Freight
Armington and Neihart	20 miles per hour	20 miles per hour
Engines backing up	10 miles per hour	10 miles per hour

WESTWARD						THIRTEENTH SUBDIVISION										EASTWARD 15					
Station Numbers	Car Capacity		THIRD CLASS				Distance from Giffen	Time Table No. 41 Effective May 2, 1937				Telegraph Calls	Distance from Gerber	SIGNS	THIRD CLASS						
	Sidings	Other Trucks				721									722						
						Tuesday and Friday		STATIONS							Tuesday and Friday						
ZH 22	23	76				L 2.00pm						12.48	PORCW	A 1.30pm							
ZH 16						2.30	5.86					6.62	P	1.00							
ZA 13						2.45	9.37					3.11		12.45							
ZA 10	84	58				A 3.00pm	12.48				GR		PRW	L 12.30pm							
						1.00 12.4								1.00 12.4							
										Time Over Subdivision Average Speed Per Hour											

Special Rules.

Eastward trains are superior to westward trains of the same class.
Normal position of junction switch at Gerber is for Fifth Subdivision.
Derail switch in main line near west switch Giffen. Normal position open for derail.

Maximum Speed

	Passenger	Freight
Gerber and Giffen	20 miles per hour	15 miles per hour
Engines backing up	15 miles per hour	15 miles per hour

WESTWARD				FOURTEENTH SUBDIVISION										EASTWARD								
Station Numbers	Car Capacity		SECOND CLASS				Distance from Vaughn	Time Table No. 41				Telegraph Calls	Distance from Augusta	SIGNS	SECOND CLASS							
	Sidings	Other Tracks				365		Effective May 2, 1937							366							
								STATIONS											Daily Ex. Sunday			
ZB12	54	19				L 7.17Am				VAUGHN	5.53	BY	41.70	DPRWXY	A 12.01Pm							
ZE 9		35				f 7.40	8.83			SUN RIVER	4.52		32.87		f 11.36							
ZE14		27				f 7.55	13.35			FORT SHAW	5.62	FS	28.35	DP	f 11.21							
ZE19		26				s 8.15	18.97			SIMMS	3.93	SM	22.73	DPW	s 11.02							
ZE25	Spur	11				f 8.30	22.90			LOWRY			18.80		f 10.47							
ZE30		34				f 8.50	29.42			RIEBELING	4.93		12.28		f 10.27							
ZE35	Spur	12				f 9.05	34.35			BICKEL	5.19		7.35		f 10.12							
ZE40						f 9.20	39.54			GILMAN	2.16		2.16		f 9.57							
ZE42		51				A 9.30Am	41.70			AUGUSTA		GN		DCPRWY	L 9.50Am							
						2.13				Time Over Subdivision					2.11							
						18.8				Average Speed Per Hour					19.0							

Special Rules.

Westward trains are superior to eastward trains of the same class.
Normal position of junction switch at Vaughn is for Sixth Subdivision.

Maximum Speed

	Passenger	Freight
Vaughn and Augusta	20 miles per hour	20 miles per hour
Engines backing up	15 miles per hour	15 miles per hour

16 WESTWARD							FIFTEENTH SUBDIVISION										EASTWARD			
Station Numbers	Car Capacity		SECOND CLASS				Distance from Power	Time Table No. 41		Telegraph Calls	Distance from Pendroy	SIGNS	SECOND CLASS							
	Sidings	Other Tracks				373		Effective May 2, 1937					374							
								STATIONS												
								Daily Ex. Sunday	Daily Ex. Sunday											
ZB27	51	47				L 2.17Pm		POWER	PO	51.06	DPRWXY	A 7.35Pm								
ZG 6		18				f 2.32	5.72	5.72 CORDOVA		45.34		f 7.19								
ZG12		24				f 2.47	11.60	5.88 CLEIV		39.46		f 7.03								
ZG17		34				f 3.02	17.09	5.49 BOLE		33.97	P	f 6.48								
ZG22	Spur	14				f 3.14	21.17	4.08 FLUME		29.89		f 6.37								
ZG29		55				s 3.44	28.65	7.48 CHOTEAU	CO	22.41	DPW	s 6.17								
ZG33	Spur	7				f 3.56	32.87	4.22 CLAUDE		18.19		f 5.57								
ZG37	Spur	8				f 4.14	36.52	3.65 KOYL		14.54		f 5.47								
ZG42		35				s 4.34	42.48	5.96 BYNUM	BU	8.58	DPW	s 5.32								
ZG51	38	37				A 5.00Pm	51.06	8.58 PENDROY	RY		DCPRWY	L 5.10Pm								
						2.43 18.7	Time Over Subdivision Average Speed Per Hour						2.25 21.1							

Special Rules.

Westward trains are superior to eastward trains of the same class.

Normal position of junction switch at Power is for Sixth Subdivision.

Maximum Speed

	Passenger	Freight
Power and Pendroy	25 miles per hour	20 miles per hour
Engines backing up	15 miles per hour	15 miles per hour

SPECIAL RULES.

17

Fourth Subdivision.

West Side Junction, located 330 feet west of Great Falls Yard Office. Sixth Subdivision trains departing and arriving Great Falls must approach West Side Junction at restricted speed. Normal position of switch at West Side Junction is for Fourth Subdivision.

Normal position of switch at east end of Missouri River Bridge No. 755 Great Falls is for Fifth Subdivision.

Whistle signals for tracks with switches controlled from Tower, Northern Pacific Crossing, Helena: Main Line, one long.

Main Street overhead Bridge Helena has restricted clearance for man on top of train.

Register at Helena for trains originating or terminating there.

Passenger trains backing in or out of Helena passenger station will not exceed 10 miles per hour.

Speed restriction within city limits of Helena, 15 miles per hour.

Movement of trains through Tunnel No. 6 governed by automatic block signals. Rules 501 to 517 govern. First class trains will use not less than five, freight trains not less than eight minutes through this tunnel.

Speed restriction over bridges: M, N, O and P engines 20 miles per hour over bridge 754 Great Falls, bridges 21 near Mid Canon and 90 near Clancy; 10 miles per hour over bridges 23 near Mid Canon, 98 near Corbin, 135 near Elk Park, 164 and 166 near Butte.

Speed restrictions within Butte city limits: Passenger trains eight, freight trains six miles per hour.

Maximum Speed

	Passenger	Freight
Great Falls and Clancy.....	45 miles per hour	25 miles per hour
Clancy and Butte.....	40 miles per hour	20 miles per hour
Engines backing up.....	15 miles per hour	15 miles per hour

Fifth Subdivision.

Register at Judith Gap, Moccasin, Armington and Gerber for trains originating or terminating at these stations. Mossmain is register Station for trains originating and terminating at Billings.

Eleventh Subdivision junction switch 1000 feet east of Moccasin.

Normal position of junction switch at Mossmain is for Northern Pacific main line. Junction switch east of Moccasin, junction switch east of Armington and junction switch at Gerber for Fifth Subdivision.

All trains run carefully through tunnels and points where slides or falling rocks likely to be encountered.

Maximum Speed

	Passenger	Freight
Great Falls and Mossmain.....	45 miles per hour	35 miles per hour
Engines backing up.....	15 miles per hour	15 miles per hour

INSTRUCTIONS TO TRAINMEN ON OPERATIONS OF AUTOMATIC AND SEMI-AUTOMATIC INTERLOCKING PLANTS.

MANUAL INTERLOCKING.

Helena (gates, one mile east) with N. P. Ry.
Helena (tower, 2.5 miles east) with N. P. Ry.
Butte (in yard limits) with N. P. Ry.
Shelby (in yard limits). See Kalispell Division time table.
Snowden 2 miles east of on Seventh Subdivision, Drawbridge 12.1.
Fairview 3 miles east of on Eighth Subdivision, Drawbridge 3.2.

AUTOMATIC INTERLOCKING.

Lohman End of double track.
Hanover Gauntlet over Bridge 53, with C. M. St. P. & P. Ry.

SEMI-AUTOMATIC INTERLOCKING.

Pacific Junction.

SPECIAL RULES GOVERNING OPERATION OF INTERLOCKING PLANTS.

Rules 671 to 671(f), inclusive, amended as follows:

Speed of trains through APPROACH and Home Signal and HOME signal zones of an interlocking plant shall not exceed thirty miles per hour. Trains moving against current of traffic on double track through interlocking plants, or where governed by dwarf signals shall not exceed eight miles per hour. Conditions may require a further restriction for all trains per special rules. At drawbridges speed of trains shall not exceed eight miles per hour.

The letter "I" in column headed "SIGNS" indicates interlocking plant.

STANDARD INTERLOCKING RULES 601 to 685, INCLUSIVE, SUPPLEMENTED BY THE FOLLOWING, SHALL GOVERN IN THE USE OF AUTOMATIC INTERLOCKING PLANTS.

If a train is stopped by a Home Signal and no immediate conflicting train movement is evident, trainmen shall proceed to the crossing and operate hand release located in iron box marked "RELEASE" and locked with a standard switch lock. Turn knob to the right until stopped, hold a few seconds and let go. Clockwork movement will return pointer to the zero or "NORMAL" position after a period of one to two minutes. Under ordinary conditions the completion of the return movement should cause HOME signal to indicate "PROCEED." If Home Signal desired does not indicate "PROCEED" and no smash boards are in use, trainmen may flag

over the crossing after making certain that conflicting Home Signals are in the "STOP" position and no conflicting train movement is evident.

In addition, if smash boards are in use, and are in the "REVERSE" position on the route desired and operation of hand release does not clear the proper Home Signal, trainman shall signal his train to proceed over the crossing, after making certain that Home Signals and smash boards on conflicting route are in the "NORMAL" position. If smash boards on the route desired are not in the "REVERSE" position and operation of hand release does not clear the proper Home Signal, trainman shall operate smash board to the "REVERSE" position by hand, and may then, if Home Signal desired does not indicate "PROCEED", signal his train to proceed over the crossing, after making certain that Home Signals and smash boards on conflicting route are in the "NORMAL" position.

TO OPERATE SMASH BOARD MECHANISM BY HAND.

Crank for operation of smash board mechanism by hand is located in the "RELEASE" box at crossing.

Crank must be inserted in shaft on back of smash board mechanism after opening small cover locked with a standard switch lock. Crank shall be turned slowly and uniformly until movement has made its entire stroke and smash board has been moved downward to the vertical position. When operation is completed, small cover must be locked and crank returned to the "RELEASE" box.

TO OPERATE HAND RELEASE.

(Lohman, Automatic Interlocking, Second Subdivision.)

(Pacific Junction, Semi-Automatic Interlocking, Third Subdivision.)

When necessary to hand operate interlocked switches the following will govern: First—place hand throw lever in position corresponding with switch point. Second—throw selector lever to hand throw position as indicated by arrow on selector cover using reasonable amount of force to complete stroke. Third—when stroke of selector lever completed switch becomes a main line hand throw switch and must be handled accordingly by means of hand throw lever. Fourth—when train movement over hand operated switches completed, switch points and selector lever must be returned to the switch machine position and lever locked.

INSTRUCTIONS TO TRAINMEN ON OPERATIONS OF AUTOMATIC AND SEMI-AUTOMATIC INTERLOCKING PLANTS—Continued.

BRIDGE 53 JUST WEST OF HANOVER, ELEVENTH SUBDIVISION.

Movement through gauntlet over this bridge protected with Automatic Interlocked System Signals. Rules 601 to 685 govern.

COMBINATION TOLL DRAWBRIDGE 12.1, 2 MILES EAST OF SNOWDEN, SEVENTH SUBDIVISION. COMBINATION TOLL DRAWBRIDGE 3.2, 3 MILES EAST OF FAIRVIEW, EIGHTH SUBDIVISION.

Movement of trains and vehicular traffic over both bridges controlled by signals. Light Type Electric Signals (Rule 501-A) govern train movements. Gates govern vehicular movements. Both operated by electric current handled by tollman from toll cabin located on bridge. When signal indication is PROCEED trains will proceed over bridges at speed of eight miles per hour. Telephones connected with toll cabin located near signals at each end of bridge. In case

of signal failure, communicate with tollman and be governed by Rule 509-A.

FOURTH SUBDIVISION, GATE CROSSING WITH N. P. INDUSTRY SPUR, ONE MILE EAST OF HELENA.

Crossing over N. P. industry spur protected with gates. Normal position of gates CLEAR for G. N. trains. When CLEAR trains may proceed over crossing without stopping, but will restrict speed to ten miles per hour from within 500 feet of crossing until passing over same. Gates across G. N. tracks indicate N. P. crew is using the crossing, in which case come to FULL STOP and do not pass over until N. P. crew has restored gates to CLEAR.

FIFTH SUBDIVISION, MOSSMAIN.

G. N. trains entering or leaving Laurel Yard via the N. P. tracks or entering or leaving Mossmain for movement to or from Billings via the connection East of Mossmain Depot will be governed by N. P. Time Table and Special Rules or Instructions thereon.

BUSINESS TRACKS NOT SHOWN AS STATIONS ON TIME TABLE.

NAME	LOCATION	Capacity Cars	NAME	LOCATION	Capacity Cars
Second Subdivision:			Tenth Subdivision:		
Saco Stock Yards	1.70 Miles West of Saco	27	Hedges Spur	2.62 Miles East of Cole.....	26
Malta Stock Yards	2.07 Miles East of Malta	47	Eleventh Subdivision:		
Harlem Stock Yards.....	1.30 Miles East of Harlem.....	30	Arro Refinery Spur	2.73 Miles West of Lewis-	78
Sugar Beet Spur	3.28 Miles West of Harlem.....	16	Mennonite Spur	town	
Chinook Stock Yard	0.42 Mile East of Chinook.....	54		1.42 Miles West of Kingston..	6
Milk River Const'n Co. Spur	2.96 Miles West of Chinook..	4	Twelfth Subdivision:		
Third Subdivision:			Goodman's Spur No. 2	5.80 Miles East of Arming-	2
Pacific Junction Quarry....	0.54 Mile West of Pacific Jct.	26		ton	
Big Sandy Pit.....	5.56 Miles East of Big Sandy..	19	Siegling's Spur	6.39 Miles East of Arming-	4
Portage Pit	1.50 Miles West of Portage....	120		ton	11
Fourth Subdivision:			Goodman's Spur No. 1.....	3.42 Miles West of Riceville..	2
Tintinger Spur No. 2.....	2.72 Miles East of Hardy	31	Tyler's Spur	3.83 Miles West of Monarch...	3
Tintinger Siding No. 1.....	1.97 Miles East of Hardy.....	40	Wellwood Spur	5.67 Miles East of Monarch...	5
Wolf Creek Quarry	1.30 Miles West of Wolf	60	Benton Spur	1.68 Miles West of Neihart....	4
	Creek	76	Florence Mine Spur	0.88 Mile West of Neihart....	
Fair Grounds Spur	2.64 Miles East of Helena.....	4	Thirteenth Subdivision:		
Wood Spur No. 8	1.33 Miles West of Elk Park..		Pearce Spur	1.35 Miles East of Gerber.....	71
Fifth Subdivision:			Brown's Spur	4.25 Miles East of Gerber.....	39
Oxford Pit	1.04 Miles East of Oxford.....	70	A. C. M. Co. Siding	4.91 Miles East of Gerber.....	85
Hobson Pit	2.65 Miles West of Hobson....	62	Curran's Spur	4.91 Miles East of Gerber.....	31
Sixth Subdivision:			Tiger Butte Spur	5.00 Miles East of Gerber.....	2
Brady Pit	3.01 Miles East of Withey.....	112	Stainsby Spur	5.57 Miles East of Gerber.....	9
Pondera Pipe Line Spur....	2.97 Miles East of Conrad.....	37	Giffen No. 2 Spur	Starts from East end Giffen	1 1/4 Miles Long
Conrad Refining Co.	1.46 Miles East of Conrad.....	11		Yard	
Texas Pipe Line Spur	1.76 Miles East of Conrad.....	26	Sand Coulee Spur	Starts at Lewis Jct.	1 Mile Long
Kevin Pit	0.53 Mile East of Kevin.....	80			
Aronow Spur	2.00 Miles West of Kevin.....	3	Great Falls Brick and Tile		
Ohio Oil Co. Siding	1.03 Miles East of Sunburst..	46	Co. No. 1 Spur	Off of Sand Coulee Spur.....	30
International Refinery			Great Falls Brick and Tile		
Siding	0.61 Mile East of Sunburst....	99	Co. No. 2 Spur	End of Sand Coulee Spur.....	3
Seventh Subdivision:			Lavin Spur	1 Mile East of Lewis Jct.	6
State Line Beet Spur	3.87 Miles East of Dore	18	Fourteenth Subdivision:		
Cowles Beet Siding	2.31 Miles West of Dore	14	Bradford Spur	0.90 Mile East of Sun River..	42
Wooley Beet Spur	3.90 Miles East of Sidney.....	9	Fifteenth Subdivision:		
Ludington Beet Spur	2.45 Miles East of Ridgelawn	10	Hobson Elevator Spur	3.92 Miles East of Choteau....	7
Eighth Subdivision:					
Hardy Beet Siding	1.51 Miles East of Fairview....	21			