



COMPANY SURGEONS.

Dr. Roscoe C. Webb, Chief Surgeon.
Office phone Main 7508, House Colfax 4101;
1849 Medical Arts Bldg., 9th St. and Nicollet ave.,
Minneapolis, Minn.

Dr. H. M. N. Wynne,
Assistant Chief SurgeonMinneapolis, Minn.

Dr. H. E. Wheeler,
Assistant Division SurgeonSpokane, Wash.

Dr. A. E. Gerhardt,
Assistant Division SurgeonWenatchee, Wash.

Dr. H. J. Knott,
Division Surgeon, Cobb Bldg.Seattle, Wash.

Dr. L. S. Trask,
Assistant Division SurgeonEverett, Wash.

Dr. R. W. Perry, Ophthalmic Surgeon.....Seattle, Wash.

Dr. H. T. Rhoads, Ophthalmic Surgeon.....Everett, Wash.

Dr. Frederick A. Kiehle, Ophthalmic Surgeon.....Portland, Ore.

Dr. Carroll Smith, Ophthalmic Surgeon.....Spokane, Wash.

LOCAL SURGEONS.

Dr. C. R. McKinley.....Brewster	Dr. Lawrence Mattison
Dr. W. H. Gray.....Colville	Interbay
Dr. C. M. Kingston	Dr. Henry Bell.....Centralia
.....Grand Forks	Dr. H. L. Hopkins
Dr. L. F. Wagner.....Harrington	Leavenworth
Dr. J. Farrow.....Hillyard	Dr. Minard Allison.....Monroe
Dr. E. E. Efner.....Oroville	Dr. D. A. Clark
Dr. Samuel G. Brooks	New Westminster
.....Anacortes	Dr. T. M. Joyce.....Portland
Dr. W. D. Kirkpatrick	Dr. G. N. Pease.....Portland
.....Bellingham	Dr. Ralph M. Dodson
Dr. M. A. Keyes.....Blaine	Portland
Dr. H. E. Cleveland	Dr. James A. LaGasa.....Tacoma
.....Burlington	Dr. R. D. Wiswall
Dr. V. Stanley Todd	Vancouver, Wash.
.....Cashmere	Dr. Geo. H. Clement
Dr. Roy F. West.....Seattle	Vancouver, B. C.
	Dr. H. H. MacKenzie
	Nelson, B. C.

G. E. Wellein, Chief Dispatcher, Seattle.
E. A. Leahy, Chief Dispatcher, Spokane.
J. T. Fransen, Trainmaster.
J. M. Budd, Trainmaster.
F. V. Percival, Trainmaster.
I. E. Clary, Trainmaster.
C. A. Manthe, Superintendent Terminals.



SPOKANE DIVISION

TIME TABLE 50

Effective 12:01 A. M. Pacific Time

Sunday, April 23, 1939.

J. L. CLOSE, SuperIntendent.

R. A. McCANDLESS, General Manager.

J. B. SMITH,
General SuperIntendent Transportation.

2 WESTWARD

FIRST SUBDIVISION

Station Numbers	Car Capacity		THIRD CLASS			FIRST CLASS						Distance from Hillyard	Time Table No. 50		Telegraph Calls	
	Siding	Other Tracks	401	381	691			45 S. P. & S. No. 1	1	27	255		5	Effective April 23, 1939.		
			Daily	Tuesday Friday	Monday Thur.			Daily	Daily	Daily	Daily Ex. Sun.		Daily	STATIONS		
1469	Yard	2558	L 6.45Pm		L 7.45Am				L 9.15Pm	L 6.15Pm	L 7.45Pm		0.00	DOUBLE TRACK	HILLYARD..... 3.68	HU
1472			6.58		8.10				9.25	6.25	7.55		3.68		U. P. R. R. Jct.....	
1473	Yard	644	7.15		8.32			L 9.45Pm	A 9.30	A 6.30	A 8.00Pm	L 8.30Am	4.85	DOUBLE TRACK	1.17 SPOKANE..... 2.74	Q
1477	69	26	7.25		8.45			A 9.50Pm	L 10.00	L 7.00		f 8.35	7.59		FORT WRIGHT..... 6.36	FW
1481	69	6	7.50		8.56				10.05	7.05		f 8.45	13.95		HIGHLAND..... 3.26	
1486	69	15	8.05		9.02				10.17	7.16		f 8.50	17.21		LYONS..... 5.39	
1493	70	50	8.20		9.11				10.31	7.30		f 8.57	22.60		GALENA.....	
1496	130	39	8.35		9.18				10.36	7.35		f 9.03	26.69		4.09 ESPANOLA..... 6.44	
1502	70	50	8.50		9.30				10.44	7.43		f 9.12	33.18		WAUKON..... 5.72	
1508	129	35	9.15		9.50				10.52	7.50		s 9.20	38.90		EDWALL..... 3.70	WH
1512	0	20										f 9.26	42.60		CANBY..... 5.50	
1517	70	46	9.50		10.10				11.05	8.01		f 9.34	48.10		BLUESTEM.....	BM
1524	E62 W69	95	10.10		11.25				11.14	8.10		s 9.44	55.51	DOUBLE TRACK	7.41 HARRINGTON..... 6.72	HR
1531	E68	46	10.25		11.40				11.23	8.18		f 9.53	62.23		MOHLER..... 3.71	
1535	0	49	10.35		11.50				11.28	8.22		f 9.59	65.94		DOWNS..... 4.46	
1539	54	35	10.50		12.05Pm				11.34	8.28		f 10.07	70.40		LAMONA..... 5.58	PA
1544	94	116	11.10		12.15				11.41	8.35		f 10.14	75.98		NEMO.....	
1550	69	109	11.20		12.45				11.47	8.41		s 10.21	80.83	AUTOMATIC BLOCK SIGNALS	4.85 ODESSA..... 4.58	SA
1555	0	62	11.30		12.55				11.53	8.47		f 10.28	85.41		SEWARD..... 4.33	
1558	113	25	11.40		1.10				11.59	8.52		f 10.34	89.74		IRBY..... 7.47	
1566	69	33	11.55		1.30				12.10Am	9.01		s 10.44	97.21		MARLIN..... 6.62	
1573	182	138	12.19Am		2.05				12.19	9.09		s 10.54	103.83		WILSON CREEK.....	CK
1580	129	19	12.45		2.20				12.29	9.18		f 11.04	111.65		7.82 STRATFORD..... 5.32	
1588	137	132	1.01		2.35				12.36	9.24		f 11.12	116.97		ADRIAN..... 4.60	
1591	0	20								9.29		f 11.20	121.57	SOAP LAKE..... 5.40	AF	
1596	129	58	1.30		3.14				12.49	9.39		s 11.33	126.97	EPHRATA..... 5.15	FR	
1601	70	7	1.40		3.25				12.56	9.46		f 11.40	132.12	NAYLOR.....		
1606	69	15	1.50		3.40				1.03	9.52		f 11.46	137.19	AUTOMATIC BLOCK SIGNALS	5.07 WINCHESTER..... 6.14	
1612	95	104	2.10		4.05				1.14	9.59		s 11.54	143.33		QUINCY..... 5.13	QN
1617	73	4	2.23		4.20				1.22	10.05		f 12.01Pm	148.46		CRATER..... 5.60	
1623	123	19	2.40		4.40				1.32	10.14		s 12.12	154.06		TRINIDAD..... 5.28	
1628	69	5	2.52		4.50				1.41	10.21		f 12.21	159.34	VULCAN.....		
1632	70	52	3.34	L 5.40Pm	5.05				1.48	10.26		f 12.27	163.37	AUTOMATIC BLOCK SIGNALS	4.03 COLUMBIA RIVER.... 3.45	CM
1637	126	83	3.50	s 5.55	5.15				1.54	10.31		s 12.33	166.82		ROCK ISLAND..... 5.52	
1641	70	23	4.07	s 6.10	5.30				2.04	10.40		f 12.43	172.34		MALAGA..... 4.74	
1645	Yard	1082	A 4.30Am	6.20	A 5.45Pm				2.12	10.47		s 12.50	177.08		APPLEYARD..... 2.17	WD
1648	Yard	1085	A 6.30Pm						A 2.15Am	A 10.50Pm		A 12.55Pm	179.25	WENATCHEE.....	WC	
			9.45 18.50	.50 19.06	10.00 17.71			.05 33.00	5.00 35.85	4.35 39.10	.15 19.39	4.25 40.48	Time Over Subdivision Average Speed Per Hour			

Westward trains are superior to eastward trains of the same class.

Special Rules, Page 11.

FIRST SUBDIVISION

EASTWARD 3

Time Table No. 50

Effective April 23, 1939.

FIRST CLASS

SECOND CLASS

THIRD CLASS

SIGNS

STATIONS

Distance from
Wenatchee

2

28

46
S. P. & S.
No. 2

256

6

432

402

694

382

Daily

Daily

Daily

Daily
Ex. Sun.

Daily

Daily

Daily

Wed.
Saturday

Tuesday
Friday

DOUBLE TRACK

DOUBLE TRACK

AUTOMATIC BLOCK SIGNALS

HILLYARD 3.68 U. P. R. R. Jct.	179.25	A 8.13Am	A 12.15Pm		A 8.30Am		A 5.55Pm	A 12.01Am		A 3.59Pm		BRKDNP WOIX
1.17 SPOKANE 2.74 FORT WRIGHT 6.36 HIGHLAND 3.26 LYONS 5.39 GALENA	175.57	8.05	12.06		8.20		5.25	11.25		3.40		DNFIM
4.09 ESPANOLA 6.44 WAUKON 5.72 EDWALL 3.70 CANBY 5.80 BLUESTEM	174.40	L 8.00 A 7.30	L 12.01Pm A 8.20Am	A 7.00Am	L 8.15Am	A 6.30Pm	5.15	11.05		3.20		RKDNP BWY
7.41 HARRINGTON 6.72 MOHLER 3.71 DOWNS 4.46 LAMONA 5.58 NEMO	171.66	7.22	8.12	L 6.53Am		f 6.22	5.05	10.55		3.10		IDNPYX
4.85 ODESSA 4.58 SEWARD 4.33 IRBY 7.47 MARLIN 6.62 WILSON CREEK	165.30	7.10	8.00			f 6.10	4.43	10.40		2.55		P
7.82 STRATFORD 5.32 ADRIAN 4.60 SOAP LAKE 5.40 EPHRATA 5.15 NAYLOR	162.04	7.04	7.54			f 6.04	4.32	10.23		2.45		P
5.07 WINCHESTER 6.14 QUINCY 5.13 CRATER 5.60 TRINIDAD 5.28 VULCAN	156.65	6.57	7.47			f 5.55	4.20	10.05		2.30		P
4.03 COLUMBIA RIVER 3.45 ROCK ISLAND 5.52 MALAGA 4.74 APPLEYARD 2.17 WENATCHEE	152.56	6.51	7.41			f 5.49	4.10	9.50		2.10		P
	146.07	6.44	7.34			f 5.39	3.55	9.30		1.55		P
	140.35	6.37	7.27			s 5.30	3.45	9.15		1.40		DPW
	136.65					f 5.23						P
	131.15	6.23	7.13			f 5.16	3.15	8.45		1.10		INP
	123.74	6.11	7.01			s 5.06	2.45	8.15		12.30		DPW
	117.02	6.02	6.52			f 4.56	2.20	7.45		12.05Pm		P
	113.31	5.56	6.46			f 4.50	2.00	7.25		11.50		P
	108.85	5.48	6.38			f 4.43	1.40	7.10		11.40		INPW
	103.20	5.40	6.30			f 4.35	1.10	6.40		11.20		P
	98.42	5.32	6.22			s 4.28	12.45	6.10		11.05		DP
	93.84	5.26	6.16			f 4.19	12.30	5.55		10.45		P
	89.51	5.20	6.10			f 4.12	12.15	5.40		10.34		PW
	82.04	5.11	5.59			s 4.02	12.05Pm	5.20		10.05		P
	75.42	5.02	5.50			s 3.51	11.50	5.00		9.40		DNPW YXO
	67.60	4.52	5.40			f 3.38	11.04	4.10		9.05		P
	62.28	4.45	5.33			f 3.31	10.54	3.59		8.45		P
	57.68					s 3.23				8.30		DP
	52.28	4.34	s 5.21			s 3.14	10.30	3.35		8.20		DNPW
	47.13	4.24	5.11			f 3.04	10.20	3.25		7.50		P
	42.06	4.18	5.05			f 2.56	10.10	3.15		7.40		P
	35.92	4.11	4.58			s 2.46	9.55	3.00		7.25		DPW
	30.79	4.03	4.50			f 2.37	9.35	2.37		6.50		P
	25.19	3.51	4.37			s 2.28	9.10	2.10		6.40		PW
	19.91	3.41	4.27			f 2.19	8.50	1.50		6.31		P
	15.88	3.34	4.21			f 2.12	8.40	1.40		6.24	A 8.15Am	JNPW
	12.43	3.27	4.16			s 2.04	8.30	1.30		6.18	s 8.05	P
	6.91	3.17	4.07			f 1.54	8.15	1.15		6.08	s 7.50	P
	2.17	3.10	4.00			s 1.45	L 8.00Am	L 1.00Pm		L 6.00Am	7.35	BRKDNP TWX RKDNP WXB
	00.0	L 3.05Am	L 3.55Am			L 1.40Pm				L 7.30Am		
Time Over Subdivision Average Speed Per Hour		5.08 84.91	8.20 21.51	.07 28.00	.15 19.39	4.50 36.84	9.55 17.85	11.01 16.07		9.59 17.72	.45 21.17	

Westward trains are superior to eastward trains of the same class.

Special Rules, Page 11.

4 WESTWARD

SECOND SUBDIVISION

Station Numbers	Car Capacity		SECOND CLASS			FIRST CLASS						Distance from Wenatchee	Time Table No. 50		Telegraph Calls	
	Siding	Other Tracks	403	401	711			27	355	359	5		1	Effective April 23, 1939.		STATIONS
			C. M. St. P. & P. 591													
			Daily Ex. Mon.	Daily	Daily Ex. Sun.			Daily	Daily	Daily	Daily	Daily				
1648	Yard	1085		L 1.35pm				L 11.00pm			L 1.05pm	L 2.30am	0.00	WENATCHEE	WC	
1655	75	47		1.50				11.14			f 1.21	2.45	7.38	MONITOR	MR	
1659	94	213		2.00				11.22			s 1.30	2.53	11.00	CASHMERE	OM	
1664	64	35		2.10				11.31			s 1.39	3.02	15.65	DRYDEN	DN	
1667	0	236		2.20				11.37			s 1.45	3.08	18.77	PESHASTIN	PN	
1671	112	18		2.35				11.43			s 1.52	3.17	22.05	LEAVENWORTH	CH	
1676	25	0		2.50				11.54			f 2.03	3.28	27.90	CHUMSTICK		
1684	109	14		3.10				12.12am			f 2.16	3.46	35.60	WINTON		
1691	100	41		3.28				12.25			f 2.27	3.59	42.15	MERRITT		
1699	100	37		3.53				12.42			f 2.42	4.18	49.18	BERNE	BR	
1716	135	16		4.23				1.02			f 3.02	4.38	58.16	SCENIC	MA	
1723	60	10		4.45				1.18			f 3.19	4.53	66.00	TONGA		
1728	E-99 W-99	271		5.30				1.50			s 3.40	s 5.15	70.96	SKYKOMISH	KY	
1732	59	68		5.40				1.58			f 3.47	5.23	74.77	GROTTO	GO	
1737	68	62		5.52				2.07			f 3.56	5.32	79.91	HALFORD		
1742	58	14		6.07				2.17			s 4.06	5.44	85.24	INDEX	NX	
1747	101	53		6.22				2.27			f 4.15	5.55	90.14	REITER		
1751	149	980		6.35				2.35			s 4.24	6.03	94.51	GOLD BAR	GB	
1757	59	41		6.46				2.46			s 4.33	6.11	99.91	SULTAN		
				7.00				2.59				6.22	107.10	MONROE JUNCTION		
1764	85	127	L 12.40am	7.01				3.00			s 4.49	6.23	107.37	MONROE	RO	
1771	99	136		1.00	7.20			3.13			s 5.02	6.35	114.37	SNOHOMISH	SH	
				1.02	7.22			3.14				5.03	115.01	SNOHOMISH JCT.		
				1.18	7.59			3.21				5.09	119.94	N. P. JUNCTION		
1777	Continuous	112		1.19	8.00			3.22				5.10	120.19	LOWELL	W	
			A 1.20am	8.01				3.23				5.11	120.20	LOWELL JUNCTION		
		104		8.05				3.27				5.14	121.81	PACIFIC AVENUE	D	
1779	0	8		8.10				3.50			s 5.25	s 6.55	122.86	EVERETT		
1780		4		8.15	L 7.45pm			3.53	L 10.07pm	L 11.57am		5.27	123.67	EVERETT JUNCTION	JN	
1784	0	84		8.26	7.55			4.02	10.12	12.02pm	f 5.34	7.03	127.42	MUKILTEO		
1793				8.55	8.10			4.14	10.21	12.11		5.45	134.56	MEADOWDALE		
1795	0	107		9.09	8.20			4.20	10.27	12.16	f 5.52	7.21	138.27	EDMONDS	DR	
1796	0	79		9.20	8.30			4.25	10.32	12.20	s 5.58	7.26	141.37	RICHMOND BEACH	R	
1807	0	190		9.50	8.45			4.40	10.42	12.30		6.11	149.23	BALLARD		
1808	Yard	1084		A 10.00pm	A 9.00pm			4.44	10.45	f 12.33	f 6.15	7.44	150.99	INTERBAY	RB	
													151.97	N. P. RY. CROSSING		
													154.27	NORTH PORTAL TOWER		
													155.57	SOUTH PORTAL TOWER		
1813	Yard	589						A 5.00am	A 11.00pm	A 12.45pm	A 6.30pm	A 8.00am	155.67	SEATTLE	UD	
				.40 18.09	8.25 17.39	1.15 25.60		6.00 25.94	.53 36.42	.48 40.00	5.25 28.72	5.30 28.31	Time Over Subdivision Average Speed Per Hour			

Westward trains are superior to eastward trains of the same class.

Special Rules, Page 12.

SECOND SUBDIVISION

EASTWARD 5

Time Table No. 50

Effective April 23, 1939.

Time Table No. 50		FIRST CLASS										SECOND CLASS			SIGNS
Effective April 23, 1939.		360	6	298	358	2	28			712	402	404			
				N. P. 444								C. M. St. P. & P. 592			
STATIONS	Distance from Seattle	Daily	Daily	Daily Ex. Sun.	Daily	Daily	Daily			Daily Ex. Sat.	Daily	Daily Ex. Sun.			
WENATCHEE..... 7.38	155.67		A 1.35pm			A 3.00Am	A 3.45Am				A 9.20Am		RKDNW XPBJ		
MONITOR..... 3.62	148.29		f 1.21			2.45	3.27				9.00		DP		
CASHMERE..... 4.65	144.67		s 1.15			2.37	s 3.20				8.45		DNWXR		
DRYDEN..... 3.12	140.02		s 1.07			2.28	3.02				8.30		DP		
PESHASTIN..... 3.28	136.90		s 1.01			2.23	2.52				8.20		DP		
LEAVENWORTH..... 5.85	133.62		s 12.55			2.15	s 2.45				8.10		DNP		
CHUMSTICK..... 7.70	127.77		f 12.44			2.04	2.33				7.55		P		
WINTON..... 6.55	120.07		f 12.34			1.50	2.23				7.35		P		
MERRITT..... 7.03	113.52		f 12.23			1.37	2.10				7.15		WYP		
BERNE..... 8.98	106.49		f 12.10pm			1.23	1.57				6.50		NP		
SCENIC..... 7.84	97.51		f 11.49			1.02	1.36				6.15		DNP		
TONGA..... 4.96	89.67		11.28			12.41	1.18				5.40		P		
SKYKOMISH..... 3.81	84.71		s 11.17			s 12.31	s 1.05				5.15		RKDNW BOXYP		
GROTTTO..... 5.14	80.90		f 10.57			12.15	12.47				3.50		DP		
HALFORD..... 5.33	75.76		f 10.49			12.08Am	12.40				3.35		WP		
INDEX..... 4.90	70.43		s 10.38			11.59	12.30				3.20		DP		
REITER..... 4.37	65.53		f 10.27			11.51	12.22				3.05		P		
GOLD BAR..... 5.40	61.16		s 10.22			11.44	12.15				2.35		NWYP		
SULTAN..... 7.19	55.76		s 10.14			11.37	12.07Am				2.20		P		
MONROE JUNCTION..... 0.27	48.57		10.02			11.28	11.58				2.06				
MONROE..... 7.00	48.30		s 10.01			11.27	s 11.57				2.05	A 7.45pm	DNWPRB		
SNOMISH..... 0.64	41.30		s 9.46	A 4.18pm		11.19	s 11.43				1.45	7.20	DNPR		
SNOMISH JCT..... 4.93	40.66		9.45	4.17		11.18	11.42				1.44	7.17			
N. P. JUNCTION..... 0.25	35.73		9.40	L 4.06pm		11.12	11.36				1.31	7.02	RJ		
LOWELL..... 0.01	35.48		9.39			11.11	11.35				1.30	7.01	XYP		
LOWELL JUNCTION..... 1.61	35.47		9.38			11.10	11.34				1.29	L 7.00pm	R		
PACIFIC AVENUE..... 1.05	33.86		9.36			11.08	11.32				1.05		DIXP		
EVERETT..... 0.81	32.81		s 9.33			s 11.05	s 11.30				1.03		XP		
EVERETT JUNCTION..... 3.75	32.00	A 9.05Am	9.26	A 6.30pm		11.01	11.20			10.00Am	1.00		DNIXPJ		
MUKILTEO..... 7.14	28.25	8.59	f 9.20	6.24		10.57	11.14			9.49	12.53		P		
MEADOWDALE..... 3.71	21.11	8.50	f 9.08	6.15		10.48	11.04			9.33	12.37		P		
EDMONDS..... 3.10	17.40	8.45	f 9.03	6.10		10.44	10.59			9.25	12.30		DWP		
RICHMOND BEACH..... 7.86	14.30	8.40	f 8.55	6.05		10.40	10.55			9.12	12.21		P		
BALLARD..... 1.76	6.44	8.30	f 8.45	5.55		10.30	10.45			8.55	12.06		X		
INTERBAY..... 0.98	4.68	s 8.27	8.42	5.52		10.27	10.42			L 8.50Am	L 12.01Am		RKDNW BOXP		
N. P. RY. CROSSING..... 2.30	3.70												I		
NORTH PORTAL TOWER..... 1.30	1.40												I		
SOUTH PORTAL TOWER..... 0.10	0.10												I		
SEATTLE..... 0.00	0.00	L 8.15Am	L 8.30Am	L 5.40pm	L 10.15pm	L 10.30pm							RKDNXP B		
Time Over Subdivision		.50	5.05	.12	.50	4.45	5.15			1.10	9.19	.45			
Average Speed Per Hour		38.40	30.95	29.00	38.41	32.73	29.65			27.42	16.20	17.10			

Westward trains are superior to eastward trains of the same class.

Special Rules, Page 12.

6 SOUTHWARD

THIRD SUBDIVISION

Station Numbers	Car Capacity		THIRD CLASS	SECOND CLASS		FIRST CLASS				Distance from Vancouver	Time Table No. 50		Telegraph Calls
	Siding	Other Tracks	735 C. N. 398	711 Local	737 C. N. 404	101 C. N. 2	355	297 N. P. 444	359		Effective April 23, 1939		
			Tues., Fri.	Daily Ex. Sun.	Daily	Daily	Daily	Daily Ex. Sun.	Daily		STATIONS		
CL 125	Yard	400		L 11.00Am			L 6.15Pm		L 8.00Am	0.00	VANCOUVER	VN	
			L 8.12Am				L 7.18Pm	6.17	8.02	0.71	VANCOUVER JUNCTION		
			8.14	11.03	L 12.50Am		7.20	6.18	8.03	1.25	C. N. JUNCTION		
CL 122			8.19	11.08	12.58		7.23	6.21	8.06	2.73	STILL CREEK		
										4.57	B. C. E. RY. CROSSING		
CL 115			8.34	11.22	1.18		7.35	6.29	8.15	9.69	ENDOT		
CL 112	19	120	8.44	11.35	1.25		7.39	6.32	8.18	11.70	SAPPERTON		
CL 107	0	60	A 8.47Am	11.40	A 1.30Am		A 7.45Pm	s 6.37	s 8.24	13.06	NEW WESTMINSTER	MN	
				11.45				6.42	8.29	13.54	FRASER RIVER JCT.		
CL96	46	47		12.10Pm				6.53	f 8.41	24.03	COLEBROOK		
CL92	0	8		12.19			f 7.00		f 8.49	27.72	CRESCENT		
CL87	57	10		12.40			s 7.15		s 9.02	32.75	WHITE ROCK	WR	
										35.43	INTERNATIONAL BOUNDARY		
CL84	50	142		1.45			s 7.30		s 9.15	35.88	BLAINE	BN	
CL77	0	55		2.00				7.40	f 9.29	43.46	CUSTER		
CL71	60	118		2.20			f 7.47		s 9.39	49.04	FERNDALE	FD	
CL62	52	539		3.00			s 8.05		s 9.55	58.02	BELLINGHAM	HM	
										58.25	C. M. St. P. & P. CROSSING		
										58.56	C. M. St. P. & P. CROSSING		
										58.93	C. M. St. P. & P. CROSSING		
										58.99	C. M. St. P. & P. CROSSING		
										59.81	NOR. PAC. RY. CROSSING		
CL60	52	101		3.15			s 8.13		s 10.03	60.95	SOUTH BELLINGHAM	FN	
CL56	39	8		3.30			s 8.23		10.10	64.87	SOCKEYE		
CL50	40	0		3.50			8.33		f 10.20	70.83	SAMISH		
CL46	23	14		4.05			8.37		10.25	74.63	BOW		
CL39	51	258		5.00			s 8.51		s 10.41	82.01	BURLINGTON	BU	
										85.07	P. S. & C. Ry. CROSSING		
CL35	93	121		5.15			s 9.07		s 10.52	85.98	MT. VERNON	NR	
CL30	28	17		5.28			9.15		f 11.01	91.31	FIR		
CL23	50	52		5.40			9.23		s 11.13	92.65	ENGLISH LBR. CO. CROSSG		
CL17	0	17		5.53			9.29		f 11.21	98.41	STANWOOD	B	
CL13	50	15		6.05			9.34		f 11.27	103.98	SILVANA		
				6.15			9.38	L 3.44Pm	11.31	107.93	ENGLISH		
										111.70	KRUSE JUNCTION		
CL6	50	70		6.30			9.43	3.49	f 11.36	115.11	MARYSVILLE	MS	
CL3				6.45			9.49	A 3.55Pm	11.42	117.67	DELTA JUNCTION	WY	
										117.78	NOR. PAC. RY. CROSSING		
	0	85		7.30			9.52		11.45	119.03	LONG SIDING		
1779	Yard	112		7.40			s 10.05		s 11.55	121.57	EVERETT		
1780	0	4		7.45Pm			A 10.07Pm		A 11.57Am	122.38	EVERETT JUNCTION	JN	
			.35 21.47	8.45 13.98	.40 17.71		.27 27.44	3.52 31.21	.11 32.62	3.57 30.98	Time Over Subdivision Average Speed Per Hour		

Southward trains are superior to northward trains of the same class.

Special Rules, Page 13.

THIRD SUBDIVISION

NORTHWARD 7

Time Table No. 50

Effective
April 23, 1939

FIRST CLASS

SECOND CLASS

THIRD CLASS

SIGNS

Distance from
Everett Junction102
C. N. 1

360

358

712

738
C. N. 403736
C. N. 397

STATIONS

Daily

Daily

Daily

Daily
Ex. Sat.

Daily

Wed.,
Sat.DOUBLE
TRACKINTERNATIONAL
BOUNDARY

AUTOMATIC BLOCK SIGNALS

.....VANCOUVER.....	122.38		A 1.45Pm	A 10.40Pm		A 8.30Pm					RKDNW BYXOP
0.71VANCOUVER JUNCTION.....	121.67	A 8.40Am	1.39	10.36				A 2.55Pm			XJ
0.54C. N. JUNCTION.....	121.13	8.35	1.37	10.34		8.20	A 7.45Pm	2.50			X
1.48STILL CREEK.....	119.66	8.31	1.33	10.32		8.15	7.30	2.46			XP
1.84B. C. E. RY. CROSSING.....	117.81										I
5.12ENDOT.....	112.69	8.15	1.22	10.24		7.50	7.05	2.19			P
2.01SAPPERTON.....	110.68	8.11	1.18	10.20		7.39	6.57	2.12			WYXP
1.36NEW WESTMINSTER.....	109.32	L 8.08Am	s 1.15	s 10.17		7.25	L 6.52Pm	L 2.07Pm			RDINXP
0.48FRASER RIVER JCT.....	108.84		1.07	10.07		7.15					IJ
10.49COLEBROOK.....	98.35		f 12.54	9.54		6.53					P
3.69CRESCENT.....	94.66		f 12.46	f 9.48		6.35					
5.03WHITE ROCK.....	89.63		s 12.35	s 9.35		6.10					DNXP
2.68 INTERNATIONAL BOUNDARY	86.95										
0.45BLAINE.....	86.50		s 12.20	s 9.20		4.50					DNWXP
7.58CUSTER.....	78.92		s 12.03Pm	9.08		4.00					P
5.58FERNDALE.....	73.34		s 11.53	9.01		3.45					DP
8.98BELLINGHAM.....	64.36		s 11.38	s 8.50		3.00					KDNXWPB
0.23C. M. St. P. & P. CROSSING.....	64.13										
0.31C. M. St. P. & P. CROSSING.....	63.82										M
0.37C. M. St. P. & P. CROSSING.....	63.45										
0.06C. M. St. P. & P. CROSSING.....	63.39										
0.82NOR. PAC. RY. CROSSING.....	62.57										M
1.14SOUTH BELLINGHAM.....	61.43		s 11.20	s 8.33		1.50					XP
3.92SOCKEYE.....	57.51		11.12	8.23		1.35					P
5.96SAMISH.....	51.55		11.00	8.10		1.20					WP
3.80BOW.....	47.75		f 10.55	8.05		1.10					P
7.38BURLINGTON.....	40.37		s 10.41	s 7.55		12.45					JRDNKZ BOWYXPM
3.06P. S. & C. RY. CROSSING.....	37.31										I
0.91MT. VERNON.....	36.40		s 10.25	s 7.44		12.02Pm					DNXP
5.33FIR.....	31.07		f 10.05	7.25		11.40					P
1.34 ENGLISH LBR. Co. CROSSG.	29.73										I
5.76STANWOOD.....	23.97		s 9.55	s 7.16		11.13					DP
5.67SILVANA.....	18.40		f 9.45	7.07		10.55					WP
3.95ENGLISH.....	14.45		f 9.40	7.02		10.45					P
3.77KRUSE JUNCTION.....	10.88		9.35	6.57		10.35					PJ
3.41MARYSVILLE.....	7.27		s 9.30	s 6.52		10.25					DP
2.66DELTA JUNCTION.....	4.71		9.23	6.45		10.15					JDNIYXP
0.11NOR. PAC. RY. CROSSING.....	4.60										I
1.26LONG SIDING.....	3.35		9.20	6.42		10.10					
2.64EVERETT.....	0.81		s 9.15	s 6.37		10.03					P
0.81EVERETT JUNCTION.....	0.00		L 9.05Am	L 6.30Pm		L 10.00Am					DNIXPJ
Time Over Subdivision			32	4.40	4.10	10.30					
Average Speed Per Hour			23.15	26.22	29.37	11.65					

Southward trains are superior to northward trains of the same class.

Special Rules, Page 13.

8 SOUTHWARD

FOURTH SUBDIVISION

NORTHWARD

Station Numbers	Car Capacity		THIRD CLASS		FIRST CLASS		Distance from Princeton	Time Table No. 50		Telegraph Calls	Distance from Wenatchee	SIGNS	FIRST CLASS		THIRD CLASS	
	Sittings	Other Tracks	397	697		253		254					396	698		
			Tuesday and Friday.	Daily Ex. Sun.		Daily Ex. Sun.			Daily Ex. Sun.				Tuesday and Friday.	Daily Ex. Sat.		
SG 152	40	50					0.00	PRINCETON		OD	216.89	RDWYV				
TRAINS BETWEEN K. V. JCT. AND PRINCETON BE GOVERNED BY K. V. RY. TIME TABLE AND RULES																
							0.25	K. V. JCT.			216.64	X				
SG 128	Yard	11	L 6.30Pm				23.91	HEDLEY			192.98				A 5.40Pm	
SG 123	0	10	f 6.50				28.33	BRADSHAW			188.56	W			f 5.20	
								6.30								
SG 117	0	15	f 7.15				34.63	ASHNOLA			182.26				f 4.55	
SG 110	38	38	s 7.45				41.59	KEREMEOS		K	175.30	D			s 4.25	
	0	10	f 8.15				45.49	CAWSTON			171.40				f 3.55	
SG 103	0	26	s 8.30				48.84	SIMILKAMEEN, B. C.			168.05				s 3.40	
SG 93	0	22	s 9.05				58.41	CHOPAKA, WASH.			158.48	W			s 3.05	
								9.90								
SG 83	0	19	s 9.50				68.31	NIGHTHAWK			148.58				s 2.20	
SG 71	Yard	243	A 10.40PM			L 5.45Am	79.65	OROVILLE		VR	137.24	RKD WY BPXO	A 12.30PM		L 1.30PM	
WO 132	0	35				f 5.58	85.40	CORDELL			131.49		f 12.10PM			
WO 126	0	34				f 6.10	90.68	ELLISFORD			126.21		f 11.50			
WO 120	0	71				s 6.25	96.61	TONASKET		ON	120.28	DPW	s 11.32			
WO 115	0	34				f 6.35	101.44	JANIS			115.45		f 11.02			
								5.43								
WO 110	0	34				f 6.46	106.87	BARKER			110.02		f 10.47			
WO 105	0	36				s 6.59	112.16	RIVERSIDE			104.73	W	s 10.32			
WO 100	0	35				f 7.09	116.34	CHEROKEE			100.55		f 10.15			
WO 96	66	214				L 6.00Pm	121.19	OMAK		MK	95.70	BDPXYO	s 10.04		A 7.00Am	
WO 92	55	92				s 6.35	125.39	OKANOGAN		KN	91.50	DPWX	s 9.40		s 6.20	
								4.93								
WO 87	0	34	f 6.50			f 8.01	130.32	CHILLIWIST			86.57		f 9.13		f 4.50	
WO 83	0	36	f 7.05			f 8.10	134.25	MALOTT			82.64		f 9.05		f 4.00	
WO 76	0	35	f 7.25			f 8.25	140.50	WAKEFIELD			76.39	W	f 8.50		f 3.10	
WO 72	0	34	f 7.40			f 8.40	145.23	MONSE			71.66		f 8.40		f 2.15	
WO 65	50	61	s 8.10			s 9.05	151.90	BREWSTER		BR	64.99	DPX	s 8.25		s 1.30	
								6.08								
WO 59	49	333	s 8.45			s 9.30	157.98	PATEROS		RO	58.91	DPWX	s 8.05		s 12.10Am	
WO 53	0	34	f 9.02			f 9.42	163.45	STARR			53.44		f 7.48		f 10.25	
WO 50	0	34	f 9.15			f 9.52	167.11	AZWELL			49.78		f 7.41		f 10.00	
WO 44	0	35	f 9.35			f 10.05	172.84	HUGO			44.05		f 7.29		s 9.35	
WO 39	54	83	s 10.05			s 10.25	177.95	CHELAN		HN	38.94	DPWX	s 7.18		s 9.15	
								1.16								
	0	78	s 10.30			s 10.35	179.11	CHELAN FALLS			37.78		s 7.02		s 8.15	
WO 32	0	40	f 10.50			f 10.49	184.96	STAYMAN			31.93		f 6.47		f 7.50	
WO 26	0	43	f 11.15			f 11.05	190.88	WINEAP			26.01		f 6.34		f 7.20	
WO 19	66	86	s 11.45			s 11.30	197.99	ENTIAT		NI	18.90	DPWX	s 6.20		s 6.50	
WO 14	0	39	f 12.10Am			f 11.44	203.29	WAGNERSBURG			13.60		f 5.59		f 6.00	
								5.63								
WO 8	0	31	f 12.30			f 12.01PM	208.92	ZENA			7.97		f 5.48		f 5.40	
WO 3	0	66	f 12.45			f 12.18	213.40	OLDS			3.49		f 5.38		f 5.20	
1648	Yard	1085	A 1.00Am			A 12.30PM	216.89	WENATCHEE		WC	0.00	RKDNP BWJ	L 5.30Am		L 5.00PM	
			4.10 12.98	7.00 13.67		6.45 20.33		Time Over Subdivision Average Speed Per Hour					7.00 19.60		4.10 12.98	14.00 6.81

Southward trains are superior to northward trains of the same class except No. 396
is superior to No. 397.

Special Rules, Page 13.

SOUTHWARD

FIFTH SUBDIVISION

NORTHWARD 9

Station Numbers	Car Capacity		THIRD CLASS		FIRST CLASS		Distance from Nelson	Time Table No. 50		Telegraph Calls	Distance from Dean	SIGNS	FIRST CLASS		THIRD CLASS	
	Sidings	Other Tracks	703	701		255		Effective April 23, 1939.	256					702	704	
			Tu. Thur. and Sat.	Daily Ex. Mon		Daily Ex. Sun.		STATIONS	Daily Ex. Sun.					Daily Ex. Sun.	Mo. Wed. and Fri.	
SA 186			L 6.00Am				0.00	NELSON	BC	186.13	RDNWP				A 4.00Pm	
TRAINS BETWEEN TROUP JCT. AND NELSON BE GOVERNED BY C. P. RY. TIME TABLE AND RULES																
SA 181	0	0	s 6.30Am				5.45	TROUP JUNCTION		180.68	RYPV				s 3.30Pm	
SA 176	0	27	s 6.55			L 1.00Pm	10.26	SOUTH NELSON		175.87	W	A 3.15Pm			s 3.05	
SA 169	0	15	s 7.30			f 1.18	17.05	APEX		169.08		f 2.58			s 2.30	
SA 166	0	15	s 7.45			s 1.27	20.38	HALL		165.75		f 2.53			s 2.10	
SA 159	0	16	s 8.25			s 1.42	27.50	YMIR		158.63	W	s 2.38			s 1.42	
SA 155	0	9	s 8.42			f 1.55	31.86	BOULDER MILL		154.27		f 2.28			s 12.55	
SA 152	0	53	s 8.55			s 2.04	35.15	SALMO	SI	150.98	DN	s 2.20			s 12.40	
SA 148	0	15	s 9.17			f 2.14	37.87	ERIE		148.26		f 2.14			s 12.20	
SA 145	0	20	s 9.30			f 2.19	40.74	MEADOWS		145.39		s 2.08			s 12.08Pm	
SA 142	7	0	s 9.40			f 2.27	44.82	PARKS		141.31		f 1.59			s 11.50	
SA 136	0	15	s 9.55			f 2.37	50.42	FRUITVALE		135.71		f 1.48			s 11.35	
SA 130	0	7	s 10.15			s 2.49	55.74	COLUMBIA GARDENS		130.39		s 1.33			s 10.55	
SA 127	0	20	s 10.50			s 2.57	59.57	WANETA, B. C.	WN	126.56	D	s 1.25			s 10.30	
SA 126	0	39	s 11.00			s 3.02	61.68	BOUNDARY, U. S.		124.45		s 1.15			s 10.12	
SA 116	60	89	s 12.52Pm			s 3.20	70.48	NORTHPORT	NP	115.65	RKDWYX	s 12.52			s 9.15	
SA 107	0	7	s 1.30			f 3.37	78.76	MARBLE		107.37		f 12.35			s 8.20	
SA 96	0	16	s 2.30			f 4.01	90.23	BOSSBURG		95.90		f 12.11Pm			s 7.45	
SA 89	0	2	3.15			4.15	97.00	SAND SPUR		89.13		11.55			7.15	
SA 87	Yard	148	A 3.30Pm	L 2.00Am		s 4.20	99.01	MARCUS	MS	87.12	RKDNW BYXOJ	s 11.50		A 12.05Pm	L 7.00Am	
SA 82	30	30		s 2.40		s 4.30	104.31	MEYER'S FALLS	MF	81.82	D	s 11.31		s 11.31		
SA 77	0	13		s 3.10		f 4.41	109.81	PALMERS		76.32		f 11.19		s 11.00		
SA 73	0	114		s 4.00		s 4.47	112.86	COLVILLE	VD	73.27	DW	s 11.13		s 10.35		
SA 71	0	21		s 4.20		f 4.55	116.66	ORIN		69.47		f 11.03		s 10.05		
SA 67	40	3		s 4.40		f 5.01	119.36	ARDEN		66.77		f 10.57		s 9.45		
SA 69	0	20		s 5.15		s 5.16	126.75	ADDY	AD	59.38	DW	s 10.43		s 9.15		
SA 60	26	120		s 6.30		s 5.35	135.96	CHEWELAH	CH	50.17	DX	s 10.29		s 8.45		
SA 43	40	49		s 7.30		s 5.50	143.53	VALLEY		42.60	YX	s 10.15		s 7.30		
SA 38	0	30		s 8.00		f 6.01	148.77	GRAYS		37.36		f 10.04		s 6.30		
SA 34	0	18					152.20	CLINE		33.93						
SA 33	39	17		s 8.40		s 6.12	153.47	SPRINGDALE		32.66	W	s 9.55		s 6.05		
SA 25	40	21		s 9.38		f 6.30	161.38	LOON LAKE		24.55		f 9.38		s 5.30		
SA 18	0	68		s 10.30		s 6.45	168.58	CLAYTON	CN	17.75	D	s 9.22		s 5.00		
SA 13	50	49		s 11.00		s 6.55	173.65	DEER PARK	DE	12.48	DXW	s 9.12		s 4.30		
SA 9	0	15		s 11.20		f 7.03	177.24	DENISON		8.89		f 9.02		s 3.25		
SA 4	40	16		s 11.40		f 7.15	182.36	WAYSIDE		3.77		f 8.51		s 3.10		
1460	Yard	40		A 12.10Pm		A 7.30Pm	186.13	DEAN	SF	0.00	JRDNX	L 8.44Am		L 3.00Am		
			9.30 10.42	10.10 8.57		6.30 27.92	Time Over Subdivision Average Speed Per Hour					6.31 27.99		9.05 9.59	9.00 10.99	

Southward trains are superior to northward trains of the same class.

Special Rules, Page 13.

10 WESTWARD

SIXTH SUBDIVISION

EASTWARD

Station Numbers	Car Capacity		SECOND CLASS		Distance from Marcus	Time Table No. 50		Telegraph Calls	Distance from Republic	SIGNS	SECOND CLASS			
	Siding	Other Tracks		393		Effective April 23, 1939	STATIONS				394			
				Friday							Saturday			
SA 87	Yard	148		L 1.15Pm	0.00	MARCUS	MS	73.36	ORKDNB JWYX	A 12.30Pm				
SD 5	0	31		f 1.35	5.45	5.45 BOYDS		67.91		f 12.10Pm				
SD 10	0	31		f 1.48	10.12	4.67 BARSTOW		63.24		f 11.50				
SD 15	0	31		f 2.05	15.35	5.23 DULWICH		58.01		f 11.30				
SD 17	0	7		f 2.20	16.90	1.55 ORIENT		56.46		f 11.25				
SD 22	0	12		f 2.33	21.23	4.33 GOLDSTAKE		52.13		f 11.10				
SD 27	0	18		s 3.03	27.32	6.09 LAURIER, WASH.		46.04		s 10.45				
SD 42	0	4		s 3.38	38.66	11.34 GRAND FORKS, B. C.	GR	34.70	Y	s 10.00				
SD 42A	0	40		s 3.58	41.74	3.08 DANVILLE, WASH.		31.62		s 9.50				
SD 46	0	11		f 4.11	45.87	4.13 HURLBURT		27.49		f 9.20				
SD 52	0	48		s 4.30	52.16	6.29 CURLEW		21.20	W	s 9.00				
SD 58	0	33		f 4.50	58.24	6.08 MALO		15.12		f 8.35				
SD 66	0	16		f 5.15	64.78	6.54 POLLARD		8.58		f 8.10				
SD 68	0	34		f 5.30	68.46	3.68 TORBOY		4.90		f 7.50				
SD 73	Yard	33		A 5.45Pm	73.36	4.90 REPUBLIC	Z	0.00	BRKDY	L 7.30Am				
				4.30 16.30		Time Over Subdivision Average Speed Per Hour				5.00 14.67				

Special Rules.

Westward trains are superior to eastward trains of the same class.

Normal position of Junction switch at Marcus is for Fifth subdivision.

Trains will not pass International Boundary without permission of Customs officials.

All trains stop on flag at Karamin and Rock Cut.

MAXIMUM SPEED.

All trains 20 M. P. H.

Trains with loaded

log cars 15 M. P. H.

Republic High-line 10 M. P. H.

Over bridge No. 1

at Marcus 8 M. P. H.

WESTWARD

SEVENTH SUBDIVISION

EASTWARD

Station Numbers	Car Capacity		SECOND CLASS		Distance from Rockport	Time Table No. 50		Telegraph Calls	Distance from Anacortes	SIGNS	SECOND CLASS	
	Siding	Other Tracks	275	277		Effective April 23, 1939	STATIONS				278	276
			Mon., Wed., Fri.	Daily Ex. Sun.							Daily Ex. Sun.	Mon., Wed., Fri.
CN53	Yard	69		L 11.30Am	0.00	ROCKPORT	BC	53.41	XWY	A 10.30Am		
CN48	0	14		f 11.55	6.00	NESTOS		47.41		f 10.00		
CN44	35	158		s 2.30Pm	9.13	CONCRETE	BA	44.28	DXW	s 9.30		
CN43	0	92		f 2.45	10.39	GRASSMERE		43.02	X	f 7.45		
CN38	0	36		s 3.15	15.44	BIRDVIEW		37.97		s 7.30		
CN33	0	39		s 3.35	20.67	HAMILTON		32.74	W	s 7.10		
				3.36	21.27	HAMILTON JUNCTION	H	32.14	RB	7.07		
CN29	0	33		s 3.50	23.90	LYMAN		29.51		s 6.55		
CN28	0	5		f 4.05	29.35	COKE DALE		24.06		f 6.35		
CN20	0	85		s 4.30	32.47	SEDRO-WOOLLEY	SW	20.94	DX	s 6.20		
CL39	Yard	258	L 8.00Am	A 4.45Pm	32.57	NOR. PAC. RY. CROSSING		20.84	MJRDNOB PKWXY	L 6.00Am	A 4.50Pm	
CN13	0	14	f 8.10		39.90	BURLINGTON	BU	16.19		f 4.37		
CN10	0	6	f 8.19		42.63	AVON		13.51		f 4.30		
CN9	0	15	s 8.25		44.13	FREDONIA		10.78		f 4.23		
						WHITNEY		9.28		s 4.23		
CN6	0	4	8.34		47.29	WHITMARSH JCT.		6.12	R		4.16	
			8.35		47.80	WHITMARSH	WH	5.61			4.15	
CN0	Yard	265	A 8.55Am		53.41	ANACORTES	AC	0.00	RDXWB	L 4.00Pm		
			.55 17.66	5.15 7.08		Time Over Subdivision Average Speed Per Hour				4.30 8.30	.50 19.42	

Special Rules.

Westward trains are superior to Eastward trains of the same class except No. 278 is superior to No. 277.

No. 277 & No. 278 will stop on flag at Superior Ave., Baker River, Van Horn, Faber, Sauk, Mountview Spur, Fidalgo Mill Spur and Summit Park.

MAXIMUM SPEED.

All trains 20 M. P. H.

Bridge 12—Whit-

ney 8 M. P. H.

Bridge 52—Con-

crete 10 M. P. M.

SOUTHWARD

EIGHTH SUBDIVISION

NORTHWARD

11

Station Numbers	Car Capacity		THIRD CLASS		Distance from Mansfield	Time Table No. 50		Distance from Columbia River	SIGNS	THIRD CLASS			
	Sidings	Other Tracks		381		Effective April 23, 1939	382						
				Tuesday and Friday			Tuesday and Friday						
STATIONS													
CR 60	Yard	48		L	1.30 ^{pm}	0.00	MANSFIELD.....	60.39	RWY	A	12.40 ^{pm}		
CR 55	0	30		f	1.50	5.40	5.40TOUHEY.....	54.99		f	12.20		
CR 49	0	50		s	2.10	11.38	5.98WITHROW.....	49.01		s	12.01 ^{pm}		
CR 44	0	30		f	2.30	16.94	5.58SUPPLEE.....	43.45		f	11.30		
CR 36	0	62		s	3.00	23.93	6.99DOUGLAS.....	36.46	D	s	11.05		
CR 31	0	30		s	3.25	29.20	5.27ALSTOWN.....	31.19		s	10.10		
CR 21	0	24		f	4.05	39.04	9.84McCUE.....	21.35		f	9.30		
CR 16	0	35		s	4.45	44.62	5.58PALISADES.....	15.77	W	s	9.10		
CR 11	0	30		f	5.00	49.74	5.12APPLEDALE.....	10.65		f	8.55		
1632	Yard	53		A	5.30 ^{pm}	60.39	10.65COLUMBIA RIVER....	0.00	J RPWN	L	8.25 ^{am}		
					4.00 15.09		Time Over Subdivision Average Speed Per Hour				4.15 14.21		

Special Rules.

Southward trains are superior to northward trains of the same class, except No. 382 is superior to No. 381.

MAXIMUM SPEED.

All Trains 20 M. P. H.

SPECIAL RULES.

First Subdivision.

Extra trains may be run with the current of traffic on double track without train orders providing they secure proper clearance as provided for in Transportation Rule D-97.

Trains 1, 2 and 27 use register ticket at Hillyard.

Only first class trains and trains originating at Spokane Passenger Station will register and receive clearance card Form A.

First class Westward trains approach crossover just east of Bridge 270, and first class Eastward trains approach crossover just west of Howard St. at Spokane Passenger Station at restricted speed prepared to use any of the tracks in front of depot.

First class trains use register ticket at Appleyard.

Only First Class Trains, Passenger Extras, Nos. 381 and 382 will register at Wenatchee.

High voltage electric wires on eastward main track between Spokane Passenger Station, and connection with S. C. & P. Ry. east of Division Street bridge, and to transfer track on S. C. & P. Ry., and in Appleyard and between Appleyard and Wenatchee in some places will not clear man on top of train. Trainmen and Enginemen must use extreme caution when obliged to be on top of train.

FLAG STOPS.

Nos. 1 and 2 stop at any station between Spokane and Seattle to pick up or discharge revenue passengers from or to points south of Shelby, and from or to points east of Havre where Nos. 1 and 2 are scheduled to stop.

Nos. 1 and 2 stop on flag at Ephrata to pick up or discharge revenue passengers from or to points Everett and West, Spokane and East.

Nos. 1 and 2 stop on flag at Soap Lake to pick up or discharge revenue passengers to or from points east of Spokane.

SPEED RESTRICTION.

Howard St., Spokane 12 MPH
Other grade crossings, Spokane 20 MPH
Over bridges 270 and 273, Spokane,
Q-1, R, S-2, SPS E-1, Z-1 10 MPH
Over bridge 274, Fort Wright, Q-1, R, S-2, SPS E-1, Z-1 20 MPH
Over bridge 356, 1½ miles west of Vulcan 25 MPH

MAXIMUM SPEED.

Between	Passenger	Freight
Fort Wright and Lyons	45 MPH	35 MPH
Lyons and Wenatchee	60 MPH	50 MPH
Quincy and Crater, Vulcan and Columbia River, S-2	50 MPH	

INTERLOCKING.

HILLYARD—Whistle Signals:

Eastward trains:—To Main Yard—1 long, 1 short.

To West Yard—1 long, 1 short, 1 long.

Both Westward and Eastward Trains:—To cross over to opposing track, 2 long, 1 short.

U. P. R. R. JCT.—Whistle Signals:

U. P. R. R. Junction—Main Track—1 long.

U. P. R. R. Transfer No. 1—1 long, 1 short.

U. P. R. R.—Transfer No. 2—2 long, 1 short.

FORT WRIGHT—Whistle Signals:

Main Track, G. N. Ry.—1 short, 1 long.

Main Track, S. P. & S. Ry.—1 long, 1 short.

Siding, G. N. Ry.—2 long, 1 short.

Eastward trains stopped by semaphore signals governing double track switch and derail on East end of Bridge 274 communicate with Fort Wright operator, Westward trains communicate by phone located on East end of Bridge 274. If necessary to pass signal in Stop position derail and switch to be spiked before proceeding.

SPECIAL RULES—Continued.**Second Subdivision.**

Extra trains may be run with the current of traffic on double track without train orders providing they secure proper clearance as provided for in Transportation Rule D-97.

Only first class trains and passenger extras will register at Wenatchee.

Only C. M. St. P. & P. trains will register at Monroe.

Only N. P. trains will register at Snohomish and they may register by ticket.

Register shown at N. P. Junction is located in N. P. depot between N. P. Jct. and Delta, and is for use of N. P. trains only.

Register shown at Lowell Junction is located in C. M. St. P. & P. office, 32d St. and McDougall Ave., Everett, and is for use of C. M. St. P. & P. trains only.

First class trains use register ticket at Interbay.

The track between Berne and Scenic is controlled by a positive block in both directions and the automatic block signals at these points must not be passed except when displaying a Proceed indication or when authorized by train order to proceed. In case of loss of power or other emergency, a train in the tunnel may make a forward or a backward movement to Scenic or Berne without flag protection and may pass signals indicating Stop and Proceed at restricted speed without stopping.

High Voltage electric wires in electrified zone between Apple- yard and Skykomish, in some places, will not clear man on top of train and train and enginemen must keep off cars and engines while passing through this territory except in emergencies and then use extreme caution.

All wires must be considered alive unless a clearance has been obtained from Operator at Skykomish Substation. Telegraph and telephone lines between Wenatchee and Skykomish located along highway. Extreme care must be used not to attempt to connect telephone apparatus to the high tension wires.

Delta (Freight Yard) 3.26 miles West of N. P. Jct.

Trains between N. P. Jct. and Delta will be governed by North- ern Pacific Railway Time Table and Rules.

Track between Everett Junction and West switch Pacific Avenue is controlled by a positive block in both directions. The home signals must not be passed except when displaying proceed indication or when authorized by train order to proceed. A train in the block may make forward or backward movement without flag protection.

Trains may be moved against current of traffic through Seattle Tunnel only on written order on prescribed form properly filled out —Form 26 to be used for movement of westward trains against current of traffic and Form 26-A to be used for movement of east- ward trains against current of traffic.

The tracks between interlocking plant at North Portal and interlocking plant South Portal, Seattle tunnel, are controlled by positive block in both directions and the home signal must not be passed except when displaying proceed indication or when authoriz- ed by train order to proceed. A train in the block may make for- ward or backward movement to North Portal interlocking plant or South Portal interlocking plant without flag protection.

Monroe Junction is junction point with CMStP&P RR.

Snohomish Junction is junction point with N. P. Ry.

N. P. Junction is junction point with N. P. Ry.

Lowell Junction is junction point with CMStP&P RR.

At Snohomish N. P. trains will enter G. N. main track through crossover. Eastward first class N. P. trains will leave G. N. main track through crossover. Other than first class N. P. eastward trains will head in at Snohomish Jct.

At N. P. Jct. eastward trains from N. P. and first class west- ward trains for N. P. will move through crossover.

FLAG STOPS.

Trains 1 and 2 stop at any station between Spokane and Seat- tle to pick up or discharge revenue passengers from or to points south of Shelby, and from or to points east of Havre, where Nos. 1 and 2 are scheduled to stop.

Nos. 5 and 6 at Miller River, Baring and Startup.

No. 359 Mukilteo to Interbay to discharge passengers from points north of Everett.

No. 358 Edmonds for revenue passengers Mt. Vernon and North.

No. 355 at Edmonds to discharge passengers from North of Everett.

SPEED RESTRICTIONS.

Over Main Street crossing, Cashmere	25 M.P.H.
Over Bridge 370, Dryden, Q-1, R, S-1	5 M.P.H.
Over Bridge 371, Dryden, Q-1, R, S-1	5 M.P.H.
Over Bridge 372, Dryden, Q-1, R, S-1	5 M.P.H.
Over Bridge 382, 1½ Mi. West of Merritt, Q-1, R, S-1	5 M.P.H.
Over Bridge 385, 2 Mi. East of Berne, Q-1, R, S-1	8 M.P.H.
Over Bridge 404, 2 Mi. West of Scenic, Q-1, R, S-1	8 M.P.H.
Over Bridge 406, 4 Mi. West of Scenic, Q-1, R, S-1	8 M.P.H.
Over Bridge 413, 1 Mi. East of Tonga	15 M.P.H.
Over Street Crossings, Skykomish	15 M.P.H.
Over Bridge 424, ½ Mi. East of Grotto, Q-1, R, S-1	8 M.P.H.
Over Bridge 432, Halford, Q-1, R, S-1	8 M.P.H.
Over Bridge 436, Index, Q-1, R, S-1	25 M.P.H.
Over Bridge 441, Startup, Q-1, R, S-1	8 M.P.H.
Over Bridge 446, Sultan, Q-1, R, S-1	5 M.P.H.
Thru Monroe Town Limits	25 M.P.H.
Over Bridge 455, Snohomish	10 M.P.H.
Over Bridge 455, Snohomish, Q-1, R, S-1	5 M.P.H.
Over Crossing Pacific Ave., Everett	8 M.P.H.
Thru Edmonds Town Limits	8 M.P.H.
Over Bridge 4, Ballard	15 M.P.H.
Over N. P. Crossing, Interbay	15 M.P.H.
Thru Seattle Tunnel	20 M.P.H.
Between Denny Way and Hanford St., Seattle	6 M.P.H.

MAXIMUM SPEED.

Between	Passenger	Freight
Wenatchee and Merritt	50 M.P.H.	50 M.P.H.
Merritt and Berne	35 M.P.H.	25 M.P.H.
Berne and Scenic	30 M.P.H.	20 M.P.H.
Scenic and Skykomish	35 M.P.H.	25 M.P.H.
Skykomish and Halford	50 M.P.H.	40 M.P.H.
Halford and Gold Bar	45 M.P.H.	35 M.P.H.
Gold Bar and Seattle	60 M.P.H.	50 M.P.H.

INTERLOCKING.

Whistle signals for tracks with switches controlled by inter- locking at Everett Jct.:

Main track eastward one long. Coast Line Northward one long and one short.

Third Subdivision.

All trains arriving and leaving Vancouver, Vancouver Jct. and C. N. Junction will register in G. N. train order office, Vancouver. Trains will not pass International Boundary without permission of Customs officials.

The switches at the end of double track Still Creek and Endot are spring switches. The normal position of switch at Still Creek is for Southward trains and at Endot for Northward trains.

Delta (Freight Yard) 1.08 miles south of Delta Junction:—Water, Track Scales, Wye, Standard Clock, Oil, Turntable, and Bulletins.

Register at Delta for trains originating and terminating at this station.

INTERLOCKERS.**FRASER RIVER BRIDGE:**

No train, engine, or cars shall be moved into or through the interlocking zone protecting the Fraser River bridge immediately south of New Westminster, B. C., through the use of flag, hand signal, lantern or word of mouth when the interlocking plant is out of order. The Government has provided regular clearance card to be used in cases of this kind and nothing else should be accepted.

DELTA JUNCTION:

All southward trains be governed by home signal located 700 feet North of drawspan. Top arm governs movement to Great Northern and lower arm governs movement to Northern Pacific connection. Top arm of home signal located 20 ft. North of Northern Pacific crossing governs movement to Bayside and lower arm to Delta yard.

Whistle signals for tracks with switches controlled from Delta Junction Interlocking Plant.

Main Track—One Long.

Delta Yard from North—One Long, One Short.

Delta Yard from South—Two Long, One Short.

Delta Yard North—Two Long.

Delta Yard South—Three Long, One Short.

Northward from Northern Pacific connection—One Long, One Short, One Long.

Southward for Northern Pacific connection—One Long, One Short, Two Long.

Train movements from Bayside northward be governed by top arm of home signal.

Train movements from Delta northward be governed by top arm of home signal.

Trains between Delta and Bayside be governed by lower arm of home signal.

Trains northward from Northern Pacific connection to Great Northern main track governed by lower arm of home signal on Northern Pacific track. Top arm on advance home signal 500 feet south of draw span.

FLAG STOPS.

No. 360—Ballard to Mukilteo, inclusive, to pick up passengers for points North of Everett. Ocean Park.

No. 358—Ferndale for revenue passengers from Everett and South.

Nos. 358 and 359—Ocean Park from May 15 to Sept. 15.

No. 355—Ocean Park.

SPEED RESTRICTIONS.

	All Trains
Over Brunette St., Sapperton.....	30 MPH
Over North wye Fraser River Bridge, New Westminster.....	4 MPH
Over Fraser River Bridge, New Westminster.....	6 MPH
Bridges 69 and 70, Crescent and Colebrook.....	25 MPH
MP 123 and 127 between White Rock and Crescent, Oct. 1st to May 1st.....	20 MPH
Thru Blaine, Burlington, Mount Vernon, Marysville.....	8 MPH
Over street crossings between So. Bellingham depot and street crossing just north of Bellingham freight depot	10 MPH
Bellingham, C. M. St. P. & P. RR crossing protected by gates	8 MPH

South Bellingham, N. P. Ry. crossing, protected by gates....	8 MPH
Burlington, 7th SubDivision crossing protected by gates....	8 MPH
Bridge 36, Mount Vernon.....	25 MPH
Bridges 10, 11, 12, Delta and Marysville.....	10 MPH
Everett, over Bond, Hewitt, California and 24th streets....	6 MPH

From May 15th to Sept. 15th, enginemen will sound their whistles at frequent intervals and ring the bell continuously from Ocean Park to two miles south of White Rock.

MAXIMUM SPEED.

Between	Passenger	Freight
Delta Junction and Samish	55 MPH	45 MPH
Samish and Bellingham.....	40 MPH	30 MPH
Bellingham and Vancouver.....	55 MPH	45 MPH

Fourth Subdivision.

Trains will not pass the International Boundary without permission of Customs officials.

Normal position of switch at K. V. Jct. is for K. V. Ry. main track.

No trains will be operated west of west switch at Hedley without special permission from superintendent.

FLAG STOPS.

Nos. 396 and 397 at Ruby Mine Spur.

SPEED RESTRICTIONS.

Over Bridges between Hedley and Oroville, E-15.....	10 MPH
Over Bridge 38.1, Chelan	8 MPH

MAXIMUM SPEED.

Between	Passenger	Freight
Hedley and Oroville	15 MPH	15 MPH
Oroville and Wenatchee	35 MPH	30 MPH

Fifth Subdivision.

Northward trains will stop and make service test of air brakes at Meyers Falls before descending Marcus Hill, and at Apex before descending Nelson Hill.

Trains must come to a stop before reaching Troup Jct. switch and must know track is clear before using Canadian Pacific main track.

Trains will not pass International Boundary without permission of Customs officials.

Water 4 miles south of Marble, 3 miles south of Fruitvale, and 1.7 miles south of Valley.

Yard limit boards one-half mile south of Powells and one-half mile north of Evans.

H-4 engines will not go north of Main St., Marcus.

FLAG STOPS.

Nos. 255 and 256 at Porto Rico, Baskins and Gevurtz Spur, Benton, Stroh Spur, Kane, Evans, Mission, Buckeye, Blue Creek, and Darts.

SPEED RESTRICTIONS.

Over Pend Oreille River Bridge, Waneta	8 MPH
Over Main St. Crossing, Marcus	6 MPH
Thru Chewelah Town Limits	8 MPH
Thru Deer Park Town Limits	10 MPH

MAXIMUM SPEED.

Between	Passenger	Freight
Troup Jct. and Marcus	30 MPH	20 MPH
Marcus and Meyers Falls	25 MPH	20 MPH
Meyers Falls and Valley	40 MPH	30 MPH
Valley and Dean	35 MPH	30 MPH
Troup Jct. and Marcus, F-1	20 MPH	20 MPH

SPECIAL RULES, ALL SUBDIVISIONS

Engines	Maximum Speed
N-2, R-1, R-2	35 MPH
F-8, G-3, Z-1	40 MPH
Q-1	45 MPH
O-1, O-3, O-4, O-5, O-6, O-7, O-8, Q-2, Y-1	50 MPH
Engines backing up	20 MPH
Trains with steam derricks, pile drivers, or ditchers (boom on derrick must be trailing)	25 MPH

All trains must run at restricted speed where slides or falling rocks likely to be encountered.

AUTOMATIC BLOCK SIGNALS

Supplement to Rule 509 (B). When a train is proceeding through a block on a STOP AND PROCEED indication, all facing point switches shall be examined before passing over them. When stopped by a STOP AND PROCEED indication at the leaving end of a siding, enginemen and trainmen should understand that such signal indication may be due to an opposing train proceeding into the same block at the opposite end under an Approach signal indication, Rule 501 (B), and before proceeding into the block, every precaution, consistent with running orders, and the nature of the track ahead, should be taken to insure safe movement thru the block.

INSTRUCTIONS RELATIVE HANDLING LOGS.

Flat or skeleton cars loaded with logs must not pass thru tunnels without permission of Superintendent.

Must be inspected before passing over drawbridges and Howe truss spans.

Must not exceed 20 miles per hour.

Trainman must be on rear platform while train is in motion.

In double track territory, conductor must notify dispatcher when logs are to be handled and trains must be at stop when meeting or being passed by other trains, except when two trains handling logs are meeting or passing.

OPERATION OF SPRING SWITCHES.

TRAIN MOVEMENTS MAY BE MADE "THROUGH" THE SWITCH IN A TRAILING POINT DIRECTION WITHOUT OPERATING THE SWITCH STAND.

Train movements over the switch in both directions will be governed by color light type signals, located at the switch, displaying a "LUNAR WHITE" light to designate a "SPRING SWITCH IN NORMAL OPERATING CONDITION", and "RED" for "STOP AND PROCEED".

The speed of a train "RUNNING THROUGH" the Spring Switch shall not exceed 15 M.P.H. until the leading truck has passed through the switch, when normal speed may be resumed.

When part of a train has "RUN THROUGH" the Spring Switch, no movement shall be made in the opposite direction until the Switch has been thrown to the reversed position by means of the switch stand, TO BACK UP THE TRAIN BEFORE SWITCH HAS BEEN THROWN WILL CAUSE A DERAILMENT.

When a train moving in either direction, not "through" the switch, is stopped by a "STOP AND PROCEED" signal at the Spring Switch, it may proceed after making certain that the switch is properly set for such movement.

When a train moving in the direction to run "THROUGH" the switch is stopped by a "STOP AND PROCEED" signal at the Spring Switch, it may proceed after throwing the switch by hand and making certain that it is properly set for such movement. Switch shall be returned to its NORMAL POSITION after train movement through it has been completed.

In electrified zone and double track territory, logs must be secured to cars by chains or cables, except between Hillyard and Fort Wright.

On single track, trains must be at stop when meeting or being passed by passenger trains, except when there are more cars than siding will hold, when it will be permissible to pull by passenger trains slowly.

No trains may pass under overhead railroad bridge at Snohomish or Skykomish when cars loaded with logs are passing over the bridges.

GREAT NORTHERN BULLETINS LOCATED AT FOLLOWING STATIONS ON TENANT LINES.

N. P. Ry—Everett, Auburn, Arlington.

C.M.St.P.&P. RR—Everett, Tacoma.

Canadian Nat'l—Port Mann.

AUTOMATIC INTERLOCKING PLANTS.

Interbay—0.98 miles West, with Nor. Pac. Ry.
B. C. E. Railway crossing—1.84 miles south of Still Creek.

SEMI-AUTOMATIC INTERLOCKING.

New Westminster—0.80 miles north of New Westminster.

RAILROAD CROSSINGS PROTECTED BY CROSSING GATES.

Burlington, Seventh Subdivision.
One and one-fourth miles north of So. Bellingham, N. P. Ry.
Bellingham, C. M. St. P. & P. Ry.

STANDARD INTERLOCKING RULE 672, SUPPLEMENTED BY THE FOLLOWING SHALL GOVERN IN THE USE OF AUTOMATIC INTERLOCKING PLANTS. ADDITIONAL INSTRUCTIONS AS REQUIRED WILL BE POSTED IN RELEASE BOXES.

If smash boards or semaphore type signals are not in use trainmen, before giving hand signal in accordance with rule 672, shall place a burning red fusee at each home signal on conflicting routes. If smash boards or semaphore type signals are in use, and may be plainly seen to be in their "normal" position (set against train movements on conflicting routes), the placing of fusees will not be required.

When necessary to operate smash board mechanism by hand, crank for this purpose is located in RELEASE box. Crank must be inserted in shaft on back of smash board mechanism after opening small cover locked with standard switch lock. Crank should be turned slowly and uniformly until movement has completed its entire stroke and smash board has been moved to its "reverse" position. When operation is complete small cover must be locked and crank returned to the RELEASE box.

NEW WESTMINSTER SEMI-AUTOMATIC. FRASER MILL SPUR CROSSING AND CROSS OVER TO WATERFRONT TRACK.

Great Northern train movements over Fraser Mill spur crossing will be governed by manually operated gates. G. N. route over Fraser Mill spur crossing will be set manually after obtaining release of electric lock holding gates in STOP position.

Great Northern train movements from Main Track to Waterfront Track over C.P.R. crossing will be governed by indicator and electrically operated lock on main track switch stand. Great Northern route from main track to Waterfront Track over the C.P.R. crossing will be set manually after obtaining release of electric lock holding main track switch in normal position. Both ends of this long crossover are handled by the main track switch stand.

To unlock gates or switch, train man shall open lock box locked with standard switch lock and if light indicator is burning, push operating button. If the semaphore indicator in the lock box indicates CLEAR at close of this operation, gates or switch may be unlocked by raising the handle under the indicator to the vertical position. Handle must be left in this position until gates or switch are closed after train movement is completed, when it must again be placed in the NORMAL position before door of the box can be locked.

If pushing the operating button does not bring about the above operation and no conflicting train movement on the C.P.R. is evident, trainman shall operate time release provided in box marked "RELEASE" and locked with a standard switch lock.

Turn knob to the right until stopped, hold a few seconds and let go. Clockwork movement will return pointer to zero or NORMAL position after a period of from one to two minutes. Under ordinary conditions the completion of the return movement should release the electric lock as indicated by the Semaphore indicator.

BUSINESS TRACKS NOT SHOWN AS STATIONS ON TIME TABLE.

NAME	LOCATION	Capacity Cars	NAME	LOCATION	Capacity Cars
FIRST SUBDIVISION:			FOURTH SUBDIVISION—Concl.		
Adrian Pit	0.8 mile East of Adrian	75	Ruby Mine Spur	4.9 miles South of Chopaka	4
Stratford Spur	1.3 miles West of Stratford	23	Dwinnell Siding	1.0 mile South of Cordell	20
Sand Spur	1.6 miles West of Trinidad	16	Peterson Spur	2.0 miles North of Ellisford	1
Gravel Spur	2.9 miles West of Trinidad	63	Thornton Spur	3.41 miles North of Tonasket	2
Ohio Colony	1.5 miles West of Rock Island	8	Ribbon Cliff Fruit Co.	5.1 miles North of Entiat	6
Landreth Spur	4.4 miles East of Wenatchee	10	Olds Washing Plant	2.02 miles North of Olds	60
SECOND SUBDIVISION:			FIFTH SUBDIVISION:		
Old Leavenworth	0.53 mile East of Leavenworth	67	Porto Rico Spur	3.6 miles North of Ymir	2
Great Republic Mining Co., Miller River	2.2 miles West of Skykomish	11	Swansons Spur	1.3 miles South of Ymir	4
Index, Galena Mill Spur	0.3 mile East of Index	42	Durango Spur	1.8 miles South of Ymir	13
Western Granite Works Spur	1.0 mile West of Index	8	Baskins & Gevurtz Spur	1.9 miles South of Ymir	11
Wallace Falls Timber Co.	1.8 miles East of Gold Bar	76	Rotter's Spur	3.6 miles North of Salmo	2
Startup	1.9 miles West of Gold Bar	22	Archibald	1.0 mile South of Erie	11
Fryeland	1.9 miles West of Monroe	20	Benton Pole & Lbr. Co. Spur	2.0 miles South of Meadows	6
Robinson Lettuce Spur	2.0 miles West of Monroe	56	Nelson's Spur	2.4 miles North of Fruit- vale	2
Frye Spur	3.1 miles West of Monroe	13	Stroh Spur	5.33 miles North of North- port	3
G. N. Oil Tank Spur	1.0 mile West of Everett Jct.	45	Industrial Spur #134	4.06 miles North of North- port	20
Standard Oil and Shell Co.'s Spur	0.9 mile East of Richmond Beach	90	Hudson's Spur	3.3 miles South of North- port	12
THIRD SUBDIVISION:			Cameron	4.5 miles South of North- port	12
Clark and Buzza	0.1 mile South of Still Creek	2	Kanes	4.1 miles South of North- port	5
Dominion Bridge Co.	1.4 miles South of Still Creek	58	Hendrix Cut	3.8 miles North of Bossberg	3
Sapperton Pit	0.9 mile North of Sapperton	77	Evans Spur	5.4 miles North of Marcus	24
Work Train Spur	5.35 miles North of Colebrook	5	Powells Siding	4.8 miles North of Marcus	29
Dakota Creek Spur	2.1 miles South of Blaine	21	Kulzer's Spur	1.7 miles South of Valley	8
Olympic Portland Cement Co. Spur	2.0 miles South of Ferndale	27	Gess Spur	2.8 miles North of Valley	3
Chuckanut Cannery Spur	0.6 mile North of Sockeye	6	Blue Creek Spur	3.1 miles South of Addy	12
Hazel Mill Spur	0.8 mile South of Samish	7	SIXTH SUBDIVISION:		
Blanchard	1.4 miles South of Samish	8	Hedlund Spur & Lbr. Co.	2.1 miles West of Marcus	Private
Belleville Pit	4.3 miles North of Burlington	102	Helphrey's Spur #1	1.9 miles West of Curlew	3
Belleville	2.7 miles North of Burlington	9	SEVENTH SUBDIVISION:		
English Lbr. Co.—Inter- change	1.3 miles South of Fir	2	Mountview	3.7 miles West of Rockport	16
Norman Spur	1.0 mile North of Silvana	9	Sauk Spur	1.6 miles West of Rockport	11
FOURTH SUBDIVISION:			Van Horne's Spur	1.0 mile West of Nestos	5
Allison	21.46 miles North of Hedley	10	Puget Sound Saw Mill Co.	0.8 mile West of Nestos	80
Norman	16.72 miles North of Hedley	14	Hawkins Spur	0.8 mile West of Fredonia	5
Bromley	11.96 miles North of Hedley	20			
Benders Spur	0.5 miles North of Night- hawk	6			