COMPANY SURGEONS

*Dr. Abbott Skinner, Chief Medical Officer .	St. Paul, Minn.
*Dr. Charles T. Eginton, Asst. to Chief Med	ical Officer St. Paul. Minn.
*Dr. Hugo F. Schroeckenstein	
Dr. James N. Berbos	
*Dr. Carson B. Murdy	
Dr. William C. Kaufman	
*Dr. R. P. Griffin	
Dr. Donald F. Holm	
*Dr. Clarence V. Bateman	
*Dr. Louis T. O'Brien	
Dr. C. W. Jacobson	
Dr. Theodore Greenfield	
Dr. Joseph C. Houts	
Dr. L L Oliver	
Dr. Carl L. Lundell	
*Dr. W. H. Saxton	
Dr. Kenneth H. Peterson	
Dr. V. S. Irvine	
Dr. Karl A. Danielson *Dr. B. C. Ford	
Dr. F. D. Gray	
Dr. W. W. Yearer	
Dr. J. E. Eckdale	
*Dr. Ernest R. Anderson	
Dr. William E. Hart	
*Dr. Fred W. Behmler	
Dr. Jack Guy	
Dr. T. J. Bloedel	
Dr. C. R. Myre	
*Dr. H. W. Goehrs	
Dr. G. H. Goehrs	
Dr. Vernon E. Neils	
*Dr. John F. Alden	
*Dr. Darrel E. Westover	
*Dr. A. L. McGilvra	
*Dr. H. E. Rudersdorf	
*Dr. S. A. Donahoe	
*Dr. G. Robert Bartron	
*Dr. Lloyd C. Gilman	
*Dr. Walter E. Hins	
*Dr. A. M. McCarthy	Willmar, Minn.
*Dr. R. P. Michels	
Dr. Chester B. McVay	
*Designates also Examining Surgeon.	- -
. 144-18-1412 and manmoons not \$44#1	

OPHTHALMIC SURGEONS

(Eye Destors)

Dr. Malcolm A. McCannel	
Dr. Richard C. Horns	
Dr. Edward P. Burch	St. Paul, Minn.
Dr. Donald C. Sterner	St. Paul, Minn.
Dr. W. T. Wenner	
Dr. James E. Reeder	
Dr. Sidney F. Becker	
Dr. Stanley S. Chunn	

ROENTGENOLOGIST

(X-Ray only)

- D. W. HARTUNG, Chief Dispatcher.
- F. L. HENRY, Trainmaster.
- A. D. POWERS, Trainmaster.
- J. H. BOYD, Trainmaster.
- A. C. OOTHOUDT, Trainmaster.
- A. R. McKEEN, Trainmaster.
- P. B. RASMUSSEN, Asst. Superintendent.
- J. G. TOOMEY, Asst. Superintendent.
- E. S. PINKERTON, Genl. Supervisor of Terminals.

Scanned from the Dean Ogle Collection.

GREAT NORTHERN RAILWAY COMPANY

WILLMAR DIVISION

TIME TABLE 98

EFFECTIVE 12:01 A. M.

CENTRAL TIME

Sunday, June 19, 1960

H. J. SURLES, Superintendent.

R. N. WHITMAN, General Manager.

A. W. CAMPBELL,

General Superintendent Transportation.

Printed in U.S.A.

2	7	VES	TWAR	D				FI	RST	SU	BDIVISION						EA	STWA	RD
2		or pocity	SECOND CLASS		FII	RST CL	ASS				Time Table		9			FIRST	CLASS		SECON CLASS
M Numbe		Ī	⁽³²⁶⁾ 329			31	9	27	tance from Paul		No. 98 Effective June 19, 1960	·	Telegraph Cails	SIQNS	32	28	14		(325) 330
Staffon	Stelling	Track	Dally Ex. Sun.			Daily	Dally Ex. Sat.	Dally	St. P.		STATIONS		Telson		Dally	Dally	Dally Ex. Sun.		Daily Ex. Sun.
0						L 9.10Pm	11			1	ST. PAUL	•••	U	K	A 7.00Am		A 9.45Pm		
11			AINE D	ETWEE	M ST I	9.40pm					MINNEÄPOLIS GOVERNED BY	····	WIN	CITY	6.30Am	3.25 _{Pm}	9.18Pm	ARI F	
	Yard	1	1	1		L 9.43pm					LYNDALE JCT	1		DNJPX			A 9.05pm	ADES!	Ī
	W 80	1				9.43ma 9.56	9.09/10	10.22	23.90	1	11.73 WAYZATA		UD WA	DNP	A 6.18Am 6.00	2.54	8.44	•••••	•••••
						7.50	,		24.23	TRA	0.33 HUTCHINSON JCT	S	WA	PJ	0.00	2.24	0.74		
						 	000	10.06		별1-	2.77	¥				0.50			
	E 79	1				9.59	9.26 9.31	10.26 10.30	27.00	ΙōΙ	LONG LAKE		ON	DP DP	5.56 5.51	2.50 2.46	8.40 8.35	•••••	•••••
32	W103 80	19 54				10.03	9.31 1 9.40	10.30	31.37 38.36	 	.MAPLE PLAIN 6.99 DELANO★		MA	DNP	5.43	2.40	8.27	*********	
45		23				10.10	1 7.40	10.51	45.06		6.70 MONTROSE	ĺ	DA	P	رب.ر	2.59	0.27		
48		26							47.83		2.77 WAVERLY		WY	DP					l
										-	5.01								
	307	59					410.01	10.54	52.84		HOWARD LAKE 6.31COKATO		RD	DP DP		2.22	8.05	•••••	•••••
	148	155					10.01	10.54	59.15		5.79 DASSEL		СТ	DP		2.22	8.05	•••••	•••••
70	168	165							64.94 70 .04		5.10 DARWIN		DS DN	DP			••••		l · · · · · ·
76		262				10.47	s10.24	s . 0	76.18		6.14 LITCHFIELD		PD.	DNP	5.07	s 2.07	s 7.47		
		102					10124				7.68					3 2.07			<u> </u>
84	144	53							83,86	1	QROVE CITY		G	DP				•••••	
	307	70	ļ			.	10.37	11.25	88.99		5.13 ATWATER 7.36 KANDIYOHI		MS	DP		1.53	7. 33	•••••	•••••
97	 	. 33	ļ						96.35	1			KD	DP	- 4 40		- 715		•••••
102	Yard	1661	ļ			All.15		A11.40 L11.45	102.19	·	₩ILLMAR★		w	ORDNK BXWZ	L 4.40 A 4.37	L 1.40 A 1.35	L 7.15 A 7.08		
	ļ								102.66	SIO	UX CITY LINE JCT.			J₽X					
			1								6.13								
	·····	1			1				108.79 116.23	i	PENNOCK 7.44 KERKHOVEN		K	DP DP	•••••	*********		••••	
	173	47 32							120.71	1	4.48 MURDOCK	اعرا	KH	D₽		•••••			
	138	39							125.27		4.56 DE GRAFF		DG	DP					
133	1	412				11.47	sl 1.50	s12.15Pm			7,51 BENSON★		BN	DNPK	4.05	sl 2.57	s 6.34		
		1	-							-	5.67								
	139	1	ļ			· ·····			138,45	1	CLONTARF			P		•••••			
		1	ļ			12 12	-12 204	-12 41	148.67		HANCOCK		NC	DP	3.40	al 2 25p	- 605		l
	400	300	 	I		. 12.12Am	s 2.20 _{Am}	5141	157.52	i	MORRIS★		MR	DNYTP	0.40	sl2.25Pm	s ∪.∪⊃		
	145	41		l					165.74 176.20	1	DONNELLY 10.46 HERMAN		DY	DP DP					
11/0	135	- 51							17020		4.89								-
181	143	30			.	. 12.35	12.44	1.05	181.09	· · · · ·	NORCROSS	П	RC	DP	3. 16	11.59	5.35		
	 -	. 24	ļ		·	· ·····		······	187.56	1	. CHARLESVILLE 5.03			P					
193	150	64			· ·····	· ·····			192,59	1	2.80		ØИ	DP	•••••				4.0.2
• • • •		•	L 8.45Pm	1	· ·····	1		·····	195.39	1	ERDEEN LINE JCT.,			PJ					A 8.35
200	264	108		l	<u> </u>				199.81		CAMPBELL★		СВ	DP					5 8.2
\207	,	. 21	s 9.05		.	. 12.59	1.15	1.32	206.97	,	7.16 DORAN		OD	DP	2.51	11.38	5.14		s 8.1
4214	Yord	1143	A 9.20pm		· ······	. A I.ICAm	A 1.30Az	A 1.45Pm	214.85	ة 	.BRECKENRIDGE.★.]	BR	RDNWB YOKXZ	L 2.42Am	L11.30Am	L 5.05Pm		L 8.0
	-	==	.35			3.27	4.21	3.36		-	Time Over Subdivision				3.40	3.40	4.00		33.3
	1	l	.35 33.36	<u> </u>	i	3.27 58.74	4.21 46.59	3,36 56,30	•		Average Speed Per Hour		i	1	3.40 55.27	3.40 55.27	4.00 50.67	I	1 33.3

Westward trains are superior to eastward trains of the same class. SEE ADDITIONAL SPECIAL INSTRUCTIONS PAGES 8 THROUGH 14.

7	WES	TW	ARD					SE	CON	D SUBDIVISION					EAST	WARI) 3
g		Car pocity	SECON	D CLASS		FIRST	CLASS	i		Time Table No. 98	Colle			FIRST CLASS		SECOND	
Station Numbers		Ι	437	405		7	11	3	ice from	Effective June 19, 1960		SIGNS	8	12	4		406
Statio	Sidings	Other	Daily	Dally		Daily	Daily	Daily	Distance Eyndale	STATIONS	Telegraph		Daily	Daily	Daily		Daily
0		ļ				L 8.55Pm	L 4.30Pm	I		ST. PAUL	A	K	A 7.30Am	A 1.00pm	1		
		TRA	INS BE	TWEE	N ST. P		ND LY				WIN		ERMINA			ILE.	
	Yard		ւ 8.30թո	ь 1.10 _{Рт}		ь 9.33 Р т			1,59	1.60 1.59 1.59 M. W. JCT★.}	UD	DIJNPRX	A 6.55Am				A 3.00Am
17	87	44	8.40	1.20		f 9.40			5.00	ROBBINSDALE 6.48 OSSEO	RB	DPX	f 6.45				2.47
24	92	72	8.50	1.30		f 9.48			11.48	9.01	SI	DP	<u>f</u> 6.37				2.35
33	99	19 29	9.03 9.15	1.43 1.55		f 9.57			20.49 26.75	ALBERTVILLE	RO SA	DP DP	f 6.27 f 6.20				2.20 2.07
48 55	79 29	43	9.28 9.40	2.08 2.20		f10.14 10.21			35.18 42.75	MONTICELLO 7.57 ENFIELD	WC	DP P	f 6.11 6.03				1.52 1.37
57		34	9.43	2.23		10.23			44,95	2.20 HASTY		P	6.00				1.32
62	80	13	9.50 A 10.20pm	2.30 A 3.00pm		fl 0.28			49.98	5.03 CLEARWATER	cw	DP BDNKOR	f 5.55 L 5.40				1.20 L12.45 _{Am}
75	Yard	1501				Τ.	ь 6.10 _{Рт}	L 9.53Am	62.65		DX	TWXYZ	A 5.35	^A I 1.22 _{Am}	A 3.57Pm		
 1-10		39				A 10.57Pm	A 6.12Pm	A 9.55Am	63.38 72.98	RICE JCT	••••	UPX P	L 5.32Am	LII.20Am	L 3.54Pm		
1-15	110	73							77.79	COLD SPRING	cG	DP					
1-20	54	35							82.28	RICHMOND	RJ_	DP	i				
I-26 I-31	51	35 36		· · · · · · · · · · · · · · · · · · ·					88.49 93.92	5,43 PAYNESVILLE	XN SY	DP DIPX		•••••			
1-37 1-43	 50	40 38							99.37 105.98	5.45 HAWICK. 6.61 NEW LONDON		P DPX					
1-48	100	29							110.29	4.31 SPICER	CR	DP BDNOK	1				
A102	Yard	1661	1,50	1.50		1.24	0.02	0.02	119.06	8.77 ₩ILLMAR★	<u> </u>	RWXZ	1.23	0.02	0.03		215
			34.17	34.17		1.24 45.27	0.02 21.9	21.9		Average Speed Per Hour			1.23 45.82	21.9	14.6		2.15 27.84

Westward trains are superior to eastward trains of the same class except as follows:
Nos. 4, 8 and 12 are superior to Nos. 3, 7 and 11 between Rice Junction and St.
Cloud Passenger Station.

CONDITIONAL STOPS

Nos. 7 and 8 will stop at Robbinsdale, Osseo, Rogers, Albertville, Monticelle and Clearwater for revenue passengers only.

SEE ADDITIONAL SPECIAL INSTRUCTIONS PAGES 8 THROUGH 14.

4 WESTWARD THIRD SUBDIVISION EASTWARD														
g	Cap	ar actry			SECON	CLASS		Time Table No. 98	<u></u>		SECON	D CLASS		
Numb		<u> </u>				419	from	Effective June 19, 1960	ph Calls	SIGNS	420			
Station Numbers	Sidings	Other Tracks				Dolly	Distance	STATIONS	Tolegraph		Dally			
A-102						L 9.30Am				BDNKOR WXZ	A 9.35Pm			
T	RAI	NS E	ETWEEN	SIOUX	CITY LI		TION	AND WILLMAR ARE GOVER	NED	BY FIRS			SCHEDU	LES
		Π	l		[SIOUX CITY LINE JCT						
•••••	· · · · · ·					L 9.35Am	0.47	5.50	·····	JPX	▲ 9.25Pm		• • • • • • • • • • • • • • • • • • • •	
⊩ 64 ⊩ 70	55 50	12				9.50	5.97	PRIAM6.02		P	9.16			
1- 70 1- 77	116	52				00.01	11.99	7.56 CLARA CITY	RA	DP	9.07	•••••		•••••
	110	32				10.10	19.55		CA	IDP	8.55			
F 83	61	38				10.20	25,48	5.93 MAYNARD	MY	DP	8.45			
i- 87		35				10.26	29.21	3.73 ASBURY		P	8.35			
I- 92	97	130				10.36	34.59	GRANITE FALLS	GX	DPI	8.23			
1-102	58	35				10.56	44,22	9,63 HANLEY FALLS	нү	DPI	8.06			
1-109	50	37				11.05	50.39	COTTONWOOD	С	DP	7.57			
1-116		35				11.17	57.70	7.31 GREEN VALLEY	GV	DP	7.45			
L121	148	144				11.25	63.07	5.37 MARSHALL	MD	DNXP	7.35			
								0.14 C. & N. W. RY. CROSSING						
•••••				·			63.21	6.55 LYND	••••	U				
-128	51	32		· ·····	l · · · · · · · · · · ·	11.40	69.76	6.25	YD	DP	7.18			
L134	50	38	•••••	· ·····		11.54	76.01	RU\$\$ELL	RS	DP	7.09	•••••		• • • • • • • • • • • • • • • • • • • •
I-142		38		· ·····		12.07Pm	83.88	5.01 RUTHTON	F	DP	6.58			
F147	100	56		<u> </u>		12.15	88.89		RV	DP	6.50			
i-155		. 37		.		12.27	96.73	7.84 HOLLAND	HD	DP	6.35			
	ļ	.		.			105,22	RAILROAD CROSSINGS		U	 			
I-164	30	69				12.42	105.53	0.31 PIPESTONE	NE	DNP	6.20			
I-170	120	35		1		10.53		6.74 IHLEN			4.05			
I-175	53	108		1		12.53	112.27	4.61 JASPER		P	6.05 5.55			
F183	50	35		· ····			116.88	7.70 SHERMAN	JA FS	DP	5.33 5.42		·····	
i-186	145		*******		l	1.11 1.35	124.58	3.32 GARRETSON	1C	DP BDNK	5.42			
1-100	143	- 220		-		1.35	127.90		10	PRXY	2.35			
IA-17	100	37				2.07	145,23	17.33 HILLS 6.42	HS	DPI	4. 42			
IA-23	100	43				2.17	151.65	LESTER	••••	1P	4.32			
IA-30	101	34				2.27	158.55	6.90 ALVORD	AD	DP	4.23			
IA-36	50	1				2.36	164.24	5.69 DOON	DO	DP	4.10			
IA-45	ļ	19				2.49	173.20	8,96 PERKINS		P	3.58			
IA-52	100	72				3.00	180.78	7.58 SIOUX CENTER	UX	DNP	3.45			
								8.04 MAURICE						
IA-61	• • • • • • • • • • • • • • • • • • • •	2				3.13 420 3.22	188.82	MAURICE	·····	P	3.33 419			
IA-66	41	29				1	193.96	STRUBLE		•	3.22			
1A-78	43	51		······		3.40	206.50	MERRILL	••••	Р	3. 00			
		<u> </u>					211.96		GS	DNIP				
IA-85	51	30				3.50	213.32	1.36 HINTON	н	DP BDNKOW	2. 50			
1A-97	Yard					A 4.15Pm	222.77	sioux city	sx	BDNKOW	L 2.30Pm			
		=				6.40		Time Over Subdivision	==		A 55			
						6.40 33.34		Average Speed Per Hour			6.55 32.14		<u> </u>	
	<u> </u>			1	West		ns are	superior to eastward trains of th	e sam	e class.	!	<u> </u>	l	<u> </u>

Westward trains are superior to eastward trains of the same class. SEE ADDITIONAL SPECIAL INSTRUCTIONS PAGES 8 THROUGH 14.

W.	EST	'WAI	RD				FOURTH SUBDIVISION							EASTWARD 5				
r e		Car pacity		SEC	OND CL	ASS	_	Tim	e Table	No. 98	;	4		SEC	OND CL	ASS	_[_	
Station Numbers					317	579	Distance from Garretson	Effe	ective June	19, 1960		Telegraph Calls	SIGNS	318	580			
Staffe	Sidings	Other Tracks			Tue. Frl. Sat.	Dally Ex. Sunday	Gar		STATION SD	NS		Toleg		Tue. Fri Sat.	Daily Ex. Sunday		- -	
1-186	Yard	256		Ī		L 12.01Am			.GARRETS	ON		JC	BDNKPRXY	1	A 4.40Pm		<u>. T.</u>	
1-194		. 37				s12.20	8.26		corso n 9.71				P		s 4.20			
	•••••						17.97		9.71 C. RY. CRO: 0.17			••••	X				. .	• • • • • • • •
<u> </u>						12.45	18.14	51	0.26	JCT	- -	-	JPX		4.02		- -	
1-205	39	488			L 7.30 A	A 12.50Am	18.40		.SIOUX FAI			SU I	BDNKPRXY	A 3.45 PM	L 4.00Pm		. .	••••••
							18.59		0.21				U					••••••
							18.80		0.33		a.	••••	U				. .	•••••
							19.13	141	th STREET 10.19 TEA	YARD			x				.	•••••
1-215		. 23			s 8.00		29.32		6.69		<u> </u>	-	•••••	s 3.15		•••••	- -	
1-222		. 50			s 8.20		36.01		LENNOX	٤	6	ох	D	s 2.50			. .	• • • • • • •
I-231		. 36			s 8.45		44.62		DAVIS . 7.40		ł		•••••	s 2.20				• • • • • • • • • • • • • • • • • • • •
1-238	<u></u>	35			s 9.10		52.02			1	- <u>`</u>	VB	D	s 1.55			<u>- -</u>	
1-245		. 34			s 9.35		59.40		7.38 IRENE.		6	RN	D	s 1.30			. .	
-255		. 22			s10.05	I	68,58		VÖLIN . 0.50			.	•••••	s 1.00			. .	
					10.07		69. 08		G. N. JCT 5,34				RJ	12.50			. .	
I-260		18			s10.25		74.42	.	MISSION H	ILL	<u> </u>	<u> :</u>	•••••	s12.35			<u>: :</u>	
		.			10.40		79.77			ст			R.J	12.20			. .	
							79.86	.c. M. s	0.09 5 T. P. & P. R 0.52	Y. CROS'	g.		w				. .	••••••
							80.38	.C. M. S	6T. P. & P. R 0.30	Y. CROS'		••••	M				. .	
	•••••					I	80.68	C. & I	N. W. RY. C 0.58	ROSSING			M				. .	•••••
1-267	Yard	172			A 10.50 AM		81.26		YANKTO	N		YK _	BDKR	L 12.10 PM			· ·	
					3.20 18.86	.49 22.53			Time Over Subdi verage Speed Po					3.35 17.54	.40 27.60		-	
w	EST.	WAI	ן מפ	FIFTH S	SUBDL	VISION	F	 EASTW	ARD	WEST	TWAR	<u>'</u> -	SIXT	H SUBI	DIVISIO	ר אר	FAST	WARD
 ''	- F	SECO	ND		,		1	77752 1.	SECOND				1	·····			7/10-1	MAKE
s eq	track	CLAS	<u>ss</u>	Time	Table	No. 98	Sels		CLASS	r e e		a	T	ime Tab	le No. 9	98	3 <u>18</u>	
	ity of	33	5 🖡	Effecti	ive June 1	9, 1960		SIGNS	336	E 2	و خ	e from	E	ffective Ju	ne 19, 196	0		SIGNS
Station Nun	Capacity	Mon., W	Aorris Morris		STATIO	NS	Telegraph		Mon., Wed., Thur., FrL	Station Numbers	Capactty Tracks	Distance fro Wayzata		STAT	IONS		Telegraph	
A1 57		L 7.3			MORRIS	*	MR	RDBNK	A 4.00Pm	A24				WAY	7ATA	<u></u>	WA	DNPR
^''		7.3		BROWNS	1.01	LINE JCT		PYJ	3.50			0.33	1	0.:	SON JCT.		***	PJ
D 6	31	s 8.0			7.21 .ALBERTA		. АВ	D	s 3.30	В 3	12	3.44		CRYST	L BAY			
D12	57	s 8.3			снокіо		k o	D	s 3.05	Вб	97	6.60		SPRING	16		PK	D
D18	21	s 8.5	5 20.17		.JOHNSON	·	ر	D	s 2.30	8 8	31	8.50		1.5 MO U	70 1ND		MU	D
			26.76	C. M. ST. I	6.59 P. & P. RY.	CROSSING		U		B13	35	13.07		ST. BON	57		MU Ni	D
D25	50	s 9.2			0.45 GRACEVILI		GB	D	s 2.00	B17	13	17.25		4.1 MAi	18 PLE			
D31	56	s 9.4			BARRY.		вх	D	• i.30	B21	17	20.88		3.6 MA	33		KY	D
D39	39	s10.2	5 40.44		7.35 BEARDSLE	έ Υ	. BY	D	s 1.00	B24	26	24.68		NEW GE	BO BOANY		NG	D
D45	57	A 11.0	OAm 47.37	BR	OWNS VAL	LEY	. BV	RDY	L 12.30Pm	B28	49	28.36		LESTER	58		PR	D
		3.30		Tim	e Over Subdh	vision			3.30	B36	23	36.19		7.6 SILVER	BAKE			-
		13.53	3	Ayer	age Speed Pe	ir Hour			13.53	B44	88	44.42		HUTCH	23 I INSON		но	RDY
W						C al	1	+b.	e Fourth. F	ifal J	G:1	L CL	1::	N	- FOO :-		- NT	- F70

Westward trains are superior to eastward trains of the same class on the Fourth, Fifth, and Sixth Subdivisions, except No. 580 is superior to No. 579.

SEE ADDITIONAL SPECIAL INSTRUCTIONS PAGES 8 THROUGH 14.

6	W	ES.	TWARD SEVENTH SUBDIVISION I									EASTW	ARD		
g	Cap	ar acity			SECONE	CLASS		Time Table No. 98	ls		SEC	OND CL	ASS		
Station Numbers					529	531	te from	Effective June 19, 1960	aph Calls	SIGNS	530	532			
Station	Siding	Other Tracks			Daily Ex. Sunday	Daliy Ex. Sunday	Distance Benson	STATIONS	Telegraph		Daily Ex. Sunday	Daily Ex. Sunday			
A133					L 7.40Am				BN	DNPKR	A 7.20Pm				
					7.45		0.78	0.78WATERTOWN LINE JCT 7.10		JPY	7.17				
C 9	 	34			s 8.05		7. 88	DANVERS	DR	D	f 7.02				
C 16		33			s 8.25		1 <i>5</i> .83	HOLLOWAY 6.13	ow	D	f 6.47				
C 22	45	167			в10.30		21.96	APPLETON	AU	DNXI	s 6.35	<u> </u>			
C 30	 	34			s10.59		30.65	LOUISBURG	BG	D	f 6.08				,
C 37	44	26			s11.20		37.14	6.49 BELLINGHAM	ВА	D	f 5.55				
C 46	· · · · ·	35			s11.45		46.34	9.20 NASSAU	NA	D	f 5.35	.		•••••	
C 52	45	26			s11.59		51.82	ALBEE	••••		f 5.23				
C 58		36			s12.15Pm		57.98	LA BOLT	BO		f 5.10				
C 66	 	15			s12.35		65.57	7.59 STOCKHOLM	SK	0	f 4.55	 			
C 73	43	31			s12.55		72.82	7.25 SOUTH SHORE	VR	D	f 4.40	 			
C 86	 	35	. 		f 1.20		86.08	13,26 RAUVILLE		••••••	f 4.15				
<u> </u>		<u> </u>					91.49	.M. & ST. L. RY. CROSSING.		U					
		 					91.80	0.31 .C. & N. W. RY. CROSSING. 0.19		U 8DNK		• • • • • • • • • • • • • • • • • • • •			
C 92	Yard	324			A 1.40Pm	ь 4.30 _{Ат}	91.99	WATERTOWN	WИ	ORX	ь 4.00 _{Рт}	A 10.50Am			
	· ·····	ļ				• • • • • • • •	93,26	W. & S. F. JCT 8.63	••••	λχ				•••••	
C102	 	34				s 4.50	101.89					s10.20	• • • • • • • • • • • • • • • • • • • •	•••••	• • • • • • • • •
C109		37	<u></u>			s 5.04	108,24	HAZEL				s10.05			
							115,16	.C. M. ST. P. & P. RY. CROS		U					
C116		41				s 5.20	115.17	0.01 VIENNA 8.88	VA	D		s 9.50			
C124	ļ	35				s 5.38	124.05	WILLOW LAKE	WK	D		s 9.30	•••••		
C136		35				s 6.03	136.19	BANCROFT	BF	D		s 9.01		<u></u>	
C141		35				s 6.13	140.64	4.45 OSCEOLA	sc	D		s 8.50			
C149	ļ	36		ļ		s 6.30	148.36	7.72 YALE 13.47	YA	D		s 8.30			
C162	Yard	202				A 7.00Am	161.83	HURÓN	HU	IDRY		L 8.00Am			
					6.00 1 5.33	2.30 27.94		Time Over Subdivision Average Speed Per Hour			3.20 27.55	2.50 24.65			

Westward trains are superior to eastward trains of the same class.

SEE ADDITIONAL SPECIAL INSTRUCTIONS PAGES 8 THROUGH 14.

WI	EST	WARD	EIGI	HTH SUBDIVISION	V EA	ASTV	VARD	WE	STV	VAI	RD NI	NTH	SUBDIVISION	EAS	TWA	RD 7
Station Numbers	Capacity of Tracks	SECOND CLASS 265	Distance from Watertown	Time Table No. 98 Effective June 19, 1960 STATIONS	Telegraph Calls	SIGNS	CLASS 266 Sun., Wed.,	Station Numbers	Sidings	ır	SECOND CLASS 325 Daily Ex. Sunday	Distance from Soo Line Jct.	Time Table No. 98 Effective June 19, 1960 STATIONS	Telegraph Calls	SIGNS	SECOND CLASS 326 Doily Ex. Sunday
C-92				W. & S. F. JCT. AND SEVENTH SUBDIVISION				E45	TRA	36 INS	L 8.35Am A 8.40Am BETWE	<u></u>	SD ABERDEEN LINE JCT 0.68 G. N. JCT N. JCT. AND SOO L		ַ	A 8.45Pm L 8.42Pm
WS-4 WS-18 WS-23 WS-30 WS-39 WS-49 WS-55 WS-61 WS-67 WS-82 WS-88	27 29 34 26 48 28 26 42 45 15	r 7.05Am f 7.13 s 7.50 s 8.15 s 8.35 s 9.20 s10.00 s10.20 s10.35 s11.55 s12.15Pm s12.35 A 1.00Pm	1.27 4.24 18.09 23.41 30.03 39.21 39.40 49.23 55.25 61.01 67.27 67.28 74.90 82.51 88.33 93.92 100.55	1.27	H NR B SN NU RU CH CCO	D D D D D D D D D D D D D D D D D D D	A 12.55Pm f12.45 s12.05Pm s11.45 s11.20 s10.45 s10.00 s 9.25 s 9.00 	F70 E74 E80 E86 E92 F9 F16 F30 F36 F42 F47 F51 F55	50	23 42 32 34 35 36 35 34 21 24 7 23	s10.20 s10.35 s10.49 s11.15 s11.40 s11.55 s12.25Pm s12.40 f12.53 s 1.05 f 1.13		4.79	DK GO CU RJ WB KS	J D D D BDKRX JYX D D D D	A 7.25Pm f 7.15 s 7.05 s 6.50 s 6.35 s 6.20 s 5.35 s 5.20 s 4.50 s 4.35 s 4.20 s 4.08 s 4.00 f 3.52
				EAST JCT. AND EAST JCT. (C. M. St. P. & P. TIMEAST JCT. (C. M. St. P. & P.)SIOUX FALLS JCT			RE .A 6.10Am L 6.05Am	F64	Yard	175	3.55 23.31	91.30	Time Over Subdivision Average Speed Per Hour	FN	BDIKRY	3.55 23.31
West Eight	488 ward h, Ni No. 3	S BETW GOVERNI A 1.15pm 6.05 16.79 trains are inth and 37 and N Leaf for 1	103.66 103.66 super Fenth 103.88 revenue	SIOUX FALLS JCT. ANI FOURTH SUBDIVISIO SIOUX FALLS. Time Over Subdivision Average Speed Per Hour rior to eastward trains of Subdivisions. Will stop at Straubville are passengers. CIAL INSTRUCTIONS PAGES	SU su the sa	BDNK PRXY	L 6.00An 6.50 14.94 ass on the	Station Numbers	35 34	Lucks	SECOND CLASS 337 Daily Ex. Sat. and Sunday L 11.40Am s 1.10Pm s 1.50 A 2.25Pm 2.45 22.92	Distance from Rutland	H SUBDIVISION Time Table No. 98 Effective June 19, 1960 STATIONS	건 Telegraph Calls	BDKRX XYJ U D DRY	VARD SECONE CLASS 338

ALL SUBDIVISIONS

1. SPEED RESTRICTIONS GENERAL.

The following speed limits apply to trains and engines operating under the conditions outlined, unless rules or conditions require a further reduction.

- 50 MPH-Diesel engines light or with caboose only.
- 35 MPH—Trains or engines on main routes, actuating the points of spring switches; trains or engines thru No. 20 turnouts at following locations:

End of double track at Delano.

End of two main tracks at MP 98, Pennock and Doran.

Crossovers two miles east of depot at Delano, just west of stockyards at Willmar and east crossover switch at Benson.

Howard Lake, east and west switches.

Cokato, east and west switches.

Dassel, east and west switches of control siding.

Litchfield, east switch of control siding.

Grove City, west switch of control siding.

Atwater, east and west switches.

Kerkhoven, east and west switches.

Benson, east switch of control siding.

Morris, east and west switches of control siding.

Donnelly, east and west switches.

Herman, east and west switches.

Norcross, east and west switches.

Campbell, west switch of control siding.

Robbinsdale, east and west switches.

Sioux City, east switch 26th street yard.

- 30 MPH—On Main lines, when handling following equipment in trains, not in actual service but on own wheels, derricks, cranes, pile drivers, Jordan spreaders, shovels, wedge plows, scale test car, also ore cars series 80000 thru 94250 and air dump cars X-2000 thru X-2096, X-7000 thru X-7049 when such cars are loaded with ore or gravel.
- 25 MPH—Trains handling logs; trains or engines moving in facing point direction at spring switches without facing point lock; trains or engines thru No. 15 turnouts at following locations:

 Clontarf, west switch of control siding.
- 20 MPH—Trains handling the following equipment on Branch Lines or on 6 degree or sharper curves of Main Lines, scale test car, ore cars series 80000 thru 94250, air dump cars X-2000 thru X-2096, X-7000 thru X-7049 when such cars are loaded with ore or gravel.
- 15 MPH—Trains handling the following equipment on Branch Lines or on 6 degree or sharper curves of Main Lines, derricks, cranes, pile drivers, Jordan spreaders, shovels and wedge plows.

Trains or engines moving thru interlockings against the current of traffic on double track; trains or engines thru all other turnouts, except equilateral turnouts, and those shown previously in this item.

1(a). Rule 240 W of the Consolidated Code of Operating Rules is modified to permit handling Great Northern cars 60276 through 60279, 61000 through 61009 and 61500 through 61524 in passenger trains at passenger train speeds.

2. MOVEMENT OF ENGINES DEAD IN TRAINS.

Engine 2350 must be handled on rear of train.

Single unit Diesel engines moving dead in freight trains are to be handled not less than (5) cars, or more than (15) cars from road engine. Additional units are to be separated by not less than (5) cars.

Multiple unit groups, not exceeding (4) units, all equipped with alignment control couplers moving dead in freight trains, are to be handled not less than (5) cars from road engine.

Additional groups or single units are to be separated by not less than (5) cars.

Following speed restrictions must be observed when towing engines dead in trains:

MAXIMUM SPEED	ENGINE NUMBER
50 MPH	1 thru 12, 14, 15, 16, 24 thru 28, 75 thru 170.
79 MPH	260, 261, 266 thru 270, 275, 280, 281, 350 thru 365, 500 thru 512, 679, 680.
65 MPH	.All other engine units not shown above.

- 3. Except at points where it is necessary to classify trains, open cars loaded with poles, piling, lumber, timber, pipe, or other lading which might shift, should be placed as close as possible to the head end of train, but not next to engine, caboose, occupied outfit car or passenger car. Loaded trailer-on-flat cars are not included in this category. In double track territory, trains handling such cars must use extreme care to avoid slack running in or out when passing or being passed by other trains. In single track territory, trains handling such cars must be at stop when on siding or other track to meet or be passed by other trains, except when they have more cars than siding will hold, it is permissible for such trains to pull by each other at restricted speed. Loaded dump cars should not be handled on double track after dark, but if necessary to do so, close watch must be maintained by members of the crew, and if a car dumps its load, train must be stopped at once and protection provided as prescribed by the rules.
- 4. Brakemen with less than one year of experience should not be used as flagman except in emergency, and then Superintendent will be notified by wire.
- 5. When operating snow machines in non-block signal territory, no train should be permitted to follow closer than a station apart: when that can not be done, they will be blocked not less than thirty minutes apart.

After severe blizzard or dirt storm, employes on first train over road must exercise care to avoid accident caused by striking drift without first having drifts faced with hand shovels, cutting in far enough to get beyond the hard snow and giving a perpendicular wall to strike against instead of slope or wedgelike shape. When operating snow dozer, conductor in charge will ride in the dozer. On snow and dirt dozers every precaution must be taken to see that cage, flangers and wings clear all obstacles when in service and are properly secured when in through trains, and dozers properly turned. Hand screws must be tightened to raise flanger on dozers as high as possible before making a back-up movement, and must not be released until the dozing work is actually to start. Hand screws holding the cage on dozers must be tightened or chains otherwise fastened except when dozer has air in cylinders and is attended by an employe.

6. Due to limited overhead clearance at tunnels and structures, employees are warned to keep off top of cars of extreme height and width when handled in trains and yards, except in emergency. In absence of previous advice on such cars, wire proper officer for instructions.

7. Placarded loaded tank cars handled in through freight or mixed trains shall not be nearer than 6th car from engine, occupied caboose or passenger car.

Cars placarded "Explosives", "Flammable", "Corrosive Liquids", or "Poison Gas" handled in through freight trains, local and mixed trains, shall not be nearer than 16th car from engine, occupied caboose or passenger car.

When length of train will not permit handling of cars as prescribed above—ANY PLACARDED CAR, loaded with above commodities—shall be placed near middle of train, but not nearer than 2nd car from engine, occupied caboose or passenger car.

When switching such cars in terminal yards they must be separated from engine by at least one non-placarded car.

When placarded cars described above are handled in freight trains made up in "blocks" or classifications, placarded car or cars shall be placed near middle of the "block" or classification, but not nearer than 6th car from engine, occupied caboose or passenger car.

When such placarded cars are placed in trains they must not be placed next to each other, next to refrigerators equipped with gas-burning heaters, stoves or lanterns, or next to loaded flat cars, or gondola cars containing lading higher than ends of car that is liable to shift.

Carload express shipments of explosives, sealed and placarded, may be handled on passenger trains; LCL shipments may be made in so-called peddler car with messenger in charge when such car is assigned to the handling of express and baggage exclusively.

Terminal or pick-up points enroute must furnish conductor and engineer Form 250 showing consecutively location in train of all cars placarded "Explosives". At points other than terminals where crews change, notice will be transferred from crew to crew.

Employes will be guided by further instructions governing handling of loaded tank cars, Explosives, Flammables, Corrosive Liquids, and Poison Gas found in I.C.C. Regulations and Consolidated Code Rules 727 and 811.

8. Trains, departing from stations, either from siding or main track in trailing point movement actuating points of spring switches, a member of crew must observe indication of governing signal in opposite direction after rear end of train has passed through switch to ascertain if switch points return to normal position. If this signal indicates Stop and no immediate train movement or other cause is evident report the fact to Superintendent from first available point of communication.

During and immediately following snow storms or violent wind storms, spring switches must be operated by hand and relined to normal position before heading out through switch in trailing point movement, actuating switch points, to insure switch is in proper operating condition.

- 9. Facing point locks on hand operated switches are indicated by a six inch yellow stripe painted on target staff. Be positive locking device is restored to normal position after using. A running switch must not be made through this type switch.
- 10. St. Paul Union Depot and Minneapolis, in order to facilitate the handling of patients arriving on cots in baggage cars and who require use of wheel chair or stretcher, conductors will wire Union Depot Company, St. Paul, or Stationmaster, Minneapolis, describing the class of service required.
- 11. This is authority to honor passes of tenant lines railways' train and engine men between Twin Cities, except on Trains 31 and 32.
- 12. Arrangements have been made with the M. & St. L. Railway Company to honor interline tickets reading via that line from

St. Paul on our trains from St. Paul to Minneapolis, and Conductors will honor all such tickets accordingly. All such tickets honored should be endorsed "Honored, G. N. St. Paul to Minneapolis", and make notation on Form and number of tickets honored in ticket report to Auditor Passenger Receipts.

- 13. "The Consolidated Code of Operating Rules, Edition of 1959, in addition to the following instructions will govern Great Northern employees while operating on Minnesota Transfer Railway Co. and St. Paul Union Depot Company trackage:
 - (a) All trackage of the Minnesota Transfer Railway Company is defined as a system of tracks within yard limits over which movements must be made at restricted speed and are not authorized by timetable, or train order, but subject to prescribed signals and rules or special instructions.

The limits of The St. Paul Union Depot Company property extend from connection with the Northern Pacific Ry. and Great Northern Ry. tracks at Third Street and connection with CMStP&P-CB&Q R. R. tracks opposite depot roundhouse, on the east, to connection with the CGW Ry. and the CMStP&P R. R. tracks at Robert Street on the west.

- (b) The timetable of the St. Paul Union Depot Company is for information only. Employes of railroads using the tracks of this Company will be governed by current timetable of their respective Companies only as to arriving and departing time of trains.
- (c) Where in the rules of the Consolidated Code reference is made to trains, such rules will also apply to yard movements and engines.
- (d) Under Rule 11, the use of torpedoes is prohibited.
- (e) Under Rule 15, burning fusees must not be used except in case of emergency and then only when held in hand and must be extinguished before leaving.

THE FOLLOWING RULES APPLY ONLY ON THE ST. PAUL UNION DEPOT COMPANY PROPERTY:

- (f) There is no superiority of trains within the limits of St. Paul Union Depot Company property.
- (g) Within the limits of the St. Paul Union Depot Company property trains and engines must move at restricted speed and must not exceed ten (10) miles per hour through crossovers, turnouts and puzzle switches. The entrance to and all movements on this property will be made only on authority of hand signals from switchtenders. No train or engine may foul any track or puzzle switch without authority of hand signals from switchtenders in control of such movements, except that short interior switching movements may be made through crossovers connecting shed tracks when authorized by train director. Any lead or track may be used for the make-up of trains on authority of train director. The movement of trains should be given preference.
- (h) When indicated by the ringing of the bell, flashing of headlight, hand or light signal that a train or engine is ready to move, the switchtender in charge of the shed track on which the movement is standing will handle as follows: at west end of station the switchtender will control the movement by hand of light signal; at the east end of station the switchtender will inform the train director, who will route the movement by instructions over the public address system. Switchtenders will be governed by these instructions, relaying such instructions by hand or light signal to the next switchtender in the direction of the movement, each must receive an acknowledgment before signaling the movement. Signals must not be acknowledged or acted upon unless the signal corresponds with instructions from the train director and is definitely understood.
- (i) When backing, the back-up air brake valve on passenger trains must be operated by the conductor, except in the movement of empty equipment, it may be operated by a competent trainman or yardman. When practicable, conductor must see

that trainmen are stationed so hand or light signals may be used, in case of any emergency. When backing a train, the engine brake valve must be in running position; an application of the brakes must be made with back-up air brake valve before starting and it must be known that brakes are in operative condition. Movement must not be started until the proper signal is given. A running test must be made with the back-up air brake valve before the train has moved 300 feet; if the running test is not made within 300 feet the engineer must stop the train and ascertain cause. The speed of train must not exceed eight (8) miles per hour and train must be under such control that it can be stopped short of train, or obstruction, and short of bumping post on stub tracks.

(j) Headlights must be dimmed while on shed tracks.

FIRST SUBDIVISION

(Main Line)

1. MAXIMUM PERMISSIBLE SPEED FOR TRAINS.

2. SPEED RESTRICTIONS.

Delano No. 27 passing depot40 MPH

8. TRAIN REGISTER EXCEPTIONS.

Willmar, Nos. 31, 32, 27 and 28 will register by ticket.

4. CLEARANCE PROVISIONS AND EXCEPTIONS RULE 83(B).

All trains must obtain Clearance Form A at Willmar.

At Lyndale Jct., trains for which this point is initial station may proceed on authority of clearance under which such trains arrive, when train order signal indicates proceed.

Westward Ninth Subdivision trains will require M.St.P.&S.S.M. Ry. clearance at Campbell.

5. CONDITIONAL STOPS.

No. 27 stops at Wayzata to discharge passengers from Chicago and east and to pick up passengers destined Fargo and west where No. 27 is scheduled to stop.

No. 28 and No. 14 stop at Wayzata to discharge passengers from Fargo and west and to pick up passengers destined Chicago and east.

- Lyndale Jct., eastward freight trains on Willmar Line having cars to set out at this point will stop before passing eastward Home Signal to make set-out.
- All movements on house track over State Aid road No. 11 just west of depot Campbell and all movements on industry track over 4th Street Crossing Donnelly must be protected by flagman.

8. SPEED TEST BOARDS.

Engineers shall test speed of their trains passing following points as compared with Speed Table:

Westward trains, between MP 32.1 and MP 33.1 just west of Maple Plain.

Eastward trains, between MP 87 and MP 86 two miles west of Grove City.

Westward trains between MP 110 and MP 111 one mile west of Pennock.

Eastward trains between MP 205 and MP 204 two miles east of Doran.

9. CROSSOVERS ON DOUBLE TRACK AND TWO MAIN TRACKS.

Facing Point	Trailing Point
	Mile Post 15400 feet west of. Mile Post 19700 feet west of.
Wayzata	Long LakeJust east of Depot. Long LakeJust west of Depot.
Mile Post 37	Maple PlainJust east of Depot.
1600 feet east of.	Mile Post 371600 feet east of.
Willmar, double	crossover just west of stockyard.

10. Consolidated Code Rules 251, 251(A), 253 and 254 are in effect on the double track between Lyndale Jct. and beginning of CTC at MP 36.7 about 2 miles east of Delano. The use of these rules does not modify Rule 99.

11. INSTRUCTIONS GOVERNING OPERATION OF TRAIN AND ENGINES WITHIN CENTRALIZED TRAFFIC CONTROL SYSTEM.

Two main tracks known as—NORTH MAIN and SOUTH MAIN—extends between the following points:

MP 98 and Pennock.

Doran and MP 212.

Willmar is the control station for CTC under the supervision of train dispatcher.

THE FOLLOWING SIGNALS ARE LOCATED TO THE LEFT OF THE TRACK WHICH THEY GOVERN:

Eastward on North Main Track:

Eastward governing home signal at west crossover east of Delano.

Signal 99.2.

Westward on South Main Track:

Signal 99.5.

Single Track-Eastward movements:

Governing home signal east siding switch Atwater.

Signal 89.6.

Governing home signal west siding switch Atwater.

Signal 92.6.

Atwater Siding-Westward movements:

Westward governing home signal.

Pennock:

Eastward governing automatic block signal 103.6 on North Main Track.

Westward governing automatic block signal 107.5 on South Main Track.

Benson:

Double crossover at MP 132 for westward movements from Main Track to controlled siding—and for eastward movements from controlled siding to Main Track.

Morris:

1.27

Governing home signal east siding switch.

Between Doran and Breckenridge:

Eastward controlled signals on North Main Track at MP 212 and end of Two Main Tracks Doran.

Automatic Block Signals 210.7 and 212.1 on South Main Track for westward movements, and Automatic Block Signal 208.6 on North Main Track for eastward movements.

12. MANUAL INTERLOCKINGS.

13. AUTOMATIC INTERLOCKINGS.

MStP&SSM. RR. crossing2.17 miles west of Tintah

- 14. At Wayzata, when switching over Barry Avenue Crossing, or when standing on either main track, and a train is approaching on adjacent track, a member of the crew standing at the station will protect the crossing on the ground.
- 15. Diesel radiator and boiler water stations.

Willmar.

Morris.

SECOND SUBDIVISION

(Osseo Line)

1. MAXIMUM PERMISSIBLE SPEED FOR TRAINS.

Between	Passenger	Freight
Lyndale Junction and St. Cloud	75 MPH	50 MPH
St. Cloud and Willmar	45 MPH	40 MPH

2. SPEED RESTRICTIONS.

Between Home Signals of Interlockings at: 20 MPH Rice Jct.

Paynesville.

3. TRAIN REGISTER EXCEPTIONS.

Lyndale Jct., all trains register by ticket. St. Cloud, Nos. 3, 11 and 12 will register by ticket.

4. CLEARANCE PROVISIONS AND EXCEPTIONS RULE 83(B).

At Lyndale Jct., trains for which this point is initial station may proceed on authority of clearance under which such trains arrive when train order signal indicates proceed.

All trains must obtain Clearance Form A at St. Cloud.

Trains originating at Rice Jct. may proceed without a clearance.

At M. W. Jct., eastward M. W. trains will not require a clearance.

- All movements on industry track over Noble Avenue Crossing, 1000 feet east of depot Robbinsdale, must be protected by flagman.
- Track north of main track extending approximately 2 miles eastward from depot, St. Cloud, is known as LONG LEAD and must be kept clear for meeting and passing of trains.

7. SPRING SWITCHES WITH FACING POINT LOCK.

Robbinsdale, east and west siding switch.
Osseo, east and west siding switch.
Rogers, east and west siding switch.
Albertville, east and west siding switch.
Monticello, east and west siding switch.
Clearwater, east and west siding switch.

Normal position is for main track.

8. MANUAL INTERLOCKINGS.

MStP&SSM, RR, crossing1.34 miles west of Robbinsdale

9. AUTOMATIC INTERLOCKINGS.

10 MANUAL INTERLOCKINGS WITH DUAL CONTROL SWITCHES.

Rice Jct.

This switch is electrically controlled by operator at the depot, St. Cloud.

11. Diesel radiator and boiler water stations.

Monticello.

St. Cloud.

THIRD SUBDIVISION

(Main Line)

1. MAXIMUM PERMISSIBLE SPEED FOR TRAINS.

Between	Passonger	Freight
Willmar and Sioux City	59 МРН	49 MPH

2. SPEED RESTRICTIONS.

Between Home Signals of Interlockings at: 20 MPH Clara City.

Hanley Falls.

C.&N.W. Ry. Crossing 6.68 miles east of Hills.

Hills.

Wren Tower.

Garretson, within city limits 20 MPH

I. C. RR. Crossing, 2.89 miles east of Sioux City.......... 10 MPH

3. TRAIN REGISTER EXCEPTIONS.

Garretson, Register only for trains originating and terminating.

4. CLEARANCE PROVISIONS AND EXCEPTIONS RULE 83(B).

All trains must obtain Clearance Form A at Garretson.

5. Pipestone, trains and engines using CRI&P main track between G.N. interchange track switch and east end of CRI&P siding, must move at restricted speed, and must be governed by current operating rules and time table of CRI&P Ry.

6. AUTOMATIC INTERLOCKINGS.

CMStP&P. RR. crossing1.44 miles east of Granite Falls M&StL. Ry. crossing0.32 miles east of Hanley Falls C&NW. Ry. crossing6.68 miles east of Hills I.C. RR. crossing ______0.38 miles west of Hills CRI&P. Ry. crossing0.22 miles west of Lester Granite Falls, push button controls are located on east end of depot, at crossover switches, at east siding switch, and on east-ward home signal. Trains and engines occupying main track at depot or lining east siding switch or crossover switches, for movements out of siding automatically set up route for eastward movement through interlocking at CMStP&P crossing, provided no conflicting movement on CMStP&P track, and will hold this set up for a period of approximately four minutes, after which, if route is not used, automatic interlocking control can be taken away by CMStP&P trains or engines approaching crossing. If an eastward train occupies main track at depot for meeting trains or station work for a period in excess of four minutes, trainman must operate push button at depot or at crossover switches to obtain interlocking route. If an eastward train occupies main track between eastward approach and home signals for a period in excess of four minutes, trainman must operate push button at east siding switch or on home signal to obtain interlocking route. Push button boxes must be kept closed and locked except when in use.

7. MANUAL INTERLOCKING.

I.C. RR. crossingWren Tower

8. SEMI-AUTOMATIC INTERLOCKINGS.

M.W. Ry. crossing......0.46 miles east of Clara City

If a train is stopped by a Stop-indication and no immediate conflicting train movement is evident, and both smash boards are in reverse position, trainman may signal train to proceed over the crossing after making certain that gates are set against conflicting route. If smash boards are not in reverse position, trainman shall operate them by hand with crank attached to mechanism.

9. RAILROAD CROSSINGS PROTECTED BY GATES.

I.C. RR. crossing2.89 miles east of Sioux City Normal position is clear for Great Northern.

10. SPEED TEST BOARDS.

Engineers shall test speed of their trains passing following points as compared with Speed Table:

Westward trains, between MP 7 and MP 8 between Priam and Raymond.

Eastward trains, between MP 121 and MP 122 between Jasper and Sherman.

Westward trains, between MP 134 and MP 135 between Garretson and C.& N.W. Ry. crossing.

Eastward trains, between MP 208 and MP 209 between Merrill and Wren Tower.

11. Diesel radiator and boiler water stations.

Garretson.

Marshall.

FOURTH, FIFTH AND SIXTH SUBDIVISIONS

(Yankton, Browns Valley and Hutchinson Lines)

1. MAXIMUM PERMISSIBLE SPEED FOR TRAINS.

Between	Passenger	Freight
Garretson and Sioux Falls	40 MPH	30 MPH
Sioux Falls and Yankton		25 MPH
Morris and Browns Valley		25 MPH
Wayzata and Hutchinson		25 MPH

2. SPEED RESTRICTIONS.

Yankton, CMStP&P RR. crossing	10 MPH
C&NW. Ry. crossing	10 MPH
Between Home Signals of Interlockings at:	20 MPH
Sioux Falls.	
Lennox.	

Dania

Davis.

3. ENGINE RESTRICTIONS.

Between Sioux Falls and YanktonGP-9	heaviest permitted
Between Morris and Browns ValleyGP-9	heaviest permitted
Between Wayzata and HutchinsonGP-9	heaviest permitted

4. AUTOMATIC INTERLOCKINGS.

C&NW. Ry. crossing	3.96 miles east of Sioux Falls
CMStP&P. RR. crossing	0.21 miles west of Lennox
C&NW Ry crossing	3.54 miles west of Davis

5. RAILROAD CROSSINGS PROTECTED BY GATES.

SEVENTH, EIGHTH, NINTH AND TENTH SUBDIVISIONS

(Huron, Watertown, Aberdeen and Forbes Lines)

1. MAXIMUM PERMISSIBLE SPEED FOR TRAINS.

	Between	Freight
	Benson and Mile Post 128	35 MPH
:	Mile Post 128 and Huron	30 MPH
1	Sioux Falls and Watertown	25 MPH
	Soo Line Jct. and Aberdeen	35 MPH
:	Rutland and Forbes	25 MPH

2. SPEED RESTRICTIONS.

Appleton.

Huron.	
Arlington.	
Aberdeen.	
Watertown, within city limits	6 MPH
Arlington, within city limits	10 MPH

Between Home Signals of Interlockings at: 20 MPH

3. ENGINE RESTRICTIONS.

Between Wa	tertown and	Huron	GP-9	heaviest	permitted
Between Sion	ıx Falls and	Watertow	mGP-9	heaviest	permitted
Between Soo	Line Jct. an	nd Aberdee	enGP-9	heaviest	permitted
Between Rut	land and Fe	orbes	GP-9	heaviest	permitted

4. AUTOMATIC INTERLOCKINGS.

CMStP&P. RR. crossing	0.77 miles west of Appleton
C&NW. Ry. crossing	0.64 miles east of Huron
C&NW. Ry. crossing	0.97 miles west of Arlington
C&NW. Ry. crossing	0.62 miles east of Aberdeen
CMStP&P. RR. crossing	0.64 miles east of Aberdeen

5. RAILROAD CROSSINGS PROTECTED BY GATES.

C&NW. Ry. crossing0.19 miles east of Arlington Normal position is clear for Great Northern.

 Westward Ninth Subdivision trains will require M.St.P.&S.S.M. Ry. clearance at Campbell.

WATCH INSPECTORS

C. J. & M. V. Anderson, 1466 University Ave., St. Paul, Minn. A. T. Veilleux, 894 Rice Street, St. Paul, Minn.

O. H. Arosin Co., 414 Robert Street, St. Paul, Minn.

Kavchar Jewelry, 2218 Central, Minneapolis, Minn.

Oscar P. Gustafson Co., 404 Nicollet Ave., Minneapolis, Minn.

Pomerleau & Son, 227 East Hennepin Ave., Minneapolis, Minn.

R. R. Berens and J. F. Berens, 20 East Lake Street, Minneapolis, Minn.

Weber Jewelry & Music Co., 714 St. Germain St., St. Cloud, Minn.

Lundman's Jewelry, 210 West 4th Street, Willmar, Minn. Paffrath & Son, 317 West 4th Street, Willmar, Minn.

E. O. Kellenberger, 624 Atlantic Avenue, Morris, Minn.

Nordahl Jewelry, 107 North 5th St., Breckenridge, Minn. Smith Jewelry Co., 225 So. Phillips Avenue, Sioux Falls, S. D.

Brodkey & Goodsite, 400 4th St., Sioux City, Iowa.

Grand Credit Jewelers, 627 4th Street, Sioux City, Iowa.

Fox Jewelry Co., Yankton, S. D.

Haywoods Jewelry, Watertown, S. D.

SPEED TABLE

Time Per Mi Min. Sec.	le Miles Per Hour	Time Min.	Per Mile Sec.	Miles Per Hour
46	78.8	1 1	18	46.2
47	76.6	1	20	45.0
48	75.0	1	22	48.9
49	78.5	1	24	42.9
50	72.0	1	26	41.9
51	70.6	1	28	40.9
52	69.2	1	30	40.0
58	67.9	1	88	88.7
54	66.7	1	86	87.5
55	65.5	1	39	86.4
56	64.8	1	42	85.8
57	63.2	1	45	84.8
58	62.1	1	50	82.7
59	61.0	1	55	81.8
1 0 1 1	60.0	2		80.0
1 1	59.0	2	10	27.7
1 2	58.1	2	20	25.7
1 1 2 1 1 4 1 5 1 6 1 7 1 8 1 9	57.1	2	30	24.0
1 4	56.8	2	40	22.5
1 5	55.4	8	_	20.0
1 6	54.5	8	30	17.1
1 7	58.7	!		15.0
1 8	52.9] 5		12.0
	52.2	<u>6</u>		10.0
1 10	51.4	7		8.6
1 12	50.0	1111111112222288456789		7.5
1 14	48.6	9		6.7
1 16	47.4	10		6.0

BUSINESS TRACKS

NAME	LOCATION	Capac- ity Care	Switch Opens
Oscar Roberts Co. Inc. Empire Quarry Spur North Star Granite Corp. Spur Cold Spring Granite Spur Gravgaard Spur New London Materials and Construction Co.	1.56 miles west of Robbinsdale 1.57 miles east of Osseo	8 141 41 7 7	East West West East East E & W
Steel Tanks Inc Green Lake Ice Spur Third Subdivision	•	250 6 22	E & W East East
Fourth Subdivision Pathfinder Spur Lawrence Spur Crampton Spur	4.12 miles west of Corson 5.50 miles west of Corson 6.98 miles west of Corson	22	East W E & W West
Sixth Subdivision	2.50 miles west of Lennox 0.53 miles west of Spring Park.	2	East West East on M.St. P.
Great Northern Ry. Industry Tracks Tenth Subdivision	Hankinson, N. D. 18.64 miles west of Forbes Line Jct. 7.09 miles west of Guelph	190 84	& S.S.M. Ry. Track E & W W

Paes 15-16 (rear covers) are blank.