

COMPANY SURGEONS

*Dr. Abbott Skinner, Chief Medical Officer.....	St. Paul, Minn.
*Dr. Chas. T. Eginton, Asst. to Chf. Med. Officer	St. Paul, Minn.
Dr. Theodore Loken	Ada, Minn.
Dr. G. W. Clifford	Alexandria, Minn.
*Dr. Carl Simison	Barnesville, Minn.
Dr. William F. McCullough	Bottineau, N. D.
Dr. J. A. MacDonald	Cando, N. D.
Dr. John F. Johanson	Cavaliar, N. D.
*Dr. D. E. Stewart	Crookston, Minn.
Dr. C. G. Uhley	Crookston, Minn.
*Dr. W. F. Sihler	Devils Lake, N. D.
Dr. John C. Fawcett	Devils Lake, N. D.
*Dr. Glenn W. Toomey	Devils Lake, N. D.
Dr. R. Donald McBane	Devils Lake, N. D.
Dr. A. N. Flaten	Edinburg, N. D.
*Dr. V. G. Borland	Fargo, N. D.
Dr. G. Howard Hall	Fargo, N. D.
Dr. Earl M. Haugrud	Fargo, N. D.
Dr. Norman H. Baker	Fergus Falls, Minn.
Dr. C. J. Glaspel	Grafton, N. D.
Dr. H. D. Benwell	Grand Forks, N. D.
*Dr. Walter C. Dailey	Grand Forks, N. D.
*Dr. William T. Powers	Grand Forks, N. D.
Dr. Harold Tarpley	Grand Forks, N. D.
Dr. Peter Foderick	Hallock, Minn.
Dr. Robert W. McLean	Hillsboro, N. D.
Dr. N. J. Kaluzniak	Langdon, N. D.
Dr. C. O. Haugen	Larimore, N. D.
Dr. A. B. Lund	Leeds, N. D.
Dr. J. M. Muus	McVie, N. D.
Dr. R. C. Little	Mayville, N. D.
*Dr. L. H. Kermott	Minot, N. D.
Dr. A. H. Zachman	Melrose, Minn.
Dr. E. W. Humphrey	Moorhead, Minn.
Dr. Henry A. Korda	Pelican Rapids, Minn.
Dr. Jon V. Eyslans	Rolla, N. D.
Dr. J. L. Delmore, Jr.	Roseau, Minn.
Dr. W. R. Fox	Rugby, N. D.
Dr. E. T. Keller	Rugby, N. D.
*Dr. O. W. Johnson	Rugby, N. D.
*Dr. H. W. Goehrs	St. Cloud, Minn.
Dr. G. H. Goehrs	St. Cloud, Minn.
*Dr. John C. Grant	Sauk Centre, Minn.
*Dr. Julian F. DuBois, Jr.	Sauk Centre, Minn.
*Dr. J. F. DuBois	Sauk Centre, Minn.
Dr. O. S. Craise	Towner, N. D.
Dr. E. E. Greene	Westhope, N. D.
Dr. C. H. Holmstrom	Warren, Minn.
Dr. Charles M. Burns	Winnipeg, Man.

*Designates also Examining Surgeon.

OPHTHALMIC SURGEONS (Eye Doctors)

Dr. Malcolm A. McCannel	Minneapolis, Minn.
Dr. Charles E. Stanford	Minneapolis, Minn.
Dr. John E. Ruud	Grand Forks, N. D.
Dr. W. T. Wenner	St. Cloud, Minn.
Dr. O. L. Oppgaard	Crookston, Minn.

M. G. Larson, Chief Dispatcher.
F. W. Lane, Asst. Superintendent
W. L. Dorcy, Trainmaster.
R. L. Aase, Trainmaster.
D. H. Burn, Ass't. Trainmaster.

Scanned from the Dean Ogle Collection

GREAT NORTHERN RAILWAY COMPANY

DAKOTA DIVISION

TIME TABLE 120

EFFECTIVE 12:01 A. M.

CENTRAL TIME

Tuesday, September 5, 1961

P. F. CRUIKSHANK, Superintendent.
R. N. WHITMAN, General Manager.
A. W. CAMPBELL,
General Superintendent Transportation.

Printed in U.S.A.

2 WESTWARD

FIRST SUBDIVISION

EASTWARD

Station Numbers	Car Capacity		SECOND CLASS	FIRST CLASS			Distance from Rice Jct.	Time Table No. 120 Effective September 5, 1961 STATIONS	Telegraph Calls	SIGNS	FIRST CLASS			SECOND CLASS
	Stalls	Other Seats	345	7	11	3					8	12	4	346
			Daily	Daily	Daily	Daily					Daily	Daily	Daily	Daily

TRAINS BETWEEN RICE JCT. AND ST. CLOUD ARE GOVERNED BY WILLMAR DIVISION TIME TABLE.

82	53			L 10.57Pm	L 7.12Pm	L 9.55Am	6.17RICE JCT.....	UPX	A	5.32Am	A 11.20Am	A 6.34Pm	
90	136	24		11.03	7.20	10.00	14.34ST. JOSEPH.....	JO	DP	5.22	11.10	6.27	
96	53			11.12	7.28	10.07	AVON.....	VN	DP	5.11	11.02	6.19	
102	125	45		11.18	7.34	10.12	20.38ALBANY.....	BY	DP	5.04	10.56	6.13	
108	81	82		11.23	7.40	10.17	26.66FREEPORT.....	FR	DP	4.56	10.50	6.07	
117	85	119		11.28	7.46	10.22	32.62MELROSE.....	SU	DP	4.49	10.44	6.01	
				s 11.45	s 7.55	s 10.32	40.92SAUK CENTRE ★	AU	BDNRXP	s 4.39	s 10.32	s 5.53	
							41.06PARK RAPIDS JCT.....	JPX					
124	129	27		11.54	8.05	10.40	48.70WEST UNION.....	WU	DP	4.25	10.20	5.41	
130	69	80		11.59	8.10	10.45	54.50OSAKIS.....	KS	DP	4.20	10.14	5.35	
136	125	31		12.04Am	8.17	10.50	60.17NELSON.....	N	DP	4.15	10.07	5.29	
141	83	135		s 12.10	s 8.24	s 10.55	65.77ALEXANDRIA ★	RA	DMP	s 4.06	s 9.59	s 5.20	
148	128	23		12.25	8.36	11.06	72.33GARFIELD.....	G	DP	3.50	9.49	5.09	
154	69	42		12.30	8.41	11.11	78.08BRANDON.....	BN	DP	3.45	9.44	5.03	
159	114	41		12.35	8.46	11.16	83.21EVANSVILLE.....	NS	DP	3.40	9.39	4.58	
168	110	29		12.44	8.56	11.24	92.12ASHBY.....	B	DP	3.31	9.31	4.50	
176	69	32		12.51	9.04	11.31	99.82DALTON.....	DO	DP	3.23	9.24	4.42	
187	62	243		s 1.03	s 9.16	s 11.43	110.93PELICAN JCT.....	IJP					
195	125	26		1.20	9.28	11.55	119.21FERGUS FALLS ★	GS	PDNX	s 3.09	s 9.11	s 4.29	
204	125	31		1.27	9.36	12.02Pm	127.82CARLISLE.....	CA	DP	2.53	8.59	4.17	
210	22			1.33	9.42	12.08	134.60ROTHSAY.....	RT	DP	2.45	8.52	4.09	
217	132	414		L 1.55Am	s 1.44	s 9.52	141.81LAWDALE.....	WN	DP	2.39	8.45	4.02	
				A 1.58Am	1.46	9.54	142.85BARNESVILLE ★	D	BDNR XYP	s 2.30	s 8.37	s 3.53	A 1.05Am
226	33			1.54	f 10.02	12.26	149.80BARNESVILLE JCT.....	UPX		2.21	8.33	3.49	L 1.02Am
232	125	32		2.02	f 10.10	12.34	156.36BAKER.....	8K	DP	2.14	f 8.25	3.42	
							SABIN.....	SB	DP	2.02	f 8.16	3.34	
				A 2.11Am	A 10.20Pm	A 12.44Pm	164.34MOORHEAD JCT.....	MJ	DNRXP	L 1.48Am	L 8.06Am	L 3.25Pm	

.03
20.8

3.14
50.8

3.08
52.4

2.49
58.3

Time Over Subdivision
Average Speed Per Hour

3.44
44.0

3.14
50.8

3.09
52.1

.03
20.8

Westward trains are superior to eastward trains of the same class.

SEE ADDITIONAL SPECIAL INSTRUCTIONS PAGES 18 THROUGH 15.

WESTWARD

SECOND SUBDIVISION

EASTWARD 3

Station Numbers	Car Capacity		FIRST CLASS						Distance from Wapeton Jct.	Time Table No. 120 Effective September 5, 1961 STATIONS	Telegraph Calls	SIGNS	FIRST CLASS						(10) Daily Ex. Sun.				
	Siding	Other Tracks	11	27	3	7	9	31					32	12	28	4	10	8		14			
			Daily	Daily	Daily	Daily	Daily Ex. Sun.	Daily					Daily	Daily	Daily	Daily Ex. Sun.	Daily	Daily		Daily			
TRAINS BETWEEN BRECKENRIDGE AND WAHPETON JCT. ARE GOVERNED BY MINOT DIVISION TIME TABLE.																							
P14	90	43	L 1.56Pm					L 2.40Am	L 1.51Am	32 2.02	12.39	WAHPETON JCT.	PJX	A 2.14Am	A 1.19Am					A 4.39Pm			
P23	89	49	2.08					2.50	2.10	21.40	12.39	12.39 KENT	KN DP	31 2.02	11.08					4.28			
P29		78	2.16					2.57	2.10	21.40	12.39	9.01 WOLVERTON	WO DP	1.43	11.00					4.20			
P35		36	2.22					3.03	2.16	28.21	12.39	6.81 COMSTOCK	CM DP	1.36	10.54					4.14			
		147	2.27					3.08	2.21	33.39	12.39	5.18 RUSTAD	J DP	1.30	10.49					4.09			
		144	L 10.20Pm	2.36	L 12.44Pm	L 2.11Am		3.19	2.30	42.91	12.39	9.52 MOORHEAD JCT.	MJ IDNPXJ	1.20	A 8.06Am	10.40	A 3.25Pm		A 1.48Am	4.00			
241	55	263	s 10.23	s 2.38	s 12.46	s 2.13	f 3.23	2.32	43.77		12.39	0.86 MOORHEAD	MH DNPXR	1.18	s 8.05	s 10.38	s 3.23		s 1.46	s 3.58			
242	Yard	1800	A 10.26Pm	A 2.40	A 12.50	A 2.16	A 3.30	A 2.35	44.82		12.39	1.05	FO XBDNIKR	L 1.15	L 8.00Am	L 10.35	L 3.20		L 1.43	L 3.55Pm			
242			A 2.58Pm	12.57	2.28	3.53	A 2.48Am	45.84			12.39	1.02 FARGO JCT. ★	F BJKO RXYZVP	L 1.58Am	L 10.22Am	3.07	9.27	1.31					
250	125	40		1.03	2.35	4.02		53.30			12.39	7.46 HARWOOD	WD DP			3.00	9.18	1.23					
256	50	34		1.08	2.42	4.08		58.89			12.39	5.59 ARGUSVILLE	SI DP			2.55	9.12	1.17					
263	108	50		1.14	2.49	4.14		65.73			12.39	6.84 GARDNER	GA DP			2.49	9.05	1.11					
269	125	79		1.19	2.55	4.20		72.02			12.39	6.29 GRANDIN	GN DP			2.44	9.00	1.06					
275		32		1.24	3.00	4.26		78.12			12.39	6.10 KELSO	CS DP			2.39	8.55	1.01					
281	214	162		s 1.30	f 3.07	s 4.36		83.84			12.39	5.72 HILLSBORO ★	HS DNP		s 2.34	s 8.49	f 12.55						
289	78	36		1.37	3.14	4.45		91.69			12.39	7.85 CUMMINGS	MU DP			2.26	8.41	12.47					
295	125	49		1.42	3.20	4.50		97.74			12.39	6.05 BUXTON	BU DP			2.21	8.36	12.42					
300	77	58		1.46	3.24	f 4.55		102.64			12.39	4.90 REYNOLDS	RD DP			2.17	f 8.31	12.38					
307	110	77		1.52	3.30	5.03		109.81			12.39	7.17 THOMPSON	ON DP			2.11	8.24	12.32					
317				A 2.01Pm	A 3.42Am	A 5.13Am		120.54			12.39	10.73 PA TOWER	PA RDNIJ XYP			L 2.01Pm	L 8.14Pm	L 12.22Am					
			.06	1.02	1.17	1.31	2.33	.57			12.39			1.16	.06	.57	1.24	1.16	1.26	.44			
			19.1	44.4	60.1	51.2	47.3	48.2			12.39			36.2	19.1	48.3	55.5	59.8	54.1	61.1			
			Time Over Subdivision																				
			Average Speed Per Hour																				

CONDITIONAL STOPS

No. 8 Stops at any Station between Fargo and Grand Forks to pick up revenue passengers for points west of Minot where No. 27 is scheduled to stop.

Westward trains are superior to eastward trains of the same class except No. 32 and No. 28 are superior to No. 31 and No. 27 from Fargo Jct. to home signal limits of interlocking just west of 8th St. crossover Fargo.

SEE ADDITIONAL SPECIAL INSTRUCTIONS PAGES 10 THROUGH 15.

6 WESTWARD SIXTH SUBDIVISION EASTWARD

Station Numbers	Car Capacity		Distance from Fergus Falls	Time Table No. 120 Effective September 5, 1961	Telegraph Calls	SIGNS
	Other Tracks					
187				FERGUS FALLS. ★	GS	DNPRXV
TRAINS BETWEEN PELICAN JCT. AND FERGUS FALLS ARE GOVERNED BY FIRST SUBDIVISION SCHEDULES.						
			0.60	PELICAN JCT.		
			0.73	WEST N. P. RY. JCT.	IJ	
TRAINS BETWEEN EAST N. P. RY. JCT. AND WEST N. P. RY. JCT. ARE GOVERNED BY NORTHERN PACIFIC TIME TABLE.						
			0.94	EAST N. P. RY. JCT.		
L-16	25		16.36	ERHARD	RH	D
L-21	59		22.35	PELICAN RAPIDS	P	BDR

WESTWARD EIGHTH SUBDIVISION EASTWARD

Station Numbers	Car Capacity		Distance from Moorhead	Time Table No. 120 Effective September 5, 1961	Telegraph Calls	SIGNS
	Other Tracks					
241	111			MOORHEAD	MH	DNJPRX
P 54	30		8.56	KRAGNES	GS	D
P 61	70		15.39	GEORGETOWN	WN	D
P 68	29		22.03	PERLEY	PY	D
P 74	54		28.02	HENDRUM	RH	D
P 80	125		34.14	HALSTAD	SD	D
P 87	43		41.68	SHELLY	S	D
P 92	104		46.45	NIELSVILLE	NS	D
P 97	44		52.00	GLIMAX	CX	D
P 103	53		57.90	ELDRED	RD	D
			66.49	M. N. JCT.		JXP

Westward trains are superior to eastward trains of the same class on the Sixth, Seventh, Eighth and Ninth Subdivisions.

SEE ADDITIONAL SPECIAL INSTRUCTIONS PAGES 10 THROUGH 15.

WESTWARD SEVENTH SUBDIVISION EASTWARD

Station Numbers	Car Capacity		Distance from Erie Jct.	Time Table No. 120 Effective September 5, 1961	Telegraph Calls	SIGNS
	Sidings	Other Tracks				
S15				ERIE JCT.		JPR
S20	27		1.63	ERIE		D
S31	35		12.37	GALESBURG		D
S36	29		17.79	CLIFFORD		D

WESTWARD NINTH SUBDIVISION EASTWARD

Station Numbers	Car Capacity		Distance from Nolen	Time Table No. 120 Effective September 5, 1961	Telegraph Calls	SIGNS	SECOND CLASS
	Sidings	Other Tracks					311
FS41			L 5.15pm	NOLAN. ★	W	DNJPR	A 4.08pm
T16	84		s 5.35	PAGE	GE	DPX	s 4.03
T23	34		s 5.55	COLGATE	CG	DP	s 3.40
T29	60		s 6.20	HOPE	HO	DP	s 3.20
T36	37		s 6.35	BLABON	BN	DP	s 2.55
T44	45		s 7.15	FINLEY	FN	DP	s 2.30
T50	38		s 7.35	SHARON	QN	DP	s 2.00
T57	47	57	s 8.00	ANETA	NE	DP	s 1.40
T62	30		s 8.15	KLOTEN	KN	DP	s 1.25
T68	45		s 8.40	McVILLE	VI	DP	s 1.10
T75	39		s 9.00	PEKIN	K	DP	s 1.245
T81	40		s 9.20	TOLNA	N	DP	s 1.225pm
T88	31		s 9.40	HAMAR	HM	DP	s 1.56
T94	51		s 10.00	WARWICK	WA	DP	s 1.43
T101	44		s 10.20	TOKIO	KY	DP	s 1.28
T110	34		s 10.45	FORT TOTTEN	NR	DP	s 1.10
408	681		A 11.00pm	DEVILS LAKE. ★ Soo Line Crossing	WS	BDNJKOP RVXYZU	L 11.00Am
FG12	69			WEBSTER	RS	D	
FG24	84			STARKWEATHER	KT	D	
FG40	32			OLMSTEAD	OM	DU	
FG53	39			ROCK LAKE	RA	D	
FG66	48			HANSBORO	HN	DRY	
			5.45 17.6	Time Over Subdivision Average Speed Per Hour			5.08 19.7

WESTWARD

TENTH SUBDIVISION

EASTWARD 7

Station Numbers	Car Capacity		SECOND CLASS		Distance from Vance	Time Table No. 120 Effective Sept. 5, 1961 STATIONS	Telegraph Calls	SIGNS	SECOND CLASS	
	Sidings	Other Tracts	341	641					642	342
			Daily Ex. Sunday	Mon., Wed. & Fri.					Tues., Thurs. & Sat.	Daily Ex. Sunday
FS23			L 8.05Am			VANCE 4.95	JPYR		A 5.40Pm	
R70	46		s 8.25	4.95	4.95	ARTHUR 6.03	AU DP		s 5.25	
R76	34		s 8.45	10.98	10.98	HUNTER	UN DP		s 5.05	
R87	42		s 9.15	21.66	21.66	10.68 BLANCHARD	CD DP		s 4.29	
R99	184		s 10.35	33.58	33.58	11.92 MAYVILLE	MV DP		s 3.50	
R103	19		As 10.50	38.52	38.52	4.94 PORTLAND JCT.	JPY		3.05	
S47	64			42.77	42.77	4.25 PORTLAND	RA DP			
R103	19		L 11.20			4.55 PORTLAND JCT.	JPY			
R110	171		s 11.50	45.02	45.02	6.50 HATTON	HT DP		s 2.50	
R118	168		s 12.25Pm	53.51	53.51	8.49 NORTHWOOD	ND DP		s 2.15	
R125	44		s 12.45	59.78	59.78	6.27 KEMPTON	MT DP		s 1.45	
347	243		A 1.00Pm	66.09	66.09	6.31 LARIMORE ★	KI BDNJKPRXY		L 1.30Pm	

TRAINS BETWEEN LARIMORE AND HANNAH JCT. ARE GOVERNED BY THIRD SUBDIVISION SCHEDULES.

R-139	29		L 8.15Am	68.34	68.34	2.25 HANNAH JCT.	JPX	A 1.45Pm	
R-146	29		8.35	74.29	74.29	5.95 McCANNA	MC D	1.25	
R-150	50		8.55	80.86	80.86	6.57 ORR	OR D	1.05	
R-161	44		9.15	85.09	85.09	4.23 INKSTER	NS D	12.45	
R-168	50	184	9.55	96.62	96.62	11.53 PISEK	P D	12.05Pm	
R-177	98		10.30	102.78	102.78	6.16 PARK RIVER	K DY	11.45	
R-183	30	30	11.10	112.08	112.08	9.30 EDINBURG	BU D	10.01	
R-189	41		11.30	118.36	118.36	6.28 UNION	U D	9.35	
R-195	54		11.50	124.65	124.65	6.29 MILTON	MN D	9.15	
R-207	37	89	12.10Pm	130.43	130.43	5.78 OSNABROCK	NB D	8.59	
R-214	35		1.05	142.14	142.14	11.71 LANGDON	DN D	8.25	
R-221	42		1.25	149.17	149.17	7.03 DRESDEN	RS D	7.45	
R-228	26		1.45	156.52	156.52	7.35 WALES	W D	7.25	
			A 2.00Pm	163.23	163.23	6.71 HANNAH	HN BDRY	L 7.00Am	
			4.55 13.4	5.45 16.5		Time Over Subdivision Average Speed Per Hour		6.45 14.1	4.10 15.9

Westward trains are superior to eastward trains of the same class.

SEE ADDITIONAL SPECIAL INSTRUCTIONS PAGES 10 THROUGH 15.

8 ELEVENTH SUBDIVISION

WESTWARD

EASTWARD

Station Numbers	Car Capacity		SECOND CLASS		Distance from PA Tower	Time Table No. 120 Effective Sept. 5, 1961	STATIONS	Telegraph Calls	SIGNS	SECOND CLASS	
	Sidings	Other Tracts	307	323						308	324
			Daily Ex. Sun.	Daily Ex. Sun.							
317			L 9.30Am			PA TOWER	PA	RDNIJYPU		A 7.00Pm	
				1.49		N. P. RY. CROSSING		P			
O-12	83		s 10.03	12.01		MANVEL	MV	DP		s 6.40	
O-24	79	44	s 10.34	24.07		ARDOCH	HN	DPVU		s 6.15	
O-30		114	s 10.50	30.21		MINTO	MT	DP		s 5.55	
				38.40		N. P. RY. CROSSING		U			
O-39	87	194	L 11.50Am	A 11.05Am	39.09	GRAFTON	FN	BDPRXV	A 3.50Pm	L 5.30Pm	
	73		11.54		39.83	GRAFTON JCT.		JPYX	3.45		
O-46		88	s 12.10Pm		45.58	AUBURN	AU	DP	s 3.30		
O-53		163	s 12.30		53.22	ST. THOMAS	MS	DP	s 3.15		
O-59		36	s 12.45		59.28	GLASSTON	NA	DP	s 2.55		
O-66		67	s 1.00		66.23	HAMILTON	H	DP	s 2.40		
O-71		51	s 1.15		71.36	BATHGATE	VD	DP	s 2.25		
O-79	Yard	206	s 1.35		79.18	NECHE	CH	BDPRWX	s 2.10		
			A 1.40Pm		80.96	GRETNA	N	DJPRYV	L 1.50Pm		
			1.50 22.9	1.35 24.7		Time Over Subdivision Average Speed Per Hour			2.00 20.9	1.30 26.6	

TWELFTH SUBDIVISION

WESTWARD

EASTWARD

Station Numbers	Car Capacity		SECOND CLASS		Distance from Grafton	Time Table No. 120 Effective Sept. 5, 1961	STATIONS	Telegraph Calls	SIGNS	SECOND CLASS	
	Sidings	Other Tracts	323							324	
			Daily Ex. Sun.	Daily Ex. Sun.							Daily Ex. Sun.
O-39	87	184	L 11.30Am			GRAFTON	FN	BDPRXV	A 5.10Pm		
	73		11.34	0.74		GRAFTON JCT.		JPYX	5.05		
OA-7		197	s 11.55	6.47		NASH	NA	D	s 4.50		
OA-14		66	s 12.25Pm	13.66		HOOPLE	HO	D	s 4.30		
OA-18		153	s 12.45	18.30		CRYSTAL	CT	D	s 4.05		
OA-24		45	s 1.05	24.59		HENSEL	CA	D	s 3.45		
OA-32		165	s 1.25	32.21		CAVALIER	CV	D	s 3.25		
OA-37		35	s 1.40	37.18		BACKOO	BO	D	s 3.05		
OA-48	Yard	190	A 2.00Pm	48.33		WALHALLA	WA	BDORXY	L 2.45Pm		
			2.30 19.3			Time Over Subdivision Average Speed Per Hour			2.25 20.0		

THIRTEENTH SUBDIVISION

WESTWARD

EASTWARD

Station Numbers	Capacity of Tracts		Distance from Lakota	Time Table No. 120 Effective Sept. 5, 1961	STATIONS	Telegraph Calls	SIGNS
	Capacity of Tracts	Capacity of Tracts					
			0.32		SARLES JCT.		JXYP
			8.61		SOO LINE CROSSING		U
VA-12	35	12.40			BROCKET	KO	D
VA-18	35	18.66			LAWTON	ON	D
VA-27	42	27.19			EDMORE	RD	D
VA-34	26	33.89			DERRICK	RC	D
VA-40	44	40.05			HAMPDEN	DN	D
			48.53		SOO LINE CROSSING		U
VA-53	44	52.44			MUNICH	MN	D
VA-60	34	59.88			CLYDE	CD	D
VA-66	36	65.83			CALVIN	VN	D
VA-73	45	72.69			SARLES	SA	DRY

FOURTEENTH SUBDIVISION

WESTWARD

EASTWARD

Station Numbers	Car Capacity		Distance from Church's Ferry	Time Table No. 120 Effective Sept. 5, 1961	STATIONS	Telegraph Calls	SIGNS
	Sidings	Other Tracts					
427	129	128			CHURCH'S FERRY	FY	DJPRXY
X7		25	7.37		MAZA	Z	D
X15	57	98	15.38		CANDO	CN	D
X28		35	27.84		SOO LINE CROSSING	BS	DVU
X35		35	35.16		PERTH	RH	D
X48		41	47.41		ROLLA	RO	D
X55		40	54.82		ST. JOHN	SJ	DRY

Westward trains are superior to eastward trains of the same class on the Eleventh, Twelfth, Thirteenth and Fourteenth Subdivisions.
SEE ADDITIONAL SPECIAL INSTRUCTIONS PAGES 10 THROUGH 15.

FIFTEENTH SUBDIVISION
WESTWARD EASTWARD

Station Numbers	Capacity of Tracks	Distance from York	Time Table No. 120		Telegraph Calls	SIGNS
			Effective Sept. 5, 1961			
STATIONS						
445	129
				YORK	XN	DJPRXY
			14.33	14.33	WF	D
			20.92	6.59	SN	D
				WOLFORD		
				NANSON		
				6.42	MC	DU
			27.34	6.85	AN	D
				ROLETTE		
				SOO LINE CROSS'G.		
				7.75	DN	DRY
			34.19	THORNE		
			41.94	DUNSEITH		

SEVENTEENTH SUBDIVISION
WESTWARD EASTWARD

Station Numbers	Capacity of Tracks	Distance from Tower	Time Table No. 120		Telegraph Calls	SIGNS
			Effective Sept. 5, 1961			
STATIONS						
484	191
			14.16	14.16	OW	DJKPRXY
			22.14	7.98	BA	D
				TOWNER		
				BANTRY		
				UPHAM		
			30.86	8.72	U
				SOO LINE CROSS'G.		
			34.82	3.96	BR	D
				NEUBURG		
			45.46	10.64	MX	DRY
				MAXBASS		

EIGHTEENTH SUBDIVISION
WESTWARD EASTWARD

Station Numbers	Capacity of Tracks	Distance from Granville	Time Table No. 120		Telegraph Calls	SIGNS
			Effective Sept. 5, 1961			
STATIONS						
504	210
			13.00	13.00	J	DJPRXY
			24.47	11.47	DR	D
				GRANVILLE		
				DEERING		
				GLENBURN		
			35.27	10.80	GX	D
				LANSFORD		
				SOO LINE CROSS'G.		
			46.36	11.09	S	DVU
				MOHALL		
				7.65	MO	D
			54.01	LORAIN		
			61.22	7.21	RI	D
				SHERWOOD		
					WD	DRY

SIXTEENTH SUBDIVISION 9
WESTWARD EASTWARD

Station Numbers	Capacity of Tracks	Distance from Rugby	Time Table No. 120		Telegraph Calls	SIGNS	SECOND CLASS
			Effective Sept. 5, 1961				347
STATIONS							
465	307	L 6.00Am
			12.76	12.76	RU	BDNJKP ORXY	A 4.45Pm
			21.21	8.45	BN	D	s 4.10
				RUGBY			
				BARTON			
			28.58	7.37	WC	D	s 3.45
				WILLOW CITY			
				OMEMEE			
				SOO LINE CROSS'G.			
				9.52	VU	s 3.20
			38.10	8.45	BO	D	L 3.00
				6.66	CB	D	A 2.19
			44.76	6.34		s 2.05
				BOTTINEAU			
				CARBURY			
			51.10	5.53	SU	D	s 1.45
				SOURIS			
			56.63	5.09	HO	D	s 1.25
				ROTH			
			61.72	5.81	NA	D	s 1.05
				LANDA			
				12.71	WS	D	s 12.40Pm
			67.53	12.71	AR	BDRY	L 11.35Am
				WESTHOPE			
			80.24	11.10Am		
				ANTLER			

NINETEENTH SUBDIVISION
WESTWARD EASTWARD

Station Numbers	Capacity of Tracks	Distance from Crookston Yard	Time Table No. 120		Telegraph Calls	SIGNS	SECOND CLASS
			Effective Sept. 5, 1961				554
STATIONS							
N114	138	L 7.00Am
			132.39	12.29	WD	BDRXYV	A 3.15Pm
			120.10	9.10	SA	D	s 2.49
				WARROAD			
				SALOL			
			111.00	7.55	RU	D	s 2.30
				ROSEAU			
			98.00	13.00	BA	D	s 1.55
				BADGER			
			88.52	9.48	GB	D	s 1.25
				GREENBUSH			
			69.85	18.67	MD	D	s 12.30Pm
				MIDDLE RIVER			
				19.20	UX
			50.65	3.11		
				SOO LINE CROSSING			
			47.54	7.20	VR	DXYV	s 11.05
				THIEF RIVER FALLS			
			40.34	11.05	JO	D	s 10.15
				ST. HILAIRE			
			30.09	10.25	FA	D	s 9.45
				RED LAKE FALLS			
			27.99	2.10	JR	9.30
				RED LAKE FALLS JCT.			

TRAINS BETWEEN TILDEN JCT. AND RED LAKE FALLS JCT. ARE GOVERNED BY NORTHERN PACIFIC TIME TABLE.

Y 17	12.10Pm	10.90	17.09	JPRV	9.05
			TILDEN JCT.			
			4.64	12.45	P	8.50
			BENOIT			
			12.45	BOPXY	L 8.15Am
			CROOKSTON YARD			
A298	359	A 1.00Pm
			6.00	7.00
			22.0	18.9
			Time Over Subdivision
			Average Speed Per Hour

Westward trains are superior to eastward trains of the same class on the Fifteenth, Sixteenth, Seventeenth, Eighteenth and Nineteenth Subdivisions.

SEE ADDITIONAL SPECIAL INSTRUCTIONS PAGES 10 THROUGH 15.

ALL SUBDIVISIONS

1. SPEED RESTRICTIONS GENERAL.

The following speed limits apply to trains and engines operating under the conditions outlined, unless rules or conditions require a further reduction.

50 MPH—Diesel engines light or with caboose only.

35 MPH—Trains or engines on main routes, actuating the points of spring switches; trains or engines thru No. 20 turnouts at following locations.

Barnesville Jct. —Jct. switch.

Moorhead Jct. —Jct. switch.

Hillsboro —Both siding switches.

Gardner —Both siding switches.

30 MPH—On Main lines, when handling following equipment in trains not in actual service but on own wheels, derricks, cranes, pile drivers, Jordan spreaders, shovels, wedge plows, scale test car, also ore cars series 80000 thru 94250 and air dump cars X-2000 thru X-2096, X-7000 thru X-7049 when such cars are loaded with ore or gravel.

25 MPH—Trains handling logs; trains or engines moving in facing point direction at spring switches without facing point lock; trains or engines thru No. 15 turnouts at following locations.

PA Tower —Jct. switches, Second Sub-Division.
Both switches of crossover west of Interlocking station.

Moorhead Jct. —West switch of siding.

20 MPH—Trains handling the following equipment on Branch Lines or on 6 degree or sharper curves of Main Lines, scale test car, ore cars series 80000 thru 94250, air dump cars X-2000 thru X-2096, X-7000 thru X-7049 when such cars are loaded with ore or gravel.

15 MPH—Trains handling the following equipment on Branch Lines or on 6 degree or sharper curves of Main Lines, derricks, cranes, pile drivers, Jordan spreaders, shovels and wedge plows.

Trains or engines moving thru interlockings against the current of traffic on double track; trains or engines thru all other turnouts, except equilateral turnouts, and those shown previously in this item.

1(a). Rule 240 W of the Consolidated Code of Operating Rules is modified to permit handling Great Northern Cars 60276 through 60279, 61500 through 61524 and 61000 through 61009 in passenger trains at passenger train speeds.

2. MOVEMENT OF ENGINES DEAD IN TRAINS.

Engine 2350 must be handled on rear of freight and mixed trains. Diesel engines 1 thru 196 or any road switcher unit not equipped with alignment control couplers must be towed as single units. On engines 550 thru 599, coupler alignment control lock blocks must be "DOWN" when coupled in multiple unit operation.

Following road switchers are equipped with alignment control couplers: 200 through 218; 220 through 230; 550 through 599 (lock blocks); 600 through 699; 700 through 734; 900 through 915; 2000 through 2035.

Single unit diesel engines, or multiple unit groups (When such groups consist of road freight, road passenger, or engines with alignment control couplers), when towed dead in freight trains, are to be handled not less than five (5) cars nor more than fifteen (15) cars behind the road engine. There should not be more than five (5) units in a group. Additional such units or groups of units must be separated by not less than five (5) cars. When towing diesel engines dead in trains the following speeds must not be exceeded.

MAXIMUM SPEED	ENGINE NUMBER
50 MPH.....	1 thru 10, 14 thru 16, 24 thru 28, 75 thru 162, 165 thru 170.
79 MPH.....	350 thru 375, 500 thru 512, 679, 680, 2350.
65 MPH.....	All other diesel engine units.

3. Except at points where it is necessary to classify trains, open cars loaded with poles, piling, lumber, timber, pipe, or other lading which might shift, should be placed as close as possible to the head end of train, but not next to engine, caboose, occupied outfit car or passenger car. Loaded trailer-on-flat cars are not included in this category. In double track territory, trains handling such cars must use extreme care to avoid slack running in or out when passing or being passed by other trains. In single track territory, trains handling such cars must be at stop when on siding or other track to meet or be passed by other trains, except when have more cars than siding will hold, it is permissible for such trains to pull by each other at restricted speed.

Loaded dump cars should not be handled on double track after dark, but if necessary to do so, close watch must be maintained by members of the crew, and if a car dumps its load, train must be stopped at once and protection provided as prescribed by the rules.

4. Brakemen with less than one year of experience should not be used as flagman except in emergency, and then Superintendent will be notified by wire.

5. When operating snow machines in non-block signal territory no trains should be permitted to follow closer than a station apart; when that cannot be done they shall be blocked not less than thirty minutes apart.

After severe blizzard or dirt storm, employes on first train over road must exercise care to avoid accident caused by striking drift without first having drifts faced with hand shovels, cutting in far enough to get beyond the hard snow and giving a perpendicular wall to strike against instead of slope or wedge-like shape. When operating snow dozer, conductor in charge will ride in the dozer. On snow and dirt dozers every precaution must be taken to see that cage, flangers and wings clear all obstacles when in service and are properly secured when in through trains, and dozers properly turned. Hand screws must be tightened to raise flanger on dozers as high as possible before making a backup movement, and must not be released until the dozing work is actually to start. Hand screws holding the cage on dozers must be tightened or chains otherwise fastened except when dozer has air in cylinders and is attended by an employe.

6. Due to limited overhead clearance at tunnels and structures, employes are warned to keep off top of cars of extreme height and width when handled in trains and yards, except in emergency. In absence of previous advice on such cars, wire proper officer for instructions.

7. Placarded loaded tank cars handled in through freight or mixed trains shall not be nearer than 6th car from engine, occupied caboose or passenger car.

Cars placarded "Explosives", "Flammable", "Corrosive Liquids", or "Poison Gas" handled in through freight trains, local and mixed trains, shall not be nearer than 16th car from engine, occupied caboose or passenger car.

When length of train will not permit handling of cars as prescribed above—ANY PLACARDED CAR, loaded with above commodities—shall be placed near middle of train, but not nearer than 2nd car from engine, occupied caboose or passenger car. When switching such cars in terminal yards they must be separated from engine by at least one non-placarded car.

When placarded cars described above are handled in freight trains made up in "blocks" or classifications, placarded car or cars shall be placed near middle of the "block" or classification, but not nearer than 6th car from engine, occupied caboose or passenger car.

When such placarded cars are placed in trains they must not be placed next to each other, next to refrigerators equipped with gas-burning heaters, stoves or lanterns, or next to loaded flat cars, or gondola cars containing lading higher than ends of car that is liable to shift.

Carload express shipments of explosives, sealed and placarded, may be handled on passenger trains; LCL shipments may be made in so-called peddler car with messenger in charge when such car is assigned to the handling of express and baggage exclusively.

Terminal or pick-up points enroute must furnish conductor and engineer Form 250 showing consecutively location in train of all cars placarded "Explosives". At points other than terminals where crews change, notice will be transferred from crew to crew.

Employes will be guided by further instructions governing handling of loaded tank cars, Explosives, Flammables, Corrosive Liquids, and Poison Gas found in I. C. C. Regulations and Consolidated Code Rules 727 and 811.

8. Trains departing from stations, either from siding or main track in trailing point movement actuating points of spring switches, a member of crew must observe indication of governing signal in opposite direction after rear end of train has passed through switch to ascertain if switch points return to normal position. If this signal indicates Stop and no immediate train movement or other cause is evident, report the fact to Superintendent from first available point of communication. During and immediately following snow storms or violent wind storms, spring switches must be operated by hand and relined in normal position before heading out through switch in trailing point movement, actuating switch points, to insure switch is in proper operating condition.
9. Facing point locks on hand operated switches are indicated by a six-inch yellow stripe painted on target staff. Be positive locking device is restored to normal position after using. A running switch must not be made through this type switch.
10. Rule 3 (C) of the Consolidated Code of Operating Rules is amended as follows: Employes governed by time service rules must not wear wrist watches while on duty unless such watches are of an approved type. Approved Type wrist watches are: Elgin, B.W. Raymond model, 13/0 size, 23 jewels.
11. **REGARDING CONSOLIDATED CODE RULE 103.** In addition to complying with the provisions of this rule, members of a crew will be governed by the following: When an engine, with or without cars, is about to move over a public crossing not protected by a watchman, by gates or by crossing signals in operation, a member of the crew must be on the ground at the crossing to provide protection.

FIRST SUBDIVISION

(Main Line)

1. **MAXIMUM PERMISSIBLE SPEED FOR TRAINS.**

Between	Passenger	Freight
Rice Jct. and Moorhead Jct.	79 MPH	50 MPH
2. **SPEED RESTRICTIONS.**

Osakis, No. 7, out St. Paul Sunday night, passing depot 30 MPH
3. **TRAIN REGISTER EXCEPTIONS.**

Moorhead Jct., all trains register by ticket.
Barnesville, Register is for trains originating or terminating.
Sauk Centre, Register is only for Third Subdivision Mesabi Division trains.
4. **CLEARANCE PROVISIONS AND EXCEPTIONS RULE 83(B).**
 - (a) Dakota Division clearance received at St. Cloud will clear westward trains at Rice Jct.
 - (b) At Park Rapids Jct., eastward trains from Mesabi Division may proceed to Sauk Centre without clearance.
 - (c) At Pelican Jct., Barnesville Jct., trains for which these points are initial stations may proceed on authority of clearance under which such trains arrive.
 - (d) At Barnesville, First class trains and passenger extras must obtain clearance. Clearance issued and signed by the Superintendent will confer the same authority to a first class train as though received at its initial station.

(e) Fargo-Fargo Jct., First class trains and passenger extras will obtain their Clearance Form A at Fargo Passenger Station, other trains at yard office when the operator at yard office is on duty. When there is no operator on duty at yard office Clearance Form A will be obtained at passenger station.

Clearance Form A received at Fargo or Fargo Jct. will clear Eastward First Subdivision trains at Moorhead Jct. under Rule 83 (B).

5. SPEED TEST BOARDS.

Engineers shall test speed of their train passing the following points as compared with speed table:

Westward trains, between MP 83 and MP 84 between St. Joseph and Collegeville.

Eastward trains, between MP 12 and MP 11 between Baker and Sabin, and between MP 214 and MP 213 between Lawndale and Barnesville.

6. MANUAL INTERLOCKINGS.

Moorhead Jct.

7. MANUAL INTERLOCKINGS WITH DUAL CONTROL SWITCHES.

Rice Jct., switches are electrically controlled by operator at depot, St. Cloud.

Barnesville Jct., switches are electrically controlled by operator at depot, Barnesville.

8. AUTOMATIC INTERLOCKINGS.

N. P. Ry. crossing0.8 miles west of Sauk Centre
N. P. Ry. crossing0.6 miles east of Fergus Falls

when home signal displays Stop-indication, a member of the crew must first operate push button at the home signal. If this operation does not cause signal to indicate proceed, release must then be operated in accordance with instructions posted in box at the crossing. These instructions cover operation of electric switch locks on east siding switch and industry track switch.

9. Freight trains using the siding at Carlisle, Minnesota, must stop to clear the Township Road Crossing located approximately ¼ mile West of the Carlisle depot. It will be permissible, if necessary, to block the road crossing immediately West of the depot, but in no case will both road crossings be blocked. Do not want any crossings blocked at Fergus Falls.
10. Diesel radiator and boiler water stations.
Sauk Centre
Barnesville
11. All concerned should be alert to see loads of pulpwood are watched carefully to be sure there is no disarrangement of the load.

SECOND SUBDIVISION

(Main Line)

1. **MAXIMUM PERMISSIBLE SPEED FOR TRAINS.**

Between	Passenger	Freight
Wahpeton Jct. and PA Tower	79 MPH	50 MPH
2. **SPEED RESTRICTIONS.**

CMStP&P. RR. Crossing 1.85 miles east of Lurgan 60 MPH 35 MPH
Between Home Signals of Interlocking at PA Tower.... 20 MPH
3. **TRAIN REGISTER EXCEPTIONS.**

PA Tower, register only for extra trains which will register by ticket.
Fargo—Register is for First and Second class trains, mixed trains and Passenger extras.
Fargo Jct.—Register is only for freight trains.
Register of regular trains at Breckenridge will cover their arrival at Wahpeton Jct.
Moorhead, register is for Eighth Subdivision trains only which will register by ticket at depot.

4. CLEARANCE PROVISIONS AND EXCEPTIONS RULE 83(B).

(a) Dakota Division clearance received at Breckenridge will clear westward trains at Wahpeton Jct.

(b) At Moorhead Jct., westward trains for which this point is initial station, may proceed on authority of clearance under which such trains arrive when train order signal indicates proceed.

(c) Fargo—First and Second class trains, mixed trains, and passenger extras must obtain Clearance Form A at passenger station. Trains destined westward on Minot Division must obtain their Minot Division Clearance Form A at passenger station, which will clear such trains at Fargo Jct. under Rule 83 (B). Fargo Jct.—Eastward trains from Minot Division may proceed on authority of Clearance Form A under which such train arrives. Freight trains for which this point is the initial station will obtain their Clearance Form A at yard office when the operator is on duty, during the time there is no operator on duty Clearance Form A will be obtained at passenger station Fargo.

(d) At PA Tower, clearance under which Nos. 9, 3, 7, 147, 149 and 157 arrive will clear Nos. 144, 142, 158, 4, 10 and 8 respectively at that point.

(e) At Fargo, clearance issued and signed by the Superintendent will confer the same authority to a first class train as though received at its initial station.

5. Hillsboro, crossover switch on siding must be left lined for siding.**6. SPEED TEST BOARDS.**

Engineers shall test speed of their train passing the following points as compared with speed table:

Westward trains, between MP 16 and MP 17, approximately 4 miles west of Kent.

Westward trains, between MP 33 and MP 34 between Harwood and Argusville.

Eastward trains, between MP 90 and MP 89 between Merrifield and Thompson.

7. SPRING SWITCHES WITH FACING POINT LOCK.

Fargo Jct., west yard switch.

Gardner, east and west siding switch.

Hillsboro, east and west siding switch.

Normal position is for main track.

8. PA Tower—Crossover Switch for trains from Second to Third Subdivision, and connecting switches Second and Third Subdivisions are located as follows:

G.F. Switch.....0.26 miles West of PA Tower

D.L. Switch.....1.26 miles West of PA Tower

F.O. Switch.....1.20 miles East of PA Tower

9. MANUAL INTERLOCKING WITH DUAL CONTROL SWITCHES.

P. A. Tower

Fargo

Moorhead Jct.

The home signal limits of Fargo interlocking extend from the westward home signal at the junction of Surrey and Dakota main tracks east of depot, to the eastward home signal just west of 8th St. crossovers. The hand-throw electric locked switches in this area are under control of the Fargo operator.

10. Fargo—Between 8th St. crossovers and Fargo Jct., unless otherwise instructed, Dakota division trains will use Dakota main track, Minot division trains will use Surrey main track.**11. MANUAL INTERLOCKINGS.**

N. P. Ry. crossingMoorhead Jct.

Whistle signal for routes:

Moorhead Jct., First Subdivision1 long.

Second Subdivision1 long, 1 short.

Siding3 long, 1 short.

12. AUTOMATIC INTERLOCKINGS.

CMStP&P. RR. crossing1.85 miles east of Lurgan

13. Kent, when siding is occupied by a train, members of train crew must be stationed at Third Street crossing approximately 100 feet west of depot and also at State Aid road No. 7 crossing approximately 900 feet east of depot to flag highway traffic over these crossings.

At Hillsboro—movements on industry and house tracks over Fifth Street crossing will be protected by train crews.

14. Diesel radiator and boiler water stations.

Fargo

THIRD SUBDIVISION

(Main Line)

1. MAXIMUM PERMISSIBLE SPEED FOR TRAINS.

Between	Passenger	Freight
Grand Forks and PA Tower	50 MPH	
PA Tower and Surrey	79 MPH	50 MPH

2. SPEED RESTRICTIONS.

Between Home Signals of Interlocking at PA Tower.... 20 MPH
Larimore, Engines must not exceed 5 MPH over Tower Avenue crossing when moving on siding.

3. TRAIN REGISTER EXCEPTIONS.

PA Tower, register only for westward freight trains which will register by ticket.

Larimore, register only for trains originating and terminating at Larimore and Hannah Jct.

Lakota, register only for trains originating and terminating at Lakota and Sarles Jct.

Devils Lake, all trains register and receive clearance.

Churchs Ferry, York, Rugby, Towner, Granville, register only for trains originating and terminating.

4. CLEARANCE PROVISIONS AND EXCEPTIONS RULE 83(B).

(a) At PA Tower, clearance under which Nos. 9, 3, 7, 147, 149 and 157 arrive will clear Nos. 144, 142, 158, 4, 10 and 8 respectively at that point.

(b) At Hannah Jct., Sarles Jct., trains for which these points are initial stations may proceed on authority of clearance under which such trains arrive.

(c) At Devils Lake, clearance issued and signed by the Superintendent will confer the same authority to a first class train as though received at its initial station.

(d) Rule 83B of the Consolidated Code of Operating Rules and General Instructions does not apply at Churchs Ferry, York, Towner and Granville when the Agents are not on duty.

(e) Clearances received by first class trains, passenger extras and mixed trains at Minot, other trains at Gavin Yard, will clear such trains at Surrey.

5. PA Tower—Crossover Switch for trains from Second to Third Subdivision, and connecting switches Second and Third Subdivisions are located as follows:

G.F. Switch0.26 miles West of PA Tower

D.L. Switch1.26 miles West of PA Tower

F.O. Switch1.20 miles East of PA Tower

6. Grand Forks, the tracks in front of and numbering from passenger station are known as depot tracks, 1, 2, 3 and 4; the 5th track is known as the freight lead.

Depot Lead at west crossover just west of coach yard must be kept clear for meeting and passing of trains.

The normal position of the switch at west end of crossover just west of Signal 107.8 about 1500 feet west of Grand Forks Passenger Depot will be lined for No. 1 track at Grand Forks passenger station. Eastward First Class Trains except No. 144 and No. 10 will use No. 1 track at Grand Forks Passenger Depot. No. 144 and No. 10 will use No. 3 track.

Nos. 3, 9, 147 and 149 will make back up movement from Grand Forks passenger station through the interlocking plant PA Tower.

Back up air brake hose equipped with whistle and valve will be applied at Grand Forks passenger station and crews of these trains will see that careful movement is made while backing up. Speed must be restricted to 15 MPH.

7. University, automatic block signal 109.2 governing Eastward train and engine movements is located on left hand side of main track about 54 feet east of University spur switch.

8. SPEED TEST BOARDS.

Engineers shall test speed of their trains passing the following points as compared with speed table:

Westward trains, between MP 5 and MP 6 between Powell and Emerado.
between MP 94 and MP 95 between Grand Harbor and Penn.

Eastward trains, between MP 185 and MP 184 between Norwich and Granville.
between MP 79 and MP 78 between Keith and Crary.

9. MANUAL INTERLOCKING WITH DUAL CONTROL SWITCHES.

PA Tower.

Switches electrically controlled by operator at PA Tower.

Whistle signals for routes, PA Tower:

Second Subdivision 2 long, 1 short.

Third Subdivision 1 long, 1 short.

Eleventh Subdivision 1 long.

Tower Track 3 long, 1 short.

Grand Forks Yard 2 short, 1 long.

Surrey—Switches electrically controlled by Operator at Gavin Yard.

10. AUTOMATIC INTERLOCKINGS.

MStP&SSM RR. Crossing.....2.9 mi. east of Grand Harbor.

11. Diesel radiator and boiler water stations.

Grand Forks
Devils Lake
Rugby

6. Noyes, trains and engines entering Canadian National Ry. tracks will be governed by current C. N. Ry. time-table and obtain clearance Form 728 before leaving.

7. SPEED TEST BOARDS.

Engineers shall test speed of their trains passing the following points as compared with speed table:

Westward trains, between MP 13 and MP 14 between Downer and Glyndon.

Eastward trains, between MP 81 and MP 80 between Humboldt and Northcote.

8. MANUAL INTERLOCKINGS WITH DUAL CONTROL SWITCHES.

Barnesville Jct.

Switches are electrically controlled by operator at depot Barnesville.

Crookston Jct.

Switches are electrically controlled by operator at depot Crookston.

9. MANUAL INTERLOCKINGS.

N. P. Ry. crossingGlyndon

10. AUTOMATIC INTERLOCKINGS.

N. P. Ry. crossing1.43 miles west of Noyes Jct.

N. P. Ry. crossing4.51 miles west of Shirley

MStP&SSM. RR. crossingWarren

11. Stephen—All switch movements over 5th Street Crossing just east of depot shall be preceded onto the crossing by a trainman properly equipped with a flag by day and a light by night to warn motorists approaching the crossing.

12. No. 8 pick up cream at Stephen Sunday night.

13. Diesel radiator and boiler water stations.

Crookston
Hallock

14. West switch on west leg of wye, Noyes Jct., on the fourth Subdivision, is lined for fifth Subdivision.

Trains leaving Crookston for Noyes, and trains leaving Noyes for Crookston must stop at Noyes Jct. to line this switch and line it back for fifth Subdivision.

FOURTH SUBDIVISION

(Ada-Noyes Lines)

1. MAXIMUM PERMISSIBLE SPEED FOR TRAINS.

Between	Passenger	Freight
Barnesville Jct. and M. N. Jct.....	59 MPH	49 MPH
M. N. Jct. and Noyes Jct.....	55 MPH	40 MPH
Noyes Jct. and MP55 near Donaldson.....	59 MPH	50 MPH
MP55 near Donaldson and Noyes	50 MPH	40 MPH

2. SPEED RESTRICTIONS.

Between Home Signals of Interlocking at:..... 20 MPH
Glyndon.

Stephen, all trains over street crossings 15 MPH

Crookston, all trains except first class over Roberts Street, Newton and Ingersoll Avenue Crossings 15 MPH

3. TRAIN REGISTER EXCEPTIONS.

Crookston, Freight trains register by ticket.

4. CLEARANCE PROVISIONS AND EXCEPTIONS RULE 83(B).

At Barnesville Jct., M. N. Jct., Crookston Yard, Fisher Line Jct., trains for which these points are initial stations may proceed on authority of clearance under which such trains arrive.

At Fisher Line Jct., the clearance under which No. 8 arrives will clear No. 157. The clearance under which No. 158 arrives will clear No. 7.

5. Noyes, before going to Canadian Pacific yard, call up C. P. office and obtain clearance to enter their yard. When necessary to go to the west end of C. P. yard, stop at C. P. office and get switch key which must be turned in immediately upon return from that part of the yard. Crews going from G. N. yard to C. P. yard must not attempt to enter C. P. yard until they receive hand signal from the towerman.

FIFTH SUBDIVISION

(Crookston Line)

1. MAXIMUM PERMISSIBLE SPEED FOR TRAINS.

Between	Passenger	Freight
Grand Forks and Fisher Line Jct.	59 MPH	40 MPH

2. TRAIN REGISTER EXCEPTIONS.

Grand Forks, eastward freight trains register by ticket at passenger station.

North Crookston, Register is only for trains 157 and 158.

3. CLEARANCE PROVISIONS AND EXCEPTIONS RULE 83(B).

At Fisher Line Jct., trains for which this point is initial station may proceed on authority of clearance under which such trains arrive.

At Fisher Line Jct., the clearance under which No. 8 arrives will clear No. 157. The clearance under which No. 158 arrives will clear No. 7.

4. SPRING SWITCHES WITHOUT FACING POINT LOCK.

Grand Forks, east switch of freight lead (west end Red River Bridge).

Normal position is for main track.

5. West switch on west leg of wye, Noyes Jct., on the fourth Subdivision, is lined for fifth Subdivision.

Trains leaving Crookston for Noyes, and trains leaving Noyes for Crookston must stop at Noyes Jct. to line this switch and line it back for fifth Subdivision.

SIXTH, SEVENTH, EIGHTH SUBDIVISIONS

(Pelican Rapids, Portland, Halstad Lines)

- MAXIMUM PERMISSIBLE SPEED FOR TRAINS.**

Between	Freight
Pelican Jct. and Pelican Rapids.....	20 MPH
Erie Jct. and Portland Jct.	20 MPH
Moorhead and M.N. Jct.	35 MPH
- SPEED RESTRICTIONS.**
 Between Home Signals of Interlocking at Pelican Jct... 20 MPH
- ENGINE RESTRICTIONS.**
 Sixth Subdivision—SD 7 and SD 9 engines series 550 to 599 restricted to 20 MPH.
- TRAIN REGISTER EXCEPTIONS.**
 Moorhead—register is for Eighth subdivision trains only which will register by ticket at passenger station.
- CLEARANCE PROVISIONS AND EXCEPTIONS RULE 83(B).**
 At Pelican Jct., M.N. Jct. trains for which these points are initial stations may proceed on authority of clearance under which such trains arrive.
- AUTOMATIC INTERLOCKING.**
 Pelican Jct. (Fergus Falls).
- Trains from 8th Subdivision will obtain their orders at Moorhead Jct.
- The track has been taken up from a point 600 feet west of the west switch, Clifford to Portland.

NINTH, TENTH, ELEVENTH, TWELFTH, THIRTEENTH SUBDIVISIONS

(Aneta-Hansboro, Mayville-Hannah, Neche, Walhalla, Sarles Lines)

- MAXIMUM PERMISSIBLE SPEED FOR TRAINS.**

Between	Freight
Nolan and Devils Lake.....	40 MPH
Devils Lake and Hansboro.....	20 MPH
Vance and Preston	25 MPH
Preston and Portland Jct.	20 MPH
Portland Jct. and Larimore	25 MPH
Hannah Jct. and Hannah	30 MPH
P.A. Tower and Neche	40 MPH
Grafton and Walhalla	35 MPH
Sarles Jct. and water tank Edmore	35 MPH
Water tank Edmore and Sarles	20 MPH
- SPEED RESTRICTIONS.**
 Between home signals of interlocking 20 MPH
 Nolan.
 P.A. Tower.
 SD7 engines between Hannah Jct and Hannah also between Grafton and Walhalla 25 MPH
 Trains handling loaded tank cars between Nolan and Devils Lake 35 MPH
- ENGINE RESTRICTIONS.**
 Ninth Subdivision—SD 7 and SD 9 engines series 550 to 599 restricted to 20 MPH.
 Eleventh Subdivision—SD 7 and SD 9 engines series 550 to 599 restricted on Paul Koehmstedt Spur Minto and M.R.T.J. Potato Spur Grafton.
 Twelfth Subdivision—SD 7 and SD 9 engines series 550 to 599 restricted on Mill Spur Cavalier and Mill Spur and Rutherford Potato Spur Walhalla.
- TRAIN REGISTER EXCEPTIONS.**
 P.A. Tower, register only for extra trains to Eleventh subdivision which will register by ticket.

- CLEARANCE PROVISIONS AND EXCEPTIONS RULE 83(B).**
 P.A. Tower, Hannah Jct., Sarles Jct., Trains for which these points are initial stations may proceed on authority of clearance under which such trains arrive.
- MANUAL INTERLOCKINGS.**
 Nolan.
- MANUAL INTERLOCKING WITH DUAL CONTROL SWITCHES.**
 P.A. Tower.
- AUTOMATIC INTERLOCKINGS.**
 Conway—6.55 miles west of Inkster.
- Gretna, within yard limits the main track may be used keeping clear of Canadian Pacific first and second class trains and sections thereof, proceeding at restricted speed, and when going to the wye to turn will head in at first switch south of the station unless you have information on the arrival of superior trains.

FOURTEENTH, FIFTEENTH, SIXTEENTH, SEVENTEENTH, EIGHTEENTH, NINETEENTH SUBDIVISIONS

(St. John, Dunseith, Antler, Maxbass, Sherwood, Warroad Lines)

- MAXIMUM PERMISSIBLE SPEED FOR TRAINS.**

Between	Freight
Churchs Ferry and St. John	25 MPH
York and Dunseith	25 MPH
Rugby and Antler	30 MPH
Towner and Maxbass	25 MPH
Granville and Sherwood	25 MPH
Crookston Yard and Tilden Jct.....	45 MPH
Red Lake Falls Jct. and M.P. 60 at Greenbush	25 MPH
M.P. 60 at Greenbush and Warroad	30 MPH
- SPEED RESTRICTIONS.**
 Between Home Signals of
 Interlocking at.....Crookston Yard 20 MPH
 Warroad 20 MPH
 Wye tracks at Warroad and Thief River Falls 5 MPH
- ENGINE RESTRICTIONS.**
 Fifteenth and Seventeenth Subdivisions—SD 7 and SD 9 engines series 550 to 599 restricted to 20 MPH.
- TRAIN REGISTER EXCEPTIONS.**
 Tilden Jct. Trains will register only when instructed by train order to do so.
- CLEARANCE PROVISIONS AND EXCEPTIONS RULE 83(B).**
 Rule 83(B) does not apply at Tilden Jct., and does not apply at Churchs Ferry, York, Towner and Granville when the Agents are not on duty. No. 348 does not require a clearance at Antler when the Agent is not on duty.
- SEMI-AUTOMATIC INTERLOCKING.**
 C. N. Ry. crossing.....0.6 miles west of Warroad
Great Northern train or engine movements over the crossing will be governed by manually operated gates together with interlocking dwarf signal indications. Routes over the crossing will be set manually after obtaining release of electric lock holding gates in STOP position. See instructions posted in box locked with switch lock.
- AUTOMATIC INTERLOCKING.**
 N. P. Ry. crossing.....2.37 miles east of Crookston Yard

SPEED TABLE

Time Min.	Per Mile Sec.	Miles Per Hour	Time Min.	Per Mile Sec.	Miles Per Hour
	46	78.3	1	18	46.2
	47	76.6	1	20	45.0
	48	75.0	1	22	43.9
	49	73.5	1	24	42.9
	50	72.0	1	26	41.9
	51	70.6	1	28	40.9
	52	69.2	1	30	40.0
	53	67.9	1	33	38.7
	54	66.7	1	36	37.5
	55	65.5	1	39	36.4
	56	64.3	1	42	35.3
	57	63.2	1	45	34.3
	58	62.1	1	50	32.7
	59	61.0	1	55	31.3
1	0	60.0	2	—	30.0
1	1	59.0	2	10	27.7
1	2	58.1	2	20	25.7
1	3	57.1	2	30	24.0
1	4	56.3	2	40	22.5
1	5	55.4	3	—	20.0
1	6	54.5	3	30	17.1
1	7	53.7	4	—	15.0
1	8	52.9	5	—	12.0
1	9	52.2	6	—	10.0
1	10	51.4	7	—	8.6
1	12	50.0	8	—	7.5
1	14	48.6	9	—	6.7
1	16	47.4	10	—	6.0

WATCH INSPECTORS

Weber Jewelry & Music Co.	St. Cloud, Minn.
G. H. Vandesteeg	Sauk Centre, Minn.
E. J. Rovang	Fergus Falls, Minn.
O. P. Mork	Barnesville, Minn.
Bratrud Jewelry Store	Crookston, Minn.
Munn's Jewelry	Crookston, Minn.
R. H. Willey Jewelry Co.	Grand Forks, N. D.
Forté Jewelers	Lakota, N. D.
George Vang	Devils Lake, N. D.
Lien's Jewelry	Rugby, N. D.
White Rose Store	Sherwood, N. D.

Business Tracks not Shown as Stations on Time Table.

NAME	LOCATION	Capac- ity Cars	SWITCH OPENS
First Subdivision			
Collegeville	2.77 miles west of St. Joseph..	6	West End
Melby	4.72 miles west of Evansville..	11	East End
Chem-Gro Spur	0.70 mile east of the east siding switch Fergus Falls..	6	West End
Pyrofax Spur	1.3 miles east of east siding switch Fergus Falls	8	East End
Fargo-Moorhead Asphalt Co.	0.8 mile east of Moorhead Jct.	10	West End
Second Subdivision			
Lurgan	5.41 miles west of Wahpeton Jct.	40	Both Ends
Brushvale	1.95 miles west of Lurgan....	22	Both Ends
Finkle	5.52 miles west of Rustad....	35	Both Ends
Alton	2.38 miles west of Kelson....	23	Both Ends
Taft	3.68 miles west of Hillsboro ..	23	Both Ends
Merrifield	4.92 miles west of Thompson..	37	Both Ends
Flaat	2.96 miles west of Merrifield..	15	Both Ends
Third Subdivision			
Powell	4.13 miles west of PA Tower..	17	Both Ends
Emerado Air Base Spur..	½ mile west of Emerado Depot	278	East End
Fourth Subdivision			
Hadler	5.02 miles west of Ada.....	31	Both Ends
Greenview	5.97 miles west of Beltrami..	24	Both Ends
Shirley	4.99 miles west of Noyes Jct.	6	East End
Roan	5.03 miles west of Angus.....	66	Both Ends
Luna	4.16 miles west of Warren....	19	Both Ends
Hill Siding	0.53 miles west of Northcote..	16	Both Ends
Fifth Subdivision			
Mallory	6.14 miles east of East Grand Forks	18	East End
Sixth Subdivision			
Elizabeth	7.83 miles west of East N.P. Ry. Jct.	5	West End
Eighth Subdivision			
Bingham	2.80 miles west of Moorhead..	634	Both Ends
Girard	5.91 miles west of Eldred....	15	Both Ends
Wilds	2.05 miles west of Girard	232	East End
Ninth Subdivision			
Pickert	2.96 miles west of Blabon....	23	Both Ends
Sweetwater	7.52 miles west of Devils Lake	24	Both Ends
Garske	5.30 miles west of Webster....	21	Both Ends
St. Joe	4.83 miles west of Starkweather	11	Both Ends
Crocus	6.67 miles west of Olmstead..	26	Both Ends
Tenth Subdivision			
Greenfield	5.77 miles west of Hunter....	30	Both Ends
Preston	8.51 miles west of Hunter....	23	Both Ends
Murray	6.35 miles west of Blanchard	24	Both Ends
Edison	2.99 miles west of Hannah Jct.	9	East End
Conway	6.55 miles west of Inkster....	26	Both Ends
Kerry	5.43 miles west of Park River	25	Both Ends
Easby	5.53 miles west of Osnabrock	30	Both Ends
Eleventh Subdivision			
Herriott	4.58 miles west of Minto.....	40	Both Ends
Twelfth Subdivision			
Leyden	5.44 miles west of Backoo....	35	Both Ends
Thirteenth Subdivision			
Weaver	4.80 miles west of Hampden..	16	Both Ends
Fourteenth Subdivision			
Considine	6.29 miles west of Cando.....	35	Both Ends
Fifteenth Subdivision			
Hong	7.24 miles west of York.....	15	Both Ends
Sixteenth Subdivision			
Leverich	6.34 miles west of Rugby....	10	Both Ends
Kuroki	6.00 miles west of Westhope..	21	Both Ends
Seventeenth Subdivision			
Dunning	5.95 miles west of Newburg....	15	Both Ends
Eighteenth Subdivision			
Wolseth	4.99 miles west of Deering....	15	Both Ends
Forfar	5.26 miles west of Glenburn..	26	Both Ends
Nineteenth Subdivision			
Benoit Pit	3.61 miles west of Benoit.....	157	West End
Burwell	7.06 miles west of Benoit.....	38	Both Ends
Holt	9.96 mi. west of Middle River	35	Both Ends
Strathcona	10.26 miles west of Greenbush	23	Both Ends
Fox	6.17 miles west of Roseau....	16	Both Ends
Lyell Spur	3.80 miles west of Warroad....	10	West End

Page 16 (outside rear cover) is blank.